

6/1/83

S1200-1(u)

A

State of Connecticut

One Hundred and Thirty-Second

REGISTRATION REPORT

1979

STATE OF CONNECTICUT

ONE HUNDRED AND THIRTY-SECOND
REGISTRATION REPORT

of

Births, Marriages, Divorces and Deaths

for the

YEAR ENDED DECEMBER 31, 1979

Issued by

THE STATE DEPARTMENT OF HEALTH SERVICES

HARTFORD

Published by the State

Price \$10.00

DEPARTMENT OF HEALTH SERVICES

HARTFORD, December 1, 1982

To His Excellency, William A. O'Neill, Governor of the State of Connecticut:

Sir:

In compliance with the laws of the State, I have the honor to present to you the one hundred and thirty-second report, relating to the births, marriages, divorces and deaths that were registered in Connecticut in the year 1979.

Very respectfully,

DOUGLAS S. LLOYD, M.D., M.P.H.

Commissioner of Health Services

Douglas S. Lloyd, M.D., M.P.H.

Commissioner of Health Services

Sir:

I have the honor to submit herewith the annual registration report for the year 1979, prepared by the Vital Records Section of the Division of Health Statistics.

At this time I wish to express my appreciation of the work performed by the section staff in preparing this report.

MERTON S. HONEYMAN, Ph.D.

Director, Division of Health Statistics

HAROLD BURDO, M.P.H.

Registrar, Vital Records

ROSALIND S. BENNETT, B.S.

Research Analyst, Statistical Section

CONTENTS

Vital Statistics for 1979	Page
Summary for Year	4
Population Estimates	5
Births	5
Fetal Deaths	5
Deaths	5
Leading Causes of Death	5
Infant Mortality	6
Marriages	7
Divorces	7

TABLES

Table No.		Table No. In Previous Reports	Page
1	Population Estimates by age and sex	III	8
2	Estimated populations and vital statistics by towns of residence	14	9
3	Live births, Connecticut residents by age of mother	4	16
3a	Live births to residents of Connecticut towns by race, low birthweight and maternal age	-	17
4	Fetal deaths occurring in Connecticut	5	30
5	Causes of fetal deaths occurring in Connecticut	6	31
6	Causes of death, Connecticut residents	10	32
7	Causes of death among nonwhites	11	36
8	Deaths under one year of age (infants)	18	40
9	Selected causes of infant deaths	13	45
10	Leading causes of death by age groups	XIII	49
11	Number of present marriage for brides and grooms	24	51
12	Previous marital status of brides and grooms	23	51
13	Dissolution of marriages	25	52
14	Children under 18 involved in dissolution of marriages	XXXVIII	52
15	Duration of marriages dissolved in 1979	XXXVII	50
Glossary			53
Rates, calculation of			54

REGISTRATION REPORT OF VITAL STATISTICS IN CONNECTICUT

The Annual Registration Report of Vital Statistics, 1979, is a statistical summary of vital events for the State of Connecticut. Presented are data pertaining to births, deaths, marriages, and divorces.

Certain qualifications must be made with regard to the data contained herein, and should be kept in mind when examining data sets:

A. Under-reporting

Registration of births in Connecticut is 99.9% accurate, and there is virtually no under-reporting of deaths. However, for marriages and divorces, the rate of under-reporting is more difficult to determine since there is no interstate transfer of these records. Because the State Health Department is not notified when these events occur out-of-state to Connecticut residents, there is a small but undetermined amount of under-reporting of these events. There is also no interstate transfer of records of fetal deaths.

B. Comparability of "Cause of Death" Data

The code for classifying the "cause-of-death", International Classification of Diseases (ICD) is revised every ten years to reflect changes in medical practices and new medical knowledge. This creates a limitation for comparisons of "cause-of-death" statistics between revision years. A ratio of comparability must be used to adjust for changes in the cataloging of diseases from one ICD revision to the next. In 1979 the Ninth Revision of the ICD became effective.

C. Inferences from Vital Events Data

Caution should be used in making interpretations and direct inferences based on rates that are calculated from a small number of events. This is especially true when comparing rates for different places and over several periods of time. Great variation in the rates will occur more frequently among smaller places than places with larger populations. This may severely limit the usefulness of the data for estimating probabilities of certain events recurring (relative risk, etc.) and may also limit their usefulness for comparisons.

D. Deletions from Previous Reports

This Registration Report of 1979 reflects a major re-organization in form and content initiated with the 1978 report. Accordingly, many tables which have appeared in past registration reports have not and will no longer be printed. Needs of the principal readers of this report were used to establish the criteria for selection of tables and other information here presented. However, data published in past reports will continue to be calculated and will be on file for distribution on request. This information can be obtained by contacting the

POPULATION

The estimated population of Connecticut as of July 1, 1979 was 3,179,907. This reflects a natural increase of 12,693, and a net out-of-Connecticut migration of 7,560. The population estimated for 1979 is a 0.16% increase over the previous year. The population of each town in Connecticut is estimated yearly using the preceding U.S. decennial census as a base line. Changes are calculated according to known births and deaths and migration, as estimated by school enrollments and enumerations.

BIRTHS

In 1979 the number of resident live births was 38,648. This represents an increase of 1,536 from 1978 and a slight increase in the birth rate, to 12.2 per 1,000 population. Only 952 births, or 2.5% of all births to Connecticut residents, occurred out-of-state. There was a total of 4,611 births to teenage mothers (19 years of age or less), or 11.9% of all resident births. There was no change from 1978 in the proportion of births to teenage mothers.

Fetal Deaths

The fetal death rate showed a slight change in 1979 with a total count of 333 or 8.6 deaths per 1,000 births compared to 303 deaths and a rate of 8.2 in 1978.

DEATHS

The number of registered deaths among Connecticut residents for 1979 was 25,955, for a crude rate of 8.2 per 1,000 population. This is the same as the 1978 rate. Of the total number of resident deaths, 13,709 were males and 12,245 were females.

Of the total resident deaths, the greatest number occurred among persons 80 years of age or over. Deaths in this age group numbered 8,638 in 1979, or 33.3% of the total number of resident deaths. The median age at death was 73.5. Death for females occurred at an older age than males, 77.5, compared to 70.1, respectively.

Leading Causes of Death

In 1979 the five leading causes of death, in the order of their proportional share, were diseases of the heart, malignant neoplasms, cerebrovascular disease, accidents, and pneumonia and influenza. The leading cause of death among the 15 to 34 age group was accidents. Among the 35 to 44 group the leading cause was malignant neoplasms, and for those over 65, diseases of the heart was the leading cause of death.

Diseases of the Heart

Heart diseases accounted for 10,110 resident deaths in 1979, for a total proportional share of 39.0%. This reflects a slight increase of 1.0% from the proportional share of 38.6% for this cause in 1978. The median age at death from heart disease was 75.2. Other ischemic heart disease had a 38.2% share of the total heart disease mortality compared with a 38.7% share for acute myocardial infarction. Median age at death from myocardial infarction was 76.7; for other ischemic heart disease, median age was 81.6.

Malignant Neoplasms

There were 6,164 deaths attributed to malignant neoplasms in 1979, a proportional share of 23.8% of all resident mortality. The median age at death due to cancer in both sexes was 69.2. Malignant neoplasms of the digestive organs accounted for 29.2% of all deaths in this category. This site is followed by malignant neoplasms of the respiratory system (23.1%) of the genito-urinary system (15.8%) of the breast (8.8%), and of the lymphatic and hematopoietic tissue (8.6%).

Cerebrovascular Disease

Cerebrovascular disease was responsible for 2,157 resident deaths in Connecticut; this cause of death had a proportional share of 8.3% of total resident deaths, a decrease from 1978 when this cause accounted for 9.2% of total resident deaths. The median age at death from cerebrovascular disease was 81.0

Accidents

Accidents of all types recorded accounted for 4.1% of all resident deaths in 1979. Of this total 54.8% was attributed to resident motor vehicle accidents. For those 24 years of age and less, the share in motor vehicle accidental deaths was 50.1%. This contrasts notably to the national share of 44.4% for this age group. The leading cause of non-motor vehicle accidents was falls, which had a 17.6% share of the total accidents.

Pneumonia and Influenza

Deaths from these causes amounted to 2.5% of total resident deaths. The crude mortality rate decreased 19.4% from the 1978 crude rate.

Infant Deaths

There were 466 resident infant deaths in Connecticut in 1979, a rate of 12.1 per 1,000 live births, compared to the previous year's total of 428, or 11.5 deaths per 1,000 live births. From 1978, this represents an increase in infant deaths by 5.2%, although Connecticut still contrasts favorably with the national rate of 13.1 per 1,000 live births. Of all resident infant deaths, 48.3% occurred within the first day, 67.0% within the first week, and 76.8% within the first month. Neonatal deaths showed a 5% increase from 341 in 1978 to 358 in the current year. This contrasts with a national decrease of 6.7%.

MARRIAGES

Marriages occurring in Connecticut totaled 25,431 in 1979, an increase of 1,430, or 6.0% from the previous year. The current year's total represents a marriage rate of 16.4 persons marrying per 1,000 population. The median age at marriage for grooms was 26.2, and for brides, 24.3, an increase from 1978 when the median age for grooms was 25.2 and for brides 22.9.

DIVORCES

There were 14,101 divorces granted in Connecticut during 1979, for a divorce rate of 8.9 persons divorced per 1,000 population. The current rate represents a 10% increase in divorce from the previous year.

Duration of Marriage

The median duration of those marriages which terminated in 1979 was 8.2 years, compared to a median duration in 1978 of 7.8 years.

TABLE 1-POPULATION ESTIMATES BY AGE AND SEX: CONNECTICUT
AS OF JULY 1, 1979

<u>AGE GROUP</u>	<u>MALE</u>	<u>FEMALE</u>	<u>TOTAL</u>
TOTAL	1,545,450	1,634,457	3,179,907
Total Under 5	93,750	90,450	184,200
Under 1 yr.	19,745	18,795	38,540
1-4	74,005	71,655	145,660
5-9	109,800	105,400	215,200
10-14	134,400	129,900	264,300
15-19	150,800	145,700	296,500
20-24	149,600	149,400	299,000
25-29	132,100	131,500	263,600
30-34	109,600	121,100	230,700
35-39	102,600	104,900	207,500
40-44	85,700	89,000	174,700
45-49	83,700	87,700	171,400
50-54	89,200	95,100	184,300
55-59	87,400	96,400	183,800
60-64	74,700	86,500	161,200
65-69	56,700	70,200	126,900
70-74	39,500	53,100	92,600
75 & over	45,900	78,107	124,007
75-79	23,900	37,400	61,300
80-84	13,500	24,700	38,200
85 & over	8,500	16,007	24,507
Median age	30.1	32.7	31.5

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1979

TABLE 1. ESTIMATED POPULATIONS AND THE STATISTICS OF CONNECTICUT, 1979																		
TOWN	Population estimated as of July 1, 1979	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total		Out-of-Wedlock		All Races	Non-white**	All Races	Non-white	Groom	Bride			
						All Races	Non-white	All Races	Non-white									
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
CONNECTICUT	3,179,907*	38,452	333	26,133	25,431	38,648	5,312	6,749	2,929	320	58	25,955	1,272	22,069	23,315	12.2	8.2	14.3
HSA I, Southwestern	664,300	7,882	65	5,255	5,240	7,210	1,532	1,623	876	71	16	5,551	384	4,016	4,445	10.9	8.4	12.7
Bridgeport	148,000	4,182	39	2,236	1,137	2,578	790	1,025	522	35	9	1,556	196	1,169	1,143	17.4	10.5	15.6
Darien	23,200	1	-	62	198	144	-	8	-	-	-	137	2	80	114	6.2	5.9	8.4
Easton	6,300	-	-	22	43	42	-	4	-	-	-	40	-	17	26	6.7	6.3	6.8
Fairfield	59,200	1	2	233	458	362	11	18	2	2	-	470	2	300	390	6.1	7.9	11.7
Greenwich	64,200	825	2	520	572	487	22	14	5	-	-	517	7	270	335	7.6	8.1	9.4
Monroe	13,700	-	-	17	60	169	2	6	-	3	-	84	1	56	77	12.3	6.1	9.7
New Canaan	19,900	1	-	47	189	109	4	4	3	-	-	112	1	59	90	5.5	5.6	7.5
Norwalk	79,100	1,295	12	851	573	1,042	244	218	137	9	1	673	62	561	582	13.2	8.5	14.4
Stamford	107,700	1,576	10	925	846	1,265	392	244	186	12	6	899	94	778	814	11.7	8.3	14.8
Stratford	51,000	-	-	133	449	476	46	55	20	6	-	523	18	343	408	9.3	10.3	14.7
Trumbull	35,200	-	-	104	266	221	11	10	1	2	-	243	1	153	182	6.3	6.9	9.5
Weston	9,700	-	-	10	69	48	2	5	-	-	-	37	-	38	44	4.9	3.8	8.5
Westport	29,600	-	-	61	279	163	4	10	-	1	-	163	-	130	159	5.5	5.5	9.8
Wilton	17,500	1	-	34	101	104	4	2	-	1	-	97	-	62	81	5.9	5.5	8.2
HSA II, South Central	602,200	8,253	78	5,619	4,646	7,764	1,387	1,528	842	52	10	5,270	334	4,340	4,472	12.9	8.8	14.6
Ansonia	20,000	-	-	31	158	279	35	36	22	1	-	203	20	157	140	14.0	10.2	14.9
Bethany	4,500	-	-	5	24	57	1	3	-	-	-	29	-	24	28	12.7	6.4	11.6
Branford	22,200	1	-	52	204	299	6	16	1	-	-	175	1	213	201	13.5	7.9	18.6
Derby	12,500	695	7	414	121	134	2	12	2	-	-	141	1	101	104	10.7	11.3	16.4
East Haven	24,200	-	-	45	192	266	2	25	1	1	-	198	1	206	224	11.0	8.2	17.8
Guilford	16,000	2	-	64	146	196	4	3	-	1	-	104	-	102	115	12.3	6.5	13.6
Hamden	50,700	2	-	254	337	497	42	36	13	2	-	512	15	300	351	9.8	10.1	12.8
Madison	13,500	1	-	41	99	140	2	4	-	2	-	97	-	57	87	10.4	7.2	10.7
Meriden	57,100	1,097	11	641	405	772	59	123	23	6	1	526	10	447	449	13.5	9.2	15.7
Milford	51,600	445	3	369	450	622	9	53	-	2	-	397	8	406	428	12.1	7.7	16.2
New Haven	129,500	6,007	57	2,591	1,169	2,238	1,084	1,030	741	18	9	1,304	252	951	908	17.3	10.1	14.4
North Branford	12,000	-	-	19	82	146	2	7	-	2	-	68	1	49	62	12.2	5.7	9.2
North Haven	23,900	-	-	62	152	187	9	7	1	-	-	162	4	119	154	7.8	6.8	11.4

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1979

TABLE 2. ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1979																				
TOWN	Population estimated as of July 1, 1979	Place of Occurrence				Place of Residence								RESIDENT RATES PER 1,000 POPULATION						
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying		
						Total		Out-of-Wedlock		All Races	Non-white	All Races	Non-white**	All Races	Non-white				Groom	Bride
						All Races	Non-white	All Races	Non-white											
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18		
HSA II, South Central Cont'd.																				
Orange	15,500	-	-	28	101	96	3	4	-	-	-	91	-	54	89	6.2	5.9	9.2		
Oxford	5,900	-	-	10	57	86	1	3	-	-	-	35	-	37	37	14.6	5.9	12.5		
Seymour	13,900	-	-	29	79	142	1	12	-	1	-	98	-	113	114	10.2	7.1	16.3		
Shelton	30,900	-	-	126	145	380	8	24	2	3	-	194	-	189	201	12.3	6.3	12.6		
Wallingford	36,200	-	-	215	328	440	11	24	1	7	-	331	2	298	307	12.2	9.1	16.7		
West Haven	53,000	2	-	610	315	714	105	103	35	6	-	563	18	489	430	13.5	10.6	17.3		
Woodbridge	9,100	1	-	13	82	73	1	3	-	-	-	42	1	28	43	8.0	4.6	7.8		
HSA III, Eastern	499,450	5,268	40	3,696	4,307	6,728	427	669	135	51	5	3,873	88	3,783	3,944	13.5	7.8	15.5		
Ashford	2,900	-	-	6	24	40	-	4	-	2	-	19	-	26	23	13.8	6.6	16.9		
Bozrah	2,500	-	-	3	15	24	-	-	-	-	-	19	-	11	17	9.6	7.6	11.2		
Brooklyn	5,900	-	-	20	47	65	1	-	-	1	-	40	-	40	43	11.0	6.8	14.1		
Canterbury	3,300	-	-	6	22	50	-	3	-	2	-	30	-	19	22	15.2	9.1	12.4		
Chaplin	1,700	-	-	3	11	32	-	2	-	-	-	8	-	19	17	18.8	4.7	21.2		
Chester	3,300	1	-	26	42	38	1	1	-	1	-	35	-	23	30	11.5	10.6	16.1		
Clinton	11,000	1	-	21	87	198	-	8	-	1	-	87	-	92	88	18.0	7.9	16.4		
Colchester	8,000	-	-	23	45	163	6	11	1	1	-	52	-	56	58	20.4	6.5	14.3		
Columbia	3,600	1	-	2	31	43	1	2	-	-	-	15	-	18	19	11.9	4.2	10.3		
Coventry	8,700	3	-	11	55	140	-	8	-	-	-	62	-	75	70	16.1	7.1	16.7		
Cromwell	9,800	-	-	46	87	128	8	6	-	-	-	81	-	81	94	14.5	9.2	19.9		
Deep River	4,000	-	-	14	23	46	-	1	-	2	1	37	-	34	30	11.5	9.3	16.0		
Durham	5,200	-	-	3	44	64	2	4	-	-	-	23	-	30	30	12.3	4.4	11.5		
Eastford	1,100	-	-	1	16	12	-	2	-	1	-	10	-	8	8	10.9	9.1	14.5		
East Haddam	5,300	2	-	18	60	70	1	7	-	-	-	34	-	43	41	13.2	6.4	15.8		
East Hampton	8,300	1	-	43	71	129	3	10	-	2	-	64	-	68	73	15.5	7.7	17.0		
East Lyme	13,900	1	-	19	143	134	3	6	1	-	-	95	-	121	120	9.6	6.8	17.3		
Essex	5,100	-	-	56	49	48	3	4	1	-	-	59	-	39	38	9.4	11.6	15.1		
Franklin	1,700	-	-	-	11	18	-	1	-	-	-	7	-	8	8	10.6	4.1	9.4		
Griswold	8,500	-	-	30	75	125	1	14	-	1	-	89	1	76	75	14.7	10.5	17.8		
Groton	37,500	860	5	136	387	717	72	54	13	7	1	212	6	325	325	19.1	5.7	17.3		

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1979

TOWN		Population estimated as of July 1, 1979	Place of Occurrence				Place of Residence								RESIDENT RATES PER 1,000 POPULATION						
			Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying		
							Total		Out-of-Wedlock		All Races	Non-white	All Races	Non-white	All Races	Non-white				Groom	Bride
							All Races	Non-white	All Races	Non-white											
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			
HSA III, Eastern Cont'd.																					
	Haddam	6,100	-	-	6	35	84	1	4	-	-	44	-	37	35	13.8	7.2	11.8			
	Hampton	1,300	-	-	2	10	12	-	2	-	-	14	-	8	13	9.2	10.8	16.2			
	Killingly	15,700	-	-	107	147	246	2	28	-	-	131	3	137	141	15.7	8.3	17.7			
	Killingworth	3,600	1	-	6	29	39	1	1	1	-	42	-	17	17	10.8	11.7	9.4			
	Lebanon	4,800	-	-	7	30	60	1	2	-	-	25	-	21	22	12.5	5.2	9.0			
	Ledyard	16,300	1	-	15	91	203	4	4	-	3	65	-	103	123	12.5	4.0	13.9			
	Lisbon	3,300	-	-	2	14	38	-	4	-	-	15	-	24	27	11.5	4.5	15.5			
	Lyme	1,900	-	-	1	5	17	-	1	-	-	18	1	10	7	8.9	9.5	8.9			
	Mansfield	18,700	2	-	16	95	116	10	10	2	-	49	1	77	83	6.2	2.6	8.6			
	Middlefield	4,200	-	-	6	31	42	1	2	-	-	39	-	30	31	10.0	9.3	14.5			
	Middletown	37,500	959	7	715	309	515	87	62	30	3	331	15	328	309	13.7	8.8	17.0			
	Montville	16,800	-	-	13	126	234	6	15	-	-	78	4	126	135	13.9	4.6	15.5			
	New London	30,400	1,167	5	595	415	466	118	124	61	1	309	33	302	302	15.3	10.2	19.9			
	No. Stonington	3,900	-	-	11	28	32	-	-	-	-	18	1	19	19	8.2	4.6	9.7			
	Norwich	42,800	1,020	13	702	439	616	48	108	17	8	374	9	381	409	14.4	8.7	18.5			
	Old Lyme	5,800	-	-	11	86	70	2	9	-	2	46	-	42	48	12.1	7.9	15.5			
	Old Saybrook	9,300	-	-	92	83	83	5	4	-	1	97	-	54	83	8.9	10.4	14.7			
	Plainfield	12,300	1	-	47	97	182	-	21	-	1	111	1	97	113	14.8	9.0	17.1			
	Pomfret	2,600	1	-	6	37	35	-	-	-	-	15	-	18	11	13.5	5.8	11.2			
	Portland	9,100	1	-	44	77	80	6	6	3	-	86	1	47	54	8.8	9.5	11.1			
	Preston	4,100	-	-	38	48	38	-	1	-	-	29	-	28	29	9.3	7.1	13.9			
	Putnam	8,700	780	5	252	69	120	1	12	-	-	94	-	60	59	13.8	10.8	13.7			
	Salem	2,000	1	-	2	9	17	1	2	-	-	14	-	9	12	8.5	7.0	10.5			
	Scotland	1,000	-	-	2	12	8	-	-	-	-	7	-	6	9	8.0	7.0	15.0			
	Sprague	3,200	-	-	2	11	54	2	8	-	1	19	-	27	22	16.9	5.9	15.3			
	Sterling	1,900	-	-	4	22	29	-	3	-	1	13	-	20	17	15.3	6.8	19.5			
	Stonington	17,100	-	-	34	185	191	2	9	1	-	155	1	106	112	11.2	9.1	12.7			
	Thompson	8,700	-	-	15	71	102	1	8	-	-	55	-	40	58	11.7	6.3	11.3			
	Union	550	-	-	2	4	3	-	-	-	-	5	1	7	4	5.5	9.1	20.0			

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1979

12 -

TOWN	Population estimated as of July 1, 1979	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION				
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying		
						Total		Out-of-Wedlock		All Races	Non-white	All Races	Non-white**	All Races	Non-white				Groom	Bride
						All Races	Non-white	All Races	Non-white											
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18		
HSA III, Eastern Cont'd.																				
Voluntown	1,600	-	-	-	-	29	-	3	-	-	-	22	-	8	6	18.1	13.8	8.8		
Waterford	18,600	1	-	132	99	161	8	21	1	1	-	164	2	109	139	8.7	8.8	13.3		
Westbrook	4,900	2	-	15	44	59	2	1	-	-	-	56	-	40	32	12.0	11.4	14.7		
Willington	4,300	1	-	11	13	67	-	3	-	-	-	21	-	32	33	15.6	4.9	15.1		
Windham	20,600	460	5	290	161	339	16	41	3	8	-	203	8	174	170	16.5	9.9	16.7		
Woodstock	5,500	-	-	6	30	57	-	2	-	-	-	31	-	27	31	10.4	5.6	10.5		
HSA IV, North Central	912,600	11,722	99	7,419	7,559	11,639	1,554	2,230	850	91	22	7,166	354	6,741	7,137	12.1	7.9	15.2		
Andover	2,200	1	-	3	15	23	1	-	-	-	-	11	-	22	18	10.5	5.0	18.2		
Avon	10,600	-	-	68	122	89	2	1	-	2	-	65	-	73	84	8.4	6.1	14.8		
Berlin	15,500	-	-	38	111	149	1	4	-	-	-	115	-	86	87	9.6	7.4	11.2		
Bloomfield	20,400	-	-	140	145	168	76	24	18	4	4	153	13	121	115	8.2	7.5	11.6		
Bolton	3,900	-	-	2	28	38	-	-	-	1	-	21	-	33	36	9.7	5.4	17.7		
Bristol	55,100	620	9	451	471	687	31	91	11	13	-	448	7	491	501	12.5	8.1	18.0		
Burlington	5,100	-	-	5	37	74	3	1	-	1	-	25	-	34	45	14.5	4.9	15.5		
Canton	7,700	-	-	12	42	100	1	2	-	1	-	38	-	59	70	13.0	4.9	16.8		
East Granby	4,000	-	-	1	16	58	1	3	-	-	-	24	-	31	35	14.5	6.0	16.5		
East Hartford	54,000	-	-	178	446	607	58	96	20	8	3	457	7	540	515	11.2	8.5	19.5		
East Windsor	9,100	1	-	31	104	112	6	15	1	2	1	62	-	95	89	12.3	6.8	20.2		
Ellington	9,100	-	-	11	67	144	3	7	-	-	-	38	1	74	67	15.5	4.2	15.5		
Enfield	45,100	1	-	107	461	568	4	61	1	1	-	239	2	302	354	12.6	5.3	14.5		
Farmington	16,400	454	6	265	170	149	7	5	-	-	-	125	-	109	122	9.1	7.6	14.1		
Glastonbury	24,500	2	1	53	208	244	9	10	1	2	-	137	1	139	164	10.0	5.6	12.4		
Granby	7,400	-	-	10	55	119	1	3	-	-	-	34	1	45	42	16.1	4.6	11.8		
Hartford	145,300	6,956	58	2,697	1,285	2,628	1,085	1,449	727	20	10	1,298	263	1,122	1,127	18.1	8.9	15.5		
Hartland	1,500	-	-	-	16	16	1	2	1	-	-	7	-	10	14	10.7	4.7	16.0		
Hebron	5,200	-	-	-	25	95	-	4	-	4	-	15	-	34	33	18.3	2.9	12.9		
Manchester	48,300	1,369	9	618	534	583	26	37	6	5	-	445	3	431	477	12.1	9.2	18.8		

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1979

TOWN	Population estimated as of July 1, 1979	Place of Occurrence				Place of Residence								Marriages		RESIDENT RATES PER		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths				1,000 POPULATION		
						Total		Out-of-Wedlock		All Races	Non-white	All Races	Non-white**			All Races	Non-white	Live Births
						All Races	Non-white	All Races	Non-white					All Races	Non-white			
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV, North Central Cont'd.																		
Marlborough	4,100	-	-	8	39	68	-	1	-	-	-	22	1	26	31	16.6	5.4	13.9
New Britain	77,100	1,788	12	949	527	944	107	193	47	6	2	794	19	618	622	12.2	10.3	16.1
Newington	28,200	-	-	230	225	246	9	15	3	2	-	205	1	224	231	8.7	7.3	16.1
Plainville	17,200	-	-	48	133	178	5	19	1	1	-	127	2	112	115	10.3	7.4	13.2
Plymouth	11,200	1	-	19	81	140	2	16	1	2	-	94	-	86	89	12.5	8.4	15.6
Rocky Hill	12,300	-	-	203	87	165	9	9	2	1	-	111	1	140	131	13.4	9.0	22.0
Simsbury	21,200	-	-	41	175	176	4	3	-	1	-	106	3	99	131	8.3	5.0	10.8
Somers	7,300	-	-	11	66	82	1	5	-	1	-	49	1	43	52	11.2	6.7	13.0
Southington	34,300	1	-	169	292	437	9	25	-	2	-	224	2	268	272	12.7	6.5	15.7
South Windsor	16,700	-	-	34	162	171	11	9	2	-	-	91	4	117	142	10.2	5.4	15.5
Stafford	10,100	-	-	96	76	107	-	9	-	1	-	80	-	62	68	10.6	7.9	12.9
Suffield	10,100	1	-	16	77	87	3	7	-	-	-	63	4	53	64	8.6	6.2	11.6
Tolland	9,300	1	-	10	57	154	2	4	-	1	-	47	-	50	46	16.6	5.1	10.3
Vernon	28,200	526	4	265	216	399	20	40	1	2	1	194	-	257	286	14.1	6.9	19.3
West Hartford	68,300	-	-	308	484	457	13	29	2	4	1	679	4	316	376	6.7	9.9	10.1
Wethersfield	27,700	-	-	102	190	189	5	10	2	-	-	245	4	143	182	6.8	8.8	11.7
Windsor	24,800	-	-	173	208	282	37	12	3	-	-	193	10	178	191	11.4	7.8	14.9
Windsor Locks	14,100	-	-	47	106	106	1	9	-	3	-	85	-	98	113	7.5	6.0	15.0
HSA V, Northwestern	489,990	5,327	51	4,144	3,679	5,907	412	699	226	55	5	4,095	112	3,189	3,317	12.1	8.4	13.3
Barkhamsted	2,800	-	-	3	16	33	-	-	-	-	-	14	-	15	18	11.8	5.0	11.8
Beacon Falls	4,100	-	-	6	24	64	-	4	-	-	-	33	-	30	31	15.6	8.0	14.9
Bethel	13,500	1	-	20	101	249	7	14	3	1	-	96	1	94	99	18.4	7.1	14.3
Bethlehem	2,400	-	-	7	18	33	1	-	-	1	-	23	-	17	10	13.7	9.6	11.2
Bridgewater	1,700	1	-	3	10	9	-	-	-	-	-	11	1	7	7	5.3	6.5	8.2
Brookfield	11,800	-	-	12	81	151	2	4	-	-	-	70	-	59	67	12.8	5.9	10.7
Canaan	1,200	-	-	-	11	31	-	2	-	-	-	17	-	8	10	25.8	14.2	15.0
Cheshire	22,400	2	-	85	147	220	3	7	-	4	-	156	2	120	124	9.8	7.0	10.9
Colebrook	1,200	-	-	3	13	11	1	-	-	1	-	9	-	12	12	9.2	7.5	20.0

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1979

TOWN	Population estimated as of July 1, 1979	Place of Occurrence				Place of Residence								Marriages		RESIDENT RATES PER		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths				1,000 POPULATION		
						Total		Out-of-Wedlock		All Races	Non-white**	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
						All Races	Non-white	All Races	Non-white									
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Cornwall	1,200	-	-	3	19	9	-	1	-	-	-	13	-	15	14	7.5	10.8	24.2
Danbury	58,600	1,710	20	769	464	839	84	108	45	9	2	463	16	446	439	14.3	7.9	15.1
Goshen	1,700	-	-	4	30	15	-	1	-	-	-	9	-	17	12	8.8	5.3	17.1
Harwinton	5,300	-	-	6	34	42	-	-	-	-	-	33	1	30	27	7.9	6.2	10.8
Kent	2,400	-	-	13	15	20	-	1	-	-	-	30	-	13	13	8.3	12.5	10.8
Litchfield	8,000	-	1	31	87	84	2	4	-	4	-	62	-	46	42	10.5	7.8	11.0
Middlebury	6,500	-	-	28	48	48	1	2	-	1	-	33	-	24	33	7.4	5.1	8.8
Morris	1,800	-	-	1	7	19	-	-	-	-	-	9	-	14	15	10.6	5.0	16.1
Naugatuck	25,500	3	-	67	169	353	10	38	3	3	-	205	1	188	193	13.8	8.0	14.9
New Fairfield	9,900	-	-	8	48	120	1	1	-	3	-	59	1	35	40	12.1	6.0	7.6
New Hartford	4,600	-	-	5	44	58	-	3	-	1	-	26	-	31	32	12.6	5.7	13.7
New Milford	17,200	248	2	236	150	278	7	25	2	2	-	132	3	141	143	16.2	7.7	16.5
Newtown	17,900	1	-	101	118	223	1	10	-	3	-	96	1	89	99	12.5	5.4	10.5
Norfolk	2,100	-	-	9	26	27	-	2	-	-	-	21	2	9	14	12.9	10.0	11.0
North Canaan	3,100	-	-	44	29	11	-	-	-	-	-	27	-	15	16	3.5	8.7	10.0
Prospect	6,800	-	-	32	70	57	3	8	-	2	-	51	2	43	54	8.4	7.5	14.3
Redding	7,700	1	-	13	69	77	1	5	-	-	-	49	-	43	49	10.0	6.4	11.9
Ridgefield	20,400	1	-	29	173	174	3	8	-	2	-	98	1	83	107	8.5	4.8	9.3
Roxbury	1,500	-	-	5	21	14	-	-	-	1	-	14	-	11	11	9.3	9.3	14.7
Salisbury	3,700	-	-	22	36	23	-	1	-	-	-	54	-	18	20	6.2	14.6	10.3
Sharon	2,700	279	5	178	43	25	-	3	-	1	-	26	1	17	13	9.3	9.6	11.1
Sherman	2,000	-	-	1	15	15	-	-	-	-	-	21	-	14	18	7.5	10.5	16.0
Southbury	12,300	3	-	82	80	123	2	6	-	1	-	162	-	41	46	10.0	13.2	7.1
Thomaston	6,300	-	-	33	43	77	-	10	-	-	-	77	-	34	40	12.2	12.2	11.7
Torrington	31,100	741	7	398	199	358	9	25	-	5	-	303	1	238	248	11.5	9.7	15.6
Warren	990	-	-	2	18	8	-	-	-	-	-	6	-	7	7	8.1	6.1	14.1
Washington	3,600	-	-	8	27	38	-	2	-	-	-	42	-	20	23	10.6	11.7	11.9
Waterbury	112,000	2,332	16	1,652	760	1,432	269	373	173	8	3	1,176	76	772	770	12.8	10.5	13.8
Watertown	19,800	-	-	76	158	197	2	11	-	-	-	128	-	129	141	9.9	6.5	13.6

TABLE 3: LIVE BIRTHS, CONNECTICUT RESIDENTS, 1979

Column Number	ALL RACES											NONWHITE										
	Age of Mother											Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	38648	94	4517	11023	13278	7624	1850	237	16	-	9	5312	48	1248	1836	1273	669	204	33	-	-	1
Sex:																						
Male	19803	50	2331	5663	6765	3908	960	112	9	-	5	2714	28	638	948	626	348	107	19	-	-	-
Female	18845	44	2186	5360	6513	3716	890	125	7	-	4	2598	20	610	888	647	321	97	14	-	-	1
Place of delivery:																						
Hospitals	37598	91	4442	10787	12869	7385	1776	224	15	-	9	5271	47	1242	1823	1257	664	204	33	-	-	1
Other	93	1	7	23	40	16	6	-	-	-	-	18	-	5	5	7	1	-	-	-	-	-
Unknown	957	2	68	213	369	223	68	13	1	-	-	23	1	1	8	9	4	-	-	-	-	-
Legitimacy:																						
Legitimate	31899	13	1950	8602	12190	7212	1703	210	15	-	4	2383	1	166	739	792	506	155	24	-	-	-
Illegitimate	6749	81	2567	2421	1088	412	147	27	1	-	5	2929	47	1082	1097	481	163	49	9	-	-	1
Period of gestation:																						
Under 20 weeks	15	-	-	7	2	4	2	-	-	-	-	6	-	-	2	1	3	-	-	-	-	-
20-27 weeks	178	1	38	47	44	42	6	-	-	-	-	46	-	13	19	7	7	-	-	-	-	-
28-31 weeks	198	2	37	61	60	28	10	-	-	-	-	41	-	11	16	10	2	2	-	-	-	-
32-35 weeks	715	1	105	210	235	127	25	12	-	-	-	142	1	32	57	35	13	1	3	-	-	-
36 weeks	715	2	112	219	209	125	45	2	1	-	-	136	2	38	54	20	17	5	-	-	-	-
37-39 weeks	8141	18	848	2172	2838	1767	427	64	3	-	4	1183	10	250	395	276	181	60	11	-	-	-
40 weeks or over	21989	46	2554	6488	7574	4227	973	118	9	-	-	2550	21	594	891	613	320	98	13	-	-	-
Not stated	6697	24	823	1819	2316	1304	362	41	3	-	5	1208	14	310	402	311	126	38	6	-	-	1
Weight at birth:																						
1000 grams or less	233	3	42	63	59	58	8	-	-	-	-	78	1	19	29	17	12	-	-	-	-	-
1001-1500 grams	256	3	53	72	73	39	13	3	-	-	-	70	1	20	30	12	4	2	1	-	-	-
1501-2000 grams	521	1	85	162	155	88	24	5	1	-	-	120	-	22	50	31	14	1	2	-	-	-
2001-2500 grams	1757	7	319	541	529	268	78	15	-	-	-	416	5	129	160	70	40	8	4	-	-	-
2501-3000 grams	6457	22	1001	2008	2067	1048	277	30	3	-	1	1293	12	351	468	294	114	50	4	-	-	-
3001-3500 grams	14598	44	1798	4263	4981	2793	620	89	8	-	2	2010	22	477	701	489	251	61	8	-	-	1
3501-4000 grams	10863	11	967	2919	3993	2354	556	57	3	-	3	1043	6	198	308	282	179	60	10	-	-	-
4001-4500 grams	3196	1	225	825	1166	754	196	27	1	-	1	238	-	29	74	64	48	19	4	-	-	-
Over 4500 grams	620	1	25	158	201	173	56	6	-	-	-	40	-	3	14	13	7	3	-	-	-	-
Not stated	147	1	2	12	54	49	22	5	-	-	2	4	1	-	2	1	-	-	-	-	-	-
Plural births:																						
Single	37815	94	4435	10816	12997	7420	1796	232	16	-	9	5177	48	1221	1781	1247	646	200	33	-	-	1
Twins	829	-	82	207	281	200	54	5	-	-	-	135	-	27	55	26	23	4	-	-	-	-
Triplets	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
CONNECTICUT																	
ALL RACES.....	38,648	2,767	147	94	244	513	826	1,289	1,645	11,023	13,278	7,624	1,850	237	16	9	
NONWHITE.....	5,312	684	4	48	96	183	241	324	404	1,836	1,273	669	204	33	-	1	
HSA 1 SOUTHWESTERN																	
ALL RACES.....	7,210	544	82	24	52	104	167	250	310	1,835	2,251	1,641	507	62	4	3	
NONWHITE.....	1,532	196	-	15	26	51	72	85	121	534	344	198	73	13	-	-	
BRIDGEPORT																	
ALL RACES.....	2,578	258	4	14	31	74	101	153	177	925	700	309	77	14	1	2	
NONWHITE.....	790	114	-	8	16	33	41	53	66	304	171	72	23	3	-	-	
DARIEN																	
ALL RACES.....	144	8	8	-	-	1	-	2	1	11	32	69	27	1	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EASTON																	
ALL RACES.....	42	2	-	-	-	-	-	1	1	7	12	19	2	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FAIRFIELD																	
ALL RACES.....	362	20	7	-	-	-	-	7	4	65	131	116	36	3	-	-	
NONWHITE.....	11	1	-	-	-	-	-	-	-	1	2	6	2	-	-	-	
GREENWICH																	
ALL RACES.....	487	27	18	-	-	1	2	2	7	48	184	170	65	8	-	-	
NONWHITE.....	22	-	-	-	-	1	1	1	1	2	9	6	1	-	-	-	
MONROE																	
ALL RACES.....	169	12	1	-	-	1	2	3	1	28	48	67	17	2	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
NEW CANAAN																	
ALL RACES.....	109	3	6	-	-	1	-	-	2	13	25	44	19	5	-	-	
NONWHITE.....	4	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	
NORWALK																	
ALL RACES.....	1,042	72	4	2	9	9	24	35	55	270	326	239	63	8	1	1	
NONWHITE.....	244	30	-	1	5	5	12	12	26	78	45	41	17	2	-	-	
STAMFORD																	
ALL RACES.....	1,265	86	23	6	8	13	22	33	43	311	419	312	87	10	1	-	
NONWHITE.....	392	44	-	5	4	11	15	16	23	132	102	56	20	8	-	-	
STRATFORD																	
ALL RACES.....	476	31	3	2	2	3	13	10	15	119	180	97	29	5	1	-	
NONWHITE.....	46	5	-	1	1	1	3	3	3	13	10	8	3	-	-	-	
TRUMBULL																	
ALL RACES.....	221	10	1	-	1	1	1	4	2	21	101	69	18	3	-	-	
NONWHITE.....	11	2	-	-	-	-	-	-	-	3	4	2	2	-	-	-	
WESTON																	
ALL RACES.....	48	2	-	-	1	-	1	-	-	3	13	17	12	1	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
WESTPORT																	
ALL RACES.....	163	7	4	-	-	-	1	-	1	7	51	66	35	2	-	-	
NONWHITE.....	4	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	
WILTON																	
ALL RACES.....	104	6	3	-	-	-	-	-	1	7	29	47	20	-	-	-	
NONWHITE.....	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	
HSA 2 SOUTH CENTRAL																	
ALL RACES.....	7,764	566	16	21	59	114	152	253	339	2,125	2,747	1,554	345	50	4	1	
NONWHITE.....	1,387	172	3	14	27	54	64	82	118	475	309	187	49	8	-	-	
ANSONIA																	
ALL RACES.....	279	22	-	-	1	5	2	10	23	97	91	42	5	2	-	1	
NONWHITE.....	35	8	-	-	1	2	-	3	8	8	9	3	-	1	-	-	
BETHANY																	
ALL RACES.....	57	4	-	-	-	-	-	-	1	10	24	16	6	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
BRANFORD																	
ALL RACES.....	299	16	-	-	1	3	3	8	4	60	138	61	17	4	-	-	
NONWHITE.....	6	-	-	-	-	1	-	-	-	4	1	-	-	-	-	-	
DERBY																	
ALL RACES.....	134	11	-	-	-	3	4	8	4	40	49	18	7	1	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
EAST HAVEN																	
ALL RACES.....	266	11	-	-	-	1	3	4	6	87	115	39	9	2	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	
GUILFORD																	
ALL RACES.....	196	8	-	-	-	-	-	-	3	26	80	70	15	2	-	-	
NONWHITE.....	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	
HAMDEN																	
ALL RACES.....	497	23	1	-	1	1	1	10	13	92	207	145	23	4	-	-	
NONWHITE.....	42	4	-	-	1	-	-	-	1	11	16	12	-	1	-	-	
MADISON																	
ALL RACES.....	140	2	1	-	-	-	-	1	3	8	42	71	14	1	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
MERIDEN																	
ALL RACES.....	772	63	1	3	8	20	15	36	40	261	266	102	19	2	-	-	
NONWHITE.....	59	3	-	-	1	3	2	4	3	21	16	6	3	-	-	-	
MILFORD																	
ALL RACES.....	622	37	6	2	4	5	6	15	17	154	272	116	28	2	1	-	
NONWHITE.....	9	1	1	1	-	-	-	-	-	1	4	3	-	-	-	-	
NEW HAVEN																	
ALL RACES.....	2,238	236	4	14	37	63	89	112	168	734	605	319	83	14	-	-	
NONWHITE.....	1,084	141	2	13	23	46	60	71	97	386	223	129	31	5	-	-	

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NORTH BRANFORD																
ALL RACES.....	146	5	-	-	1	-	1	-	2	25	58	47	10	2	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
NORTH HAVEN																
ALL RACES.....	187	8	1	-	-	-	1	4	6	26	81	56	10	3	-	-
NONWHITE.....	9	-	-	-	-	-	-	-	-	1	3	5	-	-	-	-
ORANGE																
ALL RACES.....	96	6	-	-	-	-	1	-	1	8	31	39	14	2	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
OXFORD																
ALL RACES.....	86	1	-	-	-	-	1	-	1	11	37	27	9	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SEYMOUR																
ALL RACES.....	142	8	-	1	-	-	2	5	4	48	47	31	4	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SHELTON																
ALL RACES.....	380	19	-	1	2	6	5	9	8	75	138	109	24	2	1	-
NONWHITE.....	8	1	-	-	1	-	-	-	-	1	2	3	1	-	-	-
WALLINGFORD																
ALL RACES.....	440	31	-	-	-	3	6	15	11	125	173	92	13	-	2	-
NONWHITE.....	11	-	-	-	-	-	-	-	1	3	5	2	-	-	-	-
WEST HAVEN																
ALL RACES.....	714	51	2	-	4	4	12	16	24	234	258	128	28	6	-	-
NONWHITE.....	105	14	-	-	-	2	2	4	7	37	29	17	6	1	-	-
WOODBIDGE																
ALL RACES.....	73	4	-	-	-	-	-	-	-	4	35	26	7	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
HSA 3 EASTERN																
ALL RACES.....	6,728	422	10	7	12	69	146	238	326	2,242	2,324	1,093	244	27	-	-
NONWHITE.....	427	39	1	-	3	6	16	20	31	150	128	59	12	2	-	-
ASHFORD																
ALL RACES.....	40	3	-	-	-	1	1	-	3	13	12	8	1	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH																
ALL RACES.....	24	2	-	-	-	1	-	1	-	6	10	5	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN																
ALL RACES.....	65	5	-	1	-	2	-	2	-	19	28	9	4	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CANTERBURY																
ALL RACES.....	50	2	-	-	-	-	-	1	3	17	21	5	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN																
ALL RACES.....	32	-	-	-	-	-	-	-	1	16	9	4	2	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
CHESTER																	
ALL RACES.....	38	5	-	-	-	-	-	-	1	11	13	9	4	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
CLINTON																	
ALL RACES.....	198	16	2	-	-	-	3	2	8	54	81	44	5	1	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
COLCHESTER																	
ALL RACES.....	163	14	-	-	-	2	1	-	3	65	53	35	4	-	-	-	
NONWHITE.....	6	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	
COLUMBIA																	
ALL RACES.....	43	-	-	-	-	2	-	1	-	6	15	15	4	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
COVENTRY																	
ALL RACES.....	140	5	-	-	-	1	-	4	6	34	57	36	2	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CROMWELL																	
ALL RACES.....	128	9	-	-	-	-	-	5	2	13	64	40	4	-	-	-	
NONWHITE.....	8	-	-	-	-	-	-	-	-	1	2	5	-	-	-	-	
DEEP RIVER																	
ALL RACES.....	46	1	-	-	-	3	-	1	1	14	18	6	2	1	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DURHAM																	
ALL RACES.....	64	3	-	-	-	-	1	2	-	11	26	16	8	-	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
EASTFORD																	
ALL RACES.....	12	1	-	-	-	-	-	-	-	1	8	3	-	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST HADDAM																	
ALL RACES.....	70	4	-	1	-	-	2	3	2	22	27	10	3	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
EAST HAMPTON																	
ALL RACES.....	129	8	-	1	-	1	3	3	5	25	48	35	6	2	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	
EAST LYME																	
ALL RACES.....	134	6	1	-	-	-	2	2	2	39	50	31	8	-	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	
ESSEX																	
ALL RACES.....	48	-	-	-	-	-	-	-	1	10	16	18	2	1	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	
FRANKLIN																	
ALL RACES.....	18	1	-	-	-	-	1	-	-	4	10	2	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
GRISWOLD																
ALL RACES.....	125	8	-	-	1	3	2	7	10	45	36	16	3	2	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
GROTON																
ALL RACES.....	717	36	1	-	-	6	12	11	35	316	242	71	22	2	-	-
NONWHITE.....	72	7	-	-	-	2	-	2	2	26	25	13	2	-	-	-
HADDAM																
ALL RACES.....	84	5	-	-	1	-	1	1	3	15	38	20	5	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
HAMPTON																
ALL RACES.....	12	1	-	-	-	-	-	-	1	4	3	4	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY																
ALL RACES.....	246	14	-	2	1	3	10	12	26	89	69	25	8	1	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
KILLINGWORTH																
ALL RACES.....	39	1	-	-	-	-	1	-	-	2	20	12	4	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
LEBANON																
ALL RACES.....	60	5	-	-	-	-	-	-	1	15	24	16	3	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
LEDYARD																
ALL RACES.....	203	13	-	-	-	1	3	6	7	59	71	40	15	1	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
LISBON																
ALL RACES.....	38	7	-	-	-	-	1	2	2	7	17	6	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME																
ALL RACES.....	17	1	-	-	-	-	-	-	-	5	3	8	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD																
ALL RACES.....	116	5	-	-	-	-	-	4	8	21	50	28	5	-	-	-
NONWHITE.....	10	-	-	-	-	-	-	-	2	2	4	2	-	-	-	-
MIDDLEFIELD																
ALL RACES.....	42	6	1	-	-	-	1	-	1	9	24	5	2	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MIDDLETOWN																
ALL RACES.....	515	38	1	-	1	4	13	28	27	192	163	76	11	-	-	-
NONWHITE.....	87	15	-	-	1	1	6	2	9	40	18	8	2	-	-	-
MONTVILLE																
ALL RACES.....	234	12	-	-	1	1	3	9	7	91	85	32	4	1	-	-
NONWHITE.....	6	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
NEW LONDON																	
ALL RACES.....	466	32	1	-	3	10	20	23	23	190	153	35	8	1	-	-	
NONWHITE.....	118	13	1	-	2	2	7	7	7	46	41	6	-	-	-	-	
N STONINGTON																	
ALL RACES.....	32	2	-	-	-	-	-	-	-	7	13	10	2	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORWICH																	
ALL RACES.....	616	44	-	-	3	11	23	37	44	234	178	66	16	4	-	-	
NONWHITE.....	48	1	-	-	-	1	1	4	5	19	11	3	2	2	-	-	
OLD LYME																	
ALL RACES.....	70	7	-	-	-	-	1	1	1	12	30	20	5	-	-	-	
NONWHITE.....	2	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
OLD SAYBROOK																	
ALL RACES.....	83	1	1	-	-	-	-	3	6	21	28	17	7	1	-	-	
NONWHITE.....	5	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	
PLAINFIELD																	
ALL RACES.....	182	9	-	-	1	5	8	12	16	70	50	15	5	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
POMFRET																	
ALL RACES.....	35	-	-	-	-	-	-	1	1	9	13	8	3	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
PORTLAND																	
ALL RACES.....	80	7	-	-	-	-	1	4	2	25	25	19	3	1	-	-	
NONWHITE.....	6	-	-	-	-	-	1	1	2	1	-	-	1	-	-	-	
PRESTON																	
ALL RACES.....	38	3	-	-	-	-	1	1	-	13	19	3	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
PUTNAM																	
ALL RACES.....	120	12	-	-	-	-	6	5	5	56	33	11	4	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
SALEM																	
ALL RACES.....	17	3	-	-	-	1	-	-	-	6	6	3	1	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
SCOTLAND																	
ALL RACES.....	8	1	-	-	-	-	-	-	-	3	4	1	-	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SPRAGUE																	
ALL RACES.....	54	4	-	-	-	2	-	1	3	19	18	4	6	1	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	
STERLING																	
ALL RACES.....	29	2	-	-	-	-	1	1	2	13	7	5	-	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
STONINGTON																	
ALL RACES.....	191	9	-	-	-	-	2	8	9	52	72	38	8	2	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
THOMPSON																	
ALL RACES.....	102	3	-	-	-	1	4	1	12	40	28	15	-	1	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
UNION																	
ALL RACES.....	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VOLUNTOWN																	
ALL RACES.....	29	2	-	-	-	-	2	-	4	12	7	4	-	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WATERFORD																	
ALL RACES.....	161	10	2	1	-	-	2	7	11	37	55	43	4	1	-	-	
NONWHITE.....	8	-	-	-	-	-	-	2	-	2	2	2	-	-	-	-	
WESTBROOK																	
ALL RACES.....	59	3	-	-	-	1	1	2	1	15	24	11	4	-	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
WILLINGTON																	
ALL RACES.....	67	4	-	-	-	-	-	1	2	16	30	17	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WINDHAM																	
ALL RACES.....	339	23	-	-	-	6	11	23	18	125	100	45	10	1	-	-	
NONWHITE.....	16	2	-	-	-	-	1	1	2	6	5	1	-	-	-	-	
WOODSTOCK																	
ALL RACES.....	57	4	-	1	-	1	2	-	-	16	19	12	6	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
HSA 4 NORTH CENTRAL																	
ALL RACES.....	11,039	873	9	34	92	171	255	383	459	3,194	3,841	2,102	436	62	5	5	
NONWHITE.....	1,554	230	-	15	35	62	74	104	107	529	393	169	55	10	-	1	
ANDOVER																	
ALL RACES.....	23	2	-	-	-	-	1	-	2	8	8	4	-	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
AVON																	
ALL RACES.....	89	2	-	-	-	-	1	-	1	11	35	35	6	-	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
BERLIN																	
ALL RACES.....	149	9	-	-	-	-	-	2	3	28	70	40	5	1	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
BLOOMFIELD																	
ALL RACES.....	168	15	-	1	-	2	4	3	3	43	62	37	12	1	-	-	
NONWHITE.....	76	8	-	1	-	2	2	3	3	16	29	14	6	-	-	-	
BOLTON																	
ALL RACES.....	38	-	-	-	-	-	-	-	1	7	12	15	3	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
BRISTOL																	
ALL RACES.....	687	57	1	-	2	9	12	21	23	253	252	91	22	1	-	1	
NONWHITE.....	31	2	-	-	1	3	1	2	2	7	10	3	1	-	-	1	
BURLINGTON																	
ALL RACES.....	74	7	1	-	-	-	1	-	2	8	37	24	1	1	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	
CANTON																	
ALL RACES.....	100	6	-	-	-	-	1	-	-	18	32	43	4	2	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
EAST GRANBY																	
ALL RACES.....	58	4	-	-	-	1	-	-	1	12	17	21	6	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
EAST HARTFORD																	
ALL RACES.....	607	44	1	2	5	5	9	21	32	181	237	98	15	2	-	-	
NONWHITE.....	58	7	-	1	2	2	-	1	4	15	20	11	2	-	-	-	
EAST WINDSOR																	
ALL RACES.....	112	8	-	-	-	2	1	4	6	46	40	7	6	-	-	-	
NONWHITE.....	6	3	-	-	-	-	-	1	-	4	1	-	-	-	-	-	
ELLINGTON																	
ALL RACES.....	144	9	-	-	-	-	6	2	2	29	62	33	9	-	-	1	
NONWHITE.....	3	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	
ENFIELD																	
ALL RACES.....	568	37	1	2	4	3	11	16	26	171	212	95	25	2	1	-	
NONWHITE.....	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	
FARMINGTON																	
ALL RACES.....	149	10	-	-	-	1	-	-	2	23	61	54	8	-	-	-	
NONWHITE.....	7	2	-	-	-	-	-	-	-	1	5	1	-	-	-	-	
GLASTONBURY																	
ALL RACES.....	244	19	-	-	-	1	-	1	5	34	98	85	19	1	-	-	
NONWHITE.....	9	2	-	-	-	-	-	-	-	2	4	2	1	-	-	-	
GRANBY																	
ALL RACES.....	119	5	-	-	-	1	1	-	4	18	48	40	6	-	1	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
HARTFORD																	
ALL RACES.....	2,628	332	1	22	64	108	133	187	189	977	611	253	68	15	-	1	
NONWHITE.....	1,085	178	-	11	31	53	64	83	86	405	239	78	29	6	-	-	
HARTLAND																	
ALL RACES.....	16	1	-	-	-	-	-	-	1	1	12	2	-	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
HEBRON																	
ALL RACES.....	95	6	-	-	-	-	1	2	3	20	38	28	3	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
MANCHESTER																
ALL RACES.....	583	29	-	1	3	1	12	21	15	174	230	102	22	-	2	-
NONWHITE.....	26	1	-	-	-	-	1	1	-	9	8	6	1	-	-	-
MARLBOROUGH																
ALL RACES.....	68	2	-	-	-	-	-	3	-	11	29	21	4	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN																
ALL RACES.....	944	76	-	4	10	19	27	41	51	340	305	112	27	7	-	1
NONWHITE.....	107	14	-	2	1	2	4	7	11	44	22	10	2	2	-	-
NEWINGTON																
ALL RACES.....	246	12	-	-	-	2	1	3	5	55	108	57	14	1	-	-
NONWHITE.....	9	1	-	-	-	-	-	1	-	3	3	2	-	-	-	-
PLAINVILLE																
ALL RACES.....	178	8	1	-	-	-	7	4	8	51	74	27	5	2	-	-
NONWHITE.....	5	1	-	-	-	-	1	-	-	1	2	1	-	-	-	-
PLYMOUTH																
ALL RACES.....	140	10	-	-	-	4	1	3	12	47	54	15	3	1	-	-
NONWHITE.....	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
ROCKY HILL																
ALL RACES.....	165	11	-	-	-	-	-	1	3	29	79	46	7	-	-	-
NONWHITE.....	9	1	-	-	-	-	-	-	-	2	4	3	-	-	-	-
SIMSSURY																
ALL RACES.....	176	6	-	-	-	1	-	1	4	15	64	77	13	1	-	-
NONWHITE.....	4	1	-	-	-	-	-	-	-	1	-	1	2	-	-	-
SOMERS																
ALL RACES.....	82	3	-	-	-	-	-	2	2	22	31	17	4	4	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
SOUTHINGTON																
ALL RACES.....	437	27	1	-	-	1	6	10	11	106	170	105	26	1	-	1
NONWHITE.....	9	1	-	-	-	-	-	-	-	3	1	3	2	-	-	-
SOUTH WINDSOR																
ALL RACES.....	171	7	-	-	1	2	-	3	4	23	73	54	9	2	-	-
NONWHITE.....	11	2	-	-	-	-	-	1	-	1	6	2	1	-	-	-
STAFFORD																
ALL RACES.....	107	11	-	-	-	-	1	5	4	45	32	14	4	2	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUFFIELD																
ALL RACES.....	87	8	-	-	-	2	1	2	2	18	28	26	8	-	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
TOLLAND																
ALL RACES.....	154	7	1	-	-	1	-	1	4	31	58	50	7	2	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
VERNON																
ALL RACES.....	399	24	-	2	2	4	7	16	17	126	147	62	15	1	-	-
NONWHITE.....	20	1	-	-	-	-	1	-	-	5	7	5	2	-	-	-
WEST HARTFORD																
ALL RACES.....	457	25	1	-	1	-	5	2	4	70	182	167	23	3	-	-
NONWHITE.....	13	1	-	-	-	-	-	1	1	2	7	2	-	-	-	-
WETHERSFIELD																
ALL RACES.....	189	12	-	-	-	-	-	1	1	39	71	60	12	4	1	-
NONWHITE.....	5	1	-	-	-	-	-	-	-	3	1	1	-	-	-	-
WINDSOR																
ALL RACES.....	282	18	-	-	-	-	1	2	3	70	119	71	12	4	-	-
NONWHITE.....	37	3	-	-	-	-	-	1	-	1	17	13	3	2	-	-
WINDSOR LOCKS																
ALL RACES.....	106	4	-	-	-	1	4	3	3	34	43	14	3	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
HSA 5 NORTHWESTERN																
ALL RACES.....	5,907	362	30	8	29	55	106	165	211	1,627	2,115	1,234	318	36	3	-
NONWHITE.....	412	47	-	4	5	10	15	33	27	148	99	56	15	-	-	-
BARKHAMSTED																
ALL RACES.....	33	3	-	-	-	-	-	-	1	7	15	10	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS																
ALL RACES.....	64	1	-	-	-	-	2	3	2	17	21	19	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL																
ALL RACES.....	249	18	-	2	1	-	1	7	4	55	101	67	10	1	-	-
NONWHITE.....	7	1	-	-	-	-	-	-	1	1	2	3	-	-	-	-
BETHLEHEM																
ALL RACES.....	33	2	-	-	-	-	1	-	-	7	16	6	3	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BRIDGEWATER																
ALL RACES.....	9	-	-	-	-	-	-	1	-	2	4	2	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD																
ALL RACES.....	151	6	3	-	-	-	1	-	3	24	57	48	15	3	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
CANAAN																
ALL RACES.....	31	2	-	-	-	1	-	1	1	7	11	7	2	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESHIRE																
ALL RACES.....	220	10	-	-	1	-	-	2	1	28	101	73	11	3	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN- KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN- KNOWN	
COLEBROOK																	
ALL RACES.....	11	-	-	-	-	-	1	-	-	2	4	4	-	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
CORNWALL																	
ALL RACES.....	9	-	1	-	-	-	-	-	2	3	-	3	-	1	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DANBURY																	
ALL RACES.....	839	61	4	3	2	13	17	26	26	254	296	166	32	4	-	-	
NONWHITE.....	84	10	-	2	1	3	3	7	4	32	20	9	3	-	-	-	
GOSHEN																	
ALL RACES.....	15	-	-	-	-	-	-	1	-	4	7	3	-	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
HARWINTON																	
ALL RACES.....	42	1	-	-	-	-	-	-	-	7	13	17	5	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
KENT																	
ALL RACES.....	20	-	1	-	-	-	-	-	-	6	10	3	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
LITCHFIELD																	
ALL RACES.....	84	2	1	-	1	-	1	-	1	16	34	22	9	-	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
MIDDLEBURY																	
ALL RACES.....	48	4	-	-	-	-	-	-	-	12	17	13	6	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
MORRIS																	
ALL RACES.....	19	-	-	-	-	-	1	-	1	1	9	6	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NAUGATUCK																	
ALL RACES.....	353	22	-	-	4	1	3	10	19	118	124	59	12	2	1	-	
NONWHITE.....	10	2	-	-	-	-	-	-	1	1	3	5	-	-	-	-	
NEW FAIRFIELD																	
ALL RACES.....	120	10	2	-	-	-	2	-	2	18	54	30	12	2	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
NEW HARTFORD																	
ALL RACES.....	58	1	-	-	-	-	2	4	1	11	23	14	3	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NEW MILFORD																	
ALL RACES.....	278	12	2	-	-	2	7	11	11	82	101	51	12	1	-	-	
NONWHITE.....	7	-	-	-	-	-	1	-	-	1	3	1	1	-	-	-	
NEWTOWN																	
ALL RACES.....	223	7	3	-	-	1	2	2	4	45	75	67	24	2	1	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
NORFOLK																	
ALL RACES.....	27	1	1	-	-	-	1	1	1	6	8	7	3	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
NORTH CANAAN																	
ALL RACES.....	11	1	-	-	-	1	-	-	-	2	6	2	-	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
PROSPECT																	
ALL RACES.....	57	4	-	-	1	-	1	3	3	8	23	13	5	-	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	
REDDING																	
ALL RACES.....	77	4	-	-	-	1	1	-	2	3	28	32	9	1	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
RIDGEFIELD																	
ALL RACES.....	174	7	4	-	-	2	1	2	-	15	64	68	19	3	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	
ROXBURY																	
ALL RACES.....	14	-	-	-	-	-	-	1	1	4	3	1	3	1	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SALISBURY																	
ALL RACES.....	23	1	1	-	-	-	-	-	-	9	5	6	3	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SHARON																	
ALL RACES.....	25	1	3	-	-	-	1	1	-	7	11	3	2	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SHERMAN																	
ALL RACES.....	15	2	-	-	-	-	-	-	-	2	7	5	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SOUTHBURY																	
ALL RACES.....	123	6	2	-	-	2	2	1	1	22	52	30	12	1	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
THOMASTON																	
ALL RACES.....	77	3	-	-	-	2	2	3	3	21	28	16	2	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TORRINGTON																	
ALL RACES.....	358	18	-	-	2	5	3	11	18	120	116	63	19	1	-	-	
NONWHITE.....	9	-	-	-	-	-	-	1	-	2	3	2	1	-	-	-	
WARREN																	
ALL RACES.....	8	-	-	-	-	-	-	-	-	1	2	4	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WASHINGTON																	
ALL RACES.....	38	1	1	-	-	-	-	-	2	11	14	8	3	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WATERBURY																	
ALL RACES.....	1,432	124	-	2	15	21	40	60	89	521	441	186	49	7	1	-	
NONWHITE.....	269	33	-	2	4	7	11	25	21	107	61	23	8	-	-	-	

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
WATERTOWN																	
ALL RACES.....	197	13	-	-	1	1	1	5	3	51	92	33	10	-	-	-	
NONWHITE.....	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
WINCHESTER																	
ALL RACES.....	164	10	-	-	-	2	8	5	4	60	57	22	5	1	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
WOLCOTT																	
ALL RACES.....	100	3	-	1	1	-	1	3	4	25	41	19	4	1	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
WOODBURY																	
ALL RACES.....	78	1	1	-	-	-	3	1	1	13	24	26	10	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

- NO BIRTHS REPORTED

TABLE 4: Fetal Deaths Occurring In Connecticut, 1979

	ALL RACES											NONWHITE*										
	Age of Mother											Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	333	-	45	96	95	55	31	4	-	-	7	58	-	14	20	9	7	6	1	-	-	1
Sex:																						
Male	183	-	25	49	56	29	18	3	-	-	3	35	-	7	14	6	3	4	1	-	-	-
Female	147	-	20	46	37	26	13	1	-	-	4	23	-	7	6	3	4	2	-	-	-	1
Unknown	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Place of delivery:																						
Hospitals	327	-	43	93	95	54	31	4	-	-	7	57	-	13	20	9	7	6	1	-	-	1
Other	6	-	2	3	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Period of gestation:																						
Under 20 weeks	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-27 weeks	68	-	15	26	16	7	2	1	-	-	1	14	-	7	3	3	1	-	-	-	-	-
28-31 weeks	37	-	3	13	10	4	7	-	-	-	-	7	-	-	4	1	-	2	-	-	-	-
32-35 weeks	33	-	3	10	11	7	1	1	-	-	-	5	-	-	3	1	1	-	-	-	-	-
36 weeks	15	-	5	5	1	3	1	-	-	-	-	6	-	2	3	-	-	1	-	-	-	-
37-39 weeks	41	-	6	11	10	9	4	-	-	-	1	4	-	1	1	-	1	-	-	-	-	1
40 weeks or over	37	-	1	8	13	9	5	1	-	-	-	2	-	-	1	-	-	-	1	-	-	-
Unknown	101	-	12	23	33	16	11	1	-	-	5	20	-	4	5	4	4	3	-	-	-	-
Weight at birth:																						
1000 grams or less	117	-	19	35	37	17	8	-	-	-	1	23	-	8	5	6	1	3	-	-	-	-
1001-1500 grams	35	-	4	13	7	6	4	-	-	-	1	8	-	1	5	-	1	1	-	-	-	-
1501-2000 grams	28	-	5	9	5	7	1	-	-	-	1	7	-	2	2	-	2	-	-	-	-	1
2001-2500 grams	31	-	5	8	10	5	3	-	-	-	-	7	-	2	2	2	1	-	-	-	-	-
2501-3000 grams	34	-	4	11	6	4	7	1	-	-	1	5	-	-	2	-	1	1	1	-	-	-
3001-3500 grams	36	-	4	7	17	4	3	1	-	-	-	5	-	1	3	1	-	-	-	-	-	-
3501-4000 grams	21	-	1	4	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4001-4500 grams	4	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Over 4500 grams	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	26	-	3	8	2	3	5	2	-	-	3	3	-	-	1	-	1	1	-	-	-	-
Plur:l births:																						
Single	305	-	44	85	90	47	29	4	-	-	6	55	-	14	20	7	7	5	1	-	-	1
Twins	28	-	1	11	5	8	2	-	-	-	1	3	-	-	-	2	-	1	-	-	-	-

*Race of mother

-No fetal deaths reported

TABLE 5: Causes of Fetal Deaths Occurring
in Connecticut, 1979

ICD No.	CAUSES OF FETAL DEATHS (ICD NINTH REVISION)	TOTAL
Total		333
740	Anencephalus and similar anomalies	2
741	Spina bifida	1
748	Congenital anomalies of respiratory system	1
750	Other congenital anomalies of upper alimentary tract	1
759	Other and unspecified congenital anomalies	14
760	Fetus affected by maternal conditions which may be unrelated to present pregnancy	14
761	Fetus affected by maternal complications of pregnancy	19
762	Fetus affected by other complications of placenta, core and membranes	134
763	Fetus affected by other complications of labor and delivery	9
765	Disorders relating to short gestation and unspecified low birthweight	19
766	Disorders relating to long gestation and high birthweight	1
768	Intrauterine hypoxia and birth asphyxia	17
770	Other respiratory conditions of fetus	2
771	Infections specific to the perinatal period	2
772	Fetal and neonatal hemorrhage	5
773	Hemolytic disease of fetus, due to isoimmunization	4
775	Endocrine and metabolic disturbances specific to the fetus	5
778	Conditions involving the integument and temperature regulation of fetus	2
779	Other and ill-defined conditions originating in the perinatal period	81

TABLE 6: CAUSES OF DEATH; CONNECTICUT RESIDENTS, 1979

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKN- OWN
TOTAL, ALL CAUSES.....	25955	466	23	16	8	14	527	46	67	253	299	242	233	299	360	584	1,099	1,632	2,269	2,833	3,180	3,393	3,557	5,081	
MALE.....	13709	260	14	12	4	8	298	26	35	196	234	169	158	187	213	360	715	1,022	1,416	1,781	1,810	1,750	1,532	1,806	1
FEMALE.....	12245	205	9	4	4	6	228	20	32	57	65	73	75	112	147	224	384	610	853	1,052	1,370	1,643	2,025	3,275	
UNKNOWN.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7-9 CERTAIN OTHER INTESTINAL INFECTIONS.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
10-18 TUBERCULOSIS.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALE.....	9	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	1	-	-
FEMALE.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
MALE.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36 MENINGOCOCCAL INFECTION.....	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
FEMALE.....	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 SEPTICEMIA.....	66	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	1	6	5	10	6	12	10	12	-
MALE.....	71	1	-	-	-	-	1	-	-	-	-	1	1	1	1	2	1	6	5	10	6	12	10	12	-
FEMALE.....	71	1	-	-	-	-	1	-	-	-	-	1	1	1	1	2	1	6	5	10	6	12	10	12	-
90-97 SYPHILIS.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES.....	19	1	1	-	-	1	3	-	-	-	1	-	-	1	-	2	3	1	-	1	3	2	1	-	-
MALE.....	39	-	-	-	-	2	2	2	1	-	-	-	-	1	-	1	1	3	2	3	4	9	3	8	-
FEMALE.....	39	-	-	-	-	2	2	2	1	-	-	-	-	1	-	1	1	3	2	3	4	9	3	8	-
140-208 MALIGNANT NEOPLASMS.....	3,287	1	-	2	-	2	5	7	3	13	14	18	16	26	46	113	194	314	434	530	528	448	306	272	-
MALE.....	12,877	1	1	-	1	-	3	3	6	4	5	9	23	42	54	114	196	298	360	386	408	378	303	285	-
FEMALE.....	12,877	1	1	-	1	-	3	3	6	4	5	9	23	42	54	114	196	298	360	386	408	378	303	285	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU.....	44	1	-	-	-	-	1	-	1	-	2	1	-	-	1	2	2	4	6	5	4	4	4	7	-
MALE.....	63	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	2	4	4	10	12	9	14	4	-
FEMALE.....	63	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	2	4	4	10	12	9	14	4	-
250 DIABETES MELLITIS.....	172	-	-	-	-	-	-	-	-	-	2	1	-	1	-	2	7	16	18	21	24	33	26	21	-
MALE.....	239	-	-	-	-	-	-	-	-	-	2	1	-	1	-	2	7	16	18	21	24	33	26	21	-
FEMALE.....	239	-	-	-	-	-	-	-	-	-	2	1	-	1	-	2	7	16	18	21	24	33	26	21	-
280-285 ANEMIAS.....	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	1	2	2	-
MALE.....	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	2	-
FEMALE.....	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	2	-

See footnotes at end of table.

TABLE 6: CAUSES OF DEATH; CONNECTICUT RESIDENTS, 1979-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																								
		UNDER	1	2	3	4	TOTAL	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER	UNKN-	
		1	YEAR	YEARS	YEARS	YEARS	UNDER	5																85	OWN	
303 ALCOHOL DEPENDENCE SYNDROME																										
MALE.....	66	-	-	-	-	-	-	-	-	1	-	-	2	5	9	3	7	13	9	10	6	1	-	-	-	
FEMALE.....	15	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	-	1	4	1	-	-	-	-	-	
320-322 MENINGITIS																										
MALE.....	7	2	-	-	1	-	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
FEMALE.....	7	3	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	
390-448 MAJOR CARDIOVASCULAR DISEASES																										
MALE.....	6,658	9	1	-	-	-	10	1	3	2	15	14	18	50	69	147	349	470	690	892	929	963	909	1,127	-	
FEMALE.....	6,511	-	1	-	-	-	1	3	1	-	3	11	7	26	35	41	92	183	309	439	695	954	1,321	2,390	-	
390-398, 402, 404-429 DISEASES OF THE HEART																										
MALE.....	5,348	7	1	-	-	-	8	-	2	-	9	5	14	45	60	133	308	402	600	753	770	738	667	834	-	
FEMALE.....	4,762	-	1	-	-	-	1	2	1	-	3	6	5	17	23	28	71	145	252	359	50	702	930	1,683	-	
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																										
MALE.....	42	1	-	-	-	-	1	-	-	-	-	-	-	-	-	3	5	4	10	7	4	1	5	2	-	
FEMALE.....	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	16	16	12	9	8	-	-	
402 HYPERTENSIVE HEART DISEASE																										
MALE.....	112	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	6	10	7	21	17	16	12	11	-	
FEMALE.....	178	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	6	10	20	21	31	31	54	-	
404 HYPERTENSIVE HEART AND RENAL DISEASE																										
MALE.....	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	2	2	4	-	
FEMALE.....	26	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	4	3	11	-	-	
410-414 ISCHEMIC HEART DISEASE																										
MALE.....	4,219	-	-	-	-	-	-	-	1	-	1	2	11	36	41	109	237	317	478	583	621	586	534	664	-	
FEMALE.....	3,585	-	1	-	-	-	1	-	-	-	-	-	-	7	13	18	24	101	184	257	396	525	715	1,324	-	
415-429 OTHER HEART DISEASE																										
MALE.....	964	6	1	-	-	-	7	-	1	-	8	3	3	7	15	14	60	71	103	142	128	135	114	151	-	
FEMALE.....	897	-	-	-	-	-	-	2	1	-	2	6	4	6	9	9	24	33	52	59	101	131	172	286	-	
401, 403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																										
MALE.....	55	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4	4	6	5	8	7	6	12	-	
FEMALE.....	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	7	5	6	12	19	-	

See footnotes at end of table.

TABLE 6: CAUSES OF DEATH; CONNECTICUT RESIDENTS, 1979-Continued

[illegible]

See footnotes at end of table.

TABLE 6: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1979-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																									
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKN-OWN		
590 INFECTIONS OF KIDNEY																											
MALE.....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-	1	-	2	6	-	
FEMALE.....	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	8	-		
600 HYPERPLASIA OF PROSTATE																											
MALE.....	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	5	-		
740-759 CONGENITAL ANOMALIES																											
MALE.....	63	48	2	2	-	1	53	1	1	-	3	1	-	-	-	1	1	1	-	-	-	-	1	-	-		
FEMALE.....	89	56	2	1	-	1	60	4	2	-	2	1	-	1	-	1	1	2	2	4	3	1	3	2	-		
UNKNOWN.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																											
MALE.....	165	162	2	-	-	-	164	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
FEMALE.....	120	120	-	-	-	-	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
798.0 SUDDEN INFANT DEATH SYNDROME																											
MALE.....	27	25	1	1	-	-	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
FEMALE.....	12	12	-	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E800-E949 ACCIDENTS																											
MALE.....	724	2	2	5	1	4	14	9	12	133	118	70	51	39	28	19	30	27	40	23	32	23	24	32	-		
FEMALE.....	343	2	3	2	-	-	7	7	11	32	35	16	12	8	9	12	14	13	18	13	25	29	37	45	-		
E810-E825 MOTOR VEHICLE ACCIDENTS																											
MALE.....	442	1	1	1	1	3	7	5	5	114	93	54	39	27	18	8	12	13	15	10	10	4	6	2	-		
FEMALE.....	143	-	2	1	-	-	3	3	7	27	29	12	9	4	6	7	8	7	3	3	6	6	-	3	-		
E910 ACCIDENTAL DROWNING AND SUBMERSION																											
MALE.....	26	-	-	1	-	-	1	1	1	6	3	3	3	-	1	-	-	1	4	1	-	1	-	-	-		
FEMALE.....	6	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-		
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																											
MALE.....	205	-	-	-	-	-	-	-	2	18	26	19	21	17	13	7	13	17	16	11	7	11	3	4	-		
FEMALE.....	70	-	-	-	-	-	-	-	-	3	4	7	5	6	10	3	7	5	8	7	1	2	1	1	-		
E960-E978 HOMICIDE AND LEGAL INTERVENTION																											
MALE.....	105	1	-	-	-	-	1	3	1	13	16	18	17	11	4	7	6	3	-	5	-	-	-	-	-		
FEMALE.....	39	2	-	-	2	-	4	-	3	6	3	6	4	4	-	1	2	1	1	1	2	-	-	-	-		
ALL OTHER CAUSES																											
MALE.....	828	5	2	2	2	-	11	1	7	15	37	21	23	18	20	25	45	61	66	94	80	99	94	111	-		
FEMALE.....	864	7	1	1	1	3	13	-	3	9	8	20	13	15	13	22	40	41	50	72	92	109	149	195	-		

- NO DEATHS REPORTED

NOTE: TABLE IS AVAILABLE BY TOWN OF RESIDENCE ON REQUEST

TABLE 7: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1979

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER	1	2	3	4	TOTAL	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER	UNKN-
		1	YEAR	YEARS	YEARS	YEARS	5																	85	OWN
TOTAL, ALL CAUSES.....	1,272	107	4	4	4	3	122	6	8	12	19	39	43	42	58	68	112	114	121	125	113	108	60	102	-
MALE.....	717	57	2	3	2	2	66	6	3	9	16	26	26	25	33	43	78	73	72	70	60	50	25	36	-
FEMALE.....	555	50	2	1	2	1	56	-	5	3	3	13	17	17	25	25	34	41	49	55	53	58	35	66	-
10-18 TUBERCULOSIS																									
MALE.....	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
38 SEPTICEMIA																									
MALE.....	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	-
FEMALE.....	8	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	1	-	2	1	-	1	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																									
MALE.....	190	-	-	-	-	1	1	2	-	1	-	2	1	3	6	15	23	25	29	27	21	19	8	7	-
FEMALE.....	122	-	-	-	-	-	-	-	2	-	1	2	4	4	7	12	9	19	13	15	15	10	6	3	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
250 DIABETES MELLITIS																									
MALE.....	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	3	1	1	-	-
FEMALE.....	17	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	4	2	1	1	1	1	-
280-285 ANEMIAS																									
MALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE.....	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE.....	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	1	-	-	-	-	-	-
FEMALE.....	5	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	1	-	-	-	-	-	-	-
320-322 MENINGITIS																									
FEMALE.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE.....	227	2	-	-	-	-	2	-	2	-	3	3	5	7	11	9	28	29	22	26	28	21	10	21	-
FEMALE.....	236	-	-	-	-	-	-	-	-	-	-	2	2	4	5	4	17	15	25	24	28	38	23	49	-
390-398,402,404-429 DISEASES OF THE HEART																									
MALE.....	167	1	-	-	-	-	1	-	2	-	2	-	4	7	8	8	23	20	15	16	22	17	6	16	-
FEMALE.....	173	-	-	-	-	-	-	-	-	-	-	1	2	2	5	3	11	12	20	17	19	28	16	37	-

See footnotes at end of table.

TABLE 7: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1979-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																							OVER 85	UNKN- OWN
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84			
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																										
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
402 HYPERTENSIVE HEART DISEASE																										
MALE.....	8	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	1	-	1	2	-	1	1	2	-	
FEMALE.....	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
404 HYPERTENSIVE HEART AND RENAL DISEASE																										
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
410-414 ISCHEMIC HEART DISEASE																										
MALE.....	106	-	-	-	-	-	-	-	1	-	-	-	-	4	4	5	16	10	10	10	17	12	4	11	-	
FEMALE.....	113	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	6	6	13	13	9	21	12	29	-	
415-429 OTHER HEART DISEASE																										
MALE.....	51	1	-	-	-	-	1	-	1	-	2	1	2	1	1	5	10	5	5	5	4	2	5	6	-	
FEMALE.....	43	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	4	5	2	9	5	3	6	-	-	
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																										
MALE.....	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	1	-	-	3	-	
FEMALE.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	
430-438 CEREBROVASCULAR DISEASES																										
MALE.....	36	1	-	-	-	-	1	-	-	-	1	-	1	-	2	1	3	5	3	8	4	2	2	3	-	
FEMALE.....	45	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	5	6	6	7	7	6	-	
440 ATHEROSCLEROSIS																										
MALE.....	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	2	1	-	1	-	
FEMALE.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																										
MALE.....	9	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	1	2	1	-	-	1	-	
FEMALE.....	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	1	-	2	-	
480-486 PNEUMONIA																										
MALE.....	15	1	-	-	-	-	1	-	-	-	-	1	1	-	2	-	2	1	2	1	1	1	1	4	-	
FEMALE.....	13	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	

See footnotes at end of table.

TABLE 7: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1979-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKN- OWN
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																									
MALE.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	-	1	-
FEMALE.....	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
531-533 ULCER OF STOMACH AND DUODENUM																									
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																									
MALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																									
MALE.....	20	-	-	-	-	-	-	-	-	-	-	-	1	3	6	2	3	4	2	-	-	-	-	-	-
FEMALE.....	11	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	1	2	2	-	-	1	-	-	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																									
MALE.....	10	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	4	1	1	-	1	1	-	-
FEMALE.....	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	-	2	-
590 INFECTIONS OF KIDNEY																									
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
600 HYPERPLASIA OF PROSTATE																									
MALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
740-759 CONGENITAL ANOMALIES																									
MALE.....	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	10	9	1	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
MALE.....	40	40	-	-	-	-	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	32	32	-	-	-	-	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE.....	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																									
MALE.....	43	-	1	1	1	1	4	1	-	3	1	4	7	2	2	2	5	2	4	2	2	1	-	1	-
FEMALE.....	14	1	1	1	-	-	3	-	2	-	-	2	-	-	1	1	1	-	1	3	-	-	-	-	-

See footnotes at end of table.

TABLE 7: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1979-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																						OVER 85	UNKN- OWN
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84		
E810-E825 MOTOR VEHICLE ACCIDENTS																									
MALE.....	14	-	-	-	1	-	1	-	-	-	-	2	5	1	1	-	2	-	1	1	-	-	-	-	-
FEMALE.....	5	-	1	-	-	-	1	-	1	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959 SUICIDE AND SELF- INFLECTED INJURY																									
MALE.....	6	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE.....	44	1	-	-	-	-	1	3	1	4	7	9	10	2	2	2	2	-	-	1	-	-	-	-	-
FEMALE.....	11	1	-	-	2	-	3	-	-	1	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																									
MALE.....	68	2	-	2	1	-	5	-	-	-	4	5	2	4	1	9	8	5	6	7	6	2	2	2	-
FEMALE.....	47	2	-	-	-	1	3	-	-	1	1	3	4	4	2	2	5	2	3	3	2	5	3	4	-

- NO DEATHS REPORTED

TABLE 8: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1979

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIGIN IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
CONNECTICUT.....	466	107	225	87	46	50	58	105	282	98	25	37	42
HSA 1 SOUTHWESTERN..	108	36	51	21	15	7	14	17	72	29	6	8	11
BRIDGEPORT.....	46	22	20	6	10	4	6	5	31	15	3	6	4
DARIEN.....	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTON.....	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD.....	8	-	3	2	1	-	2	3	4	-	-	-	1
GREENWICH.....	5	-	2	2	1	-	-	1	4	1	-	-	-
MONROE.....	2	-	2	-	-	-	-	-	2	2	-	-	-
NEW CANAAN.....	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWALK.....	11	4	7	3	-	1	-	2	8	3	1	-	1
STAMFORD.....	22	8	12	4	1	1	4	3	15	5	2	1	3
STRATFORD.....	8	2	2	2	2	1	1	1	5	2	-	1	1
TRUMBULL.....	1	-	1	-	-	-	-	-	1	1	-	-	-
WESTON.....	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTPORT.....	2	-	-	1	-	-	1	1	-	-	-	-	1
WILTON.....	3	-	2	1	-	-	-	1	2	-	-	-	-
HSA 2 SOUTH CENTRAL..	102	25	60	18	7	5	12	26	66	19	6	5	5
ANSONIA.....	6	2	3	1	-	-	2	3	2	-	1	1	-
BETHANY.....	1	-	1	-	-	-	-	-	1	-	1	-	-
BRANFORD.....	3	-	2	1	-	-	-	1	2	2	-	-	-
DERBY.....	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HAVEN.....	-	-	-	-	-	-	-	-	-	-	-	-	-
GUILFORD.....	2	-	-	1	1	-	-	-	2	-	1	-	-
HAMDEN.....	5	1	3	1	-	1	-	2	3	1	-	-	-
MADISON.....	1	-	1	-	-	-	-	1	-	-	-	-	-
MERIDEN.....	13	-	9	4	-	-	-	1	12	3	1	-	-
MILFORD.....	7	1	5	-	1	1	-	3	4	-	1	-	-
NEW HAVEN.....	39	19	23	7	1	2	6	6	27	10	-	2	4
NORTH BRANFORD.....	3	1	-	-	1	-	2	1	1	-	-	1	-
NORTH HAVEN.....	2	-	1	-	-	-	1	2	-	-	-	-	-
ORANGE.....	2	-	1	1	-	-	-	1	1	-	-	-	-
OXFORD.....	1	-	1	-	-	-	-	-	1	-	-	-	-
SEYMOUR.....	1	-	1	-	-	-	-	-	1	1	-	-	-
SHELTON.....	1	-	1	-	-	-	-	-	1	-	1	-	-
WALLINGFORD.....	1	-	-	1	-	-	-	-	1	-	-	-	-
WEST HAVEN.....	14	1	8	1	3	1	1	5	7	2	-	1	1
WOODBIDGE.....	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 8: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1979-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON- WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
HSA 3 EASTERN.....	61	3	28	12	3	8	10	13	34	7	4	2	9
ASHFORD.....	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH.....	1	-	1	-	-	-	-	-	1	-	-	-	-
BROOKLYN.....	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY.....	1	-	1	-	-	-	-	-	1	-	1	-	-
CHAPLIN.....	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER.....	2	-	2	-	-	-	-	-	2	1	-	-	-
CLINTON.....	3	-	2	-	-	-	1	2	1	-	-	-	-
COLCHESTER.....	-	-	-	-	-	-	-	-	-	-	-	-	-
COLUMBIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY.....	1	-	-	-	-	1	-	-	-	-	-	-	1
CROMWELL.....	2	-	1	1	-	-	-	-	2	1	1	-	-
DEEP RIVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM.....	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD.....	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM.....	1	-	-	-	1	-	-	-	1	-	-	-	-
EAST HAMPTON.....	1	-	1	-	-	-	-	1	-	-	-	-	-
EAST LYME.....	1	-	-	-	-	-	1	-	-	-	-	-	1
ESSEX.....	1	-	-	-	1	-	-	-	1	-	1	-	-
FRANKLIN.....	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD.....	2	-	-	1	-	-	1	-	1	-	-	-	1
GROTON.....	4	-	3	-	-	1	-	1	2	2	-	-	1
HADDAM.....	1	-	-	-	-	1	-	-	-	-	-	1	-
HAMPTON.....	1	-	-	1	-	-	-	-	1	-	-	-	-
KILLINGLY.....	3	-	-	2	-	1	-	2	1	-	-	-	-
KILLINGWORTH.....	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON.....	-	-	-	-	-	-	-	-	-	-	-	-	-
LEDYARD.....	2	-	1	-	-	1	-	-	1	-	-	1	-
LISBON.....	1	-	1	-	-	-	-	-	1	1	-	-	-
LYME.....	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD.....	1	-	1	-	-	-	-	-	1	-	-	-	-
MIDDLEFIELD.....	1	-	-	-	-	-	1	-	-	-	-	-	1
MIDDLETOWN.....	5	1	1	3	-	-	1	2	2	1	-	-	1
MONTVILLE.....	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW LONDON.....	3	-	2	-	-	-	1	1	2	-	1	-	-
N STONINGTON.....	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWICH.....	7	-	3	3	-	-	1	-	6	-	-	-	1

See footnotes at end of table.

TABLE 8: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1979-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON- WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
OLD LYME	-	-	-	-	-	-	-	-	-	-	-	-	-
OLD SAYBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAINFIELD	1	-	1	-	-	-	-	-	1	-	-	-	-
POMFRET	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND	3	-	1	-	1	-	1	1	2	1	-	-	-
PRESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM	3	-	1	-	-	2	-	1	-	-	-	2	-
SALEM	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE	1	-	-	1	-	-	-	1	-	-	-	-	-
STERLING	1	-	-	-	-	1	-	-	-	-	-	-	1
STONINGTON	1	-	-	-	-	-	1	-	-	-	-	1	-
THOMPSON	1	-	-	-	-	-	1	-	-	-	-	-	1
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
WILLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM	5	2	5	-	-	-	-	1	4	-	-	-	-
WOODSTOCK	-	-	-	-	-	-	-	-	-	-	-	-	-
<u>HSA 4 NORTH CENTRAL</u>	140	35	62	25	12	24	17	35	78	31	5	14	13
ANDOVER	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON	-	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN	1	-	1	-	-	-	-	-	1	1	-	-	-
BLOOMFIELD	1	1	1	-	-	-	-	-	1	-	1	-	-
BOLTON	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL	3	-	1	1	-	-	1	-	2	-	-	-	1
BURLINGTON	2	-	2	-	-	-	-	1	1	-	-	-	-
CANTON	1	-	-	-	1	-	-	1	-	-	-	-	-
EAST GRANBY	1	-	1	-	-	-	-	-	1	1	-	-	-
EAST HARTFORD	9	2	4	2	-	3	-	1	7	1	-	1	-
EAST WINDSOR	-	-	-	-	-	-	-	-	-	-	-	-	-
ELLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
ENFIELD	7	-	1	4	-	1	1	3	4	1	-	-	-
FARMINGTON	1	-	-	-	-	-	1	1	-	-	-	-	-
GLASTONBURY	2	-	-	1	-	1	-	-	1	-	-	1	-
GRANBY	1	-	1	-	-	-	-	1	-	-	-	-	-

See footnotes at end of table.

TABLE 8: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1979-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON- WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
HARTFORD	62	29	28	7	8	12	7	11	38	15	3	6	7
HARTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON	1	-	-	-	-	-	1	-	-	-	-	1	-
MANCHESTER	4	-	2	-	-	-	2	2	2	2	-	-	-
MARLBOROUGH	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN	9	1	3	3	1	2	-	3	3	1	-	2	1
NEWINGTON	1	-	-	1	-	-	-	-	1	-	-	-	-
PLAINVILLE	1	-	-	-	-	1	-	-	-	-	-	1	-
PLYMOUTH	2	-	1	1	-	-	-	1	1	1	-	-	-
ROCKY HILL	2	-	1	1	-	-	-	2	-	-	-	-	-
SIMSBURY	3	1	1	-	1	1	-	-	2	1	-	1	-
SOMERS	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHINGTON	3	-	1	-	-	1	1	1	-	-	-	1	1
SOUTH WINDSOR	1	-	1	-	-	-	-	1	-	-	-	-	-
STAFFORD	1	-	-	1	-	-	-	-	1	-	-	-	-
SUFFIELD	3	-	3	-	-	-	-	-	3	2	-	-	-
TOLLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	6	-	3	1	-	1	1	2	4	2	1	-	-
WEST HARTFORD	7	-	3	1	1	-	2	1	4	2	-	-	2
WETHERSFIELD	2	-	2	-	-	-	-	1	1	1	-	-	-
WINDSOR	3	1	1	1	-	1	-	2	-	-	-	-	1
WINDSOR LOCKS	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 5 NORTHWESTERN	55	8	24	11	9	6	5	14	32	12	4	5	4
BARKHAMSTED	1	-	1	-	-	-	-	-	1	1	-	-	-
BEACON FALLS	1	-	-	-	-	1	-	-	-	-	-	1	-
BETHEL	1	-	-	1	-	-	-	1	-	-	-	-	-
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESHIRE	2	-	1	-	1	-	-	1	-	-	-	-	1
COLEBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY	5	-	2	2	1	-	-	1	3	1	1	-	1
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON	1	1	-	-	1	-	-	1	-	-	-	-	-
KENT	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 8: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1979-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIGIN IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
LITCHFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLEBURY	1	-	-	-	1	-	-	-	1	-	1	-	-
MORRIS	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK	4	-	2	-	-	2	-	-	3	2	-	1	-
NEW FAIRFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HARTFORD	1	-	1	-	-	-	-	-	1	-	-	-	-
NEW MILFORD	4	-	2	1	-	1	-	2	1	-	-	1	-
NEWTOWN	1	-	-	1	-	-	-	1	-	-	-	-	-
NORFOLK	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT	2	-	-	1	1	-	-	1	1	-	-	-	-
REDDING	-	-	-	-	-	-	-	-	-	-	-	-	-
RIDGEFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
ROXBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY	1	-	1	-	-	-	-	1	-	-	-	-	-
THOMASTON	1	-	1	-	-	-	-	-	1	1	-	-	-
TORRINGTON	5	-	2	2	1	-	-	-	5	4	-	-	-
WARREN	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY	21	7	9	2	3	2	5	5	12	1	2	2	2
WATERTOWN	3	-	2	1	-	-	-	-	3	2	-	-	-
WINCHESTER	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLCOTT	-	-	-	-	-	-	-	-	-	-	-	-	-
WOODBURY	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 9: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1979

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES...	466	225	87	18	8	20	358	25	25	12	13	7	4	4	4	9	4	1
MALE.....	260	124	48	13	6	6	197	15	15	9	7	3	1	4	2	5	1	1
FEMALE.....	205	100	39	5	2	14	160	10	10	3	6	4	3	-	2	4	3	-
UNKNOWN.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE.....	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																		
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE.....	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
390-398, 402, 404-429 DISEASES OF THE HEART																		
MALE.....	7	-	2	-	-	1	3	-	-	1	1	-	1	-	-	1	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-486 PNEUMONIA																		
MALE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE.....	48	18	11	3	-	2	34	2	4	2	1	1	-	1	1	2	-	-
FEMALE.....	56	20	11	1	1	6	39	1	1	3	4	4	1	-	1	1	1	-
UNKNOWN.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 9: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1979-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE.....	162	106	35	9	3	2	155	2	2	2	-	1	-	-	-	-	-	-
FEMALE.....	120	78	27	3	-	7	115	3	-	-	1	-	-	-	-	1	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE.....	52	47	4	1	-	-	52	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	46	43	2	-	-	1	46	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE.....	3	-	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE.....	15	8	2	1	2	-	13	1	1	-	-	-	-	-	-	-	-	-
FEMALE.....	10	6	3	1	-	-	10	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE.....	25	-	-	-	2	1	3	8	7	3	2	-	-	1	1	-	-	-
FEMALE.....	12	1	-	-	-	-	1	4	6	-	1	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																		
MALE.....	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
E913 ACCIDENTAL MECHANICAL SUFFOCATION																		
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER CAUSES																		
MALE.....	10	-	-	1	1	-	2	2	2	1	1	-	-	-	-	1	-	1
FEMALE.....	12	1	-	1	-	1	3	2	3	-	-	-	-	-	1	1	2	-

See footnotes at end of table.

TABLE 9: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1979-Continued
NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL	UNDER	1-6	7-13	14-20	21-27	UNDER	28	2	3	4	5	6	7	8	9	10	11
	UNDER 1 YEAR	1 DAY	DAYS	DAYS	DAYS	DAYS	4 WEEKS	DAYS TO 2 MOS.	MOS.	MOS.	MOS.	MOS.	MOS.	MOS.	MOS.	MOS.	MOS.	MOS.
TOTAL, ALL CAUSES...	107	59	15	2	3	4	83	5	7	1	3	-	-	1	2	2	2	-
MALE.....	57	30	8	1	3	1	43	2	4	1	3	-	-	1	1	2	-	-
FEMALE.....	50	29	7	1	-	3	40	3	3	-	-	-	1	-	1	-	2	-
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
390-398, 402, 404-429 DISEASES OF THE HEART																		
MALE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
480-486 PNEUMONIA																		
MALE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE.....	5	1	-	-	-	1	2	-	-	1	-	-	-	1	-	1	-	-
FEMALE.....	9	3	2	-	-	1	6	1	1	-	-	-	-	-	-	-	1	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE.....	40	29	8	1	2	-	40	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	32	25	4	-	-	2	31	1	-	-	-	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE.....	15	15	-	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	15	15	-	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 9: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1979-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL	UNDER	1-6	7-13	14-20	21-27	UNDER	28	2	3	4	5	6	7	8	9	10	11
	UNDER 1 YEAR	1 DAY	DAYS	DAYS	DAYS	DAYS	4 WEEKS	DAYS TO 2 MOS.	MOS.	MOS.	MOS.	MOS.	MOS.	MOS.	MOS.	MOS.	MOS.	MOS.
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE.....	4	3	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE.....	5	-	-	-	-	-	-	1	2	-	1	-	-	-	1	-	-	-
FEMALE.....	3	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																		
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER CAUSES																		
MALE.....	4	-	-	-	1	-	1	-	2	-	-	-	-	-	-	1	-	-
FEMALE.....	4	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	1	-

- NO DEATHS REPORTED

TABLE 10: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1979

ICDA 9th Revision	Total Deaths	Age Specific Death Rate Per 100,000	Cause Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Cause Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Cause Per Cent Within Age Group
All Causes (under 1 year)*	466	12.1	100.0	260	11.2	100.0	205	10.9	100.0
Certain conditions originating in perinatal period (immaturity related to low birth weight) (760-779)	282	7.3	60.5	162	8.2	62.3	120	6.4	58.5
Congenital Anomalies (740-759)	105	2.7	22.5	48	2.4	18.5	56	3.0	27.3
Sudden infant death syndrome (798.0)	37	1.0	7.9	25	1.3	9.6	12	0.6	5.9
Accidents and homicide (E800-E949, E960-E969)	7	0.2	1.5	3	0.2	1.2	4	0.2	2.0
Meningitis (320-322)	5	0.1	1.1	2	0.1	0.8	3	0.2	1.5
All other causes	30	0.8	6.4	20	1.0	7.7	10	0.5	4.9
All Causes (1-14 years)	174	27.8	100.0	99	31.1	100.0	75	24.4	100.0
Accidents, total (E800-E949)	56	9.0	32.2	33	10.4	33.3	23	7.5	30.7
Malignant Neoplasms (140-208)	25	4.0	14.4	14	4.4	14.1	11	3.6	14.7
Congenital Anomalies (740-759)	17	2.7	9.8	7	2.2	7.1	10	3.2	13.3
Homicide (E960-E969)	9	1.4	5.2	4	1.3	4.0	5	1.6	6.7
Diseases of the heart (390-398, 402, 404-429)	7	1.1	4.0	3	0.9	3.0	4	1.3	5.3
Influenza and pneumonia (480-487)	4	0.6	2.3	3	0.9	3.0	1	0.3	1.3
All other causes	56	9.0	32.2	35	11.0	35.4	21	6.8	28.0
All Causes (15-24 years)	552	92.7	100.0	430	143.1	100.0	122	41.3	100.0
Accidents, total (E800-E949)	318	53.4	57.6	251	83.6	58.4	67	22.7	54.9
Suicide (E950-E959)	51	8.6	9.2	44	14.6	10.2	7	2.4	5.7
Homicide and legal intervention (E960-E978)	38	6.4	6.9	29	9.7	6.7	9	3.0	7.4
Malignant neoplasms (140-208)	36	6.0	6.5	27	9.0	6.3	9	3.0	7.4
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	17	2.9	3.1	13	4.3	3.0	4	1.4	3.3
Diseases of the heart (390-398, 402, 404-429)	12	2.0	2.2	9	3.0	2.1	3	1.0	2.5
All other causes	80	13.4	14.5	57	19.0	13.3	23	7.8	18.9
All Causes (25-44 years)	1134	129.4	100.0	727	169.1	100.0	407	91.2	100.0
Malignant neoplasms (140-208)	234	26.7	20.6	106	24.7	14.6	128	28.7	31.4
Accidents, total (E800-E949)	233	26.6	20.5	188	43.7	25.9	45	10.1	11.1
Diseases of the heart (390-398, 402, 404-429)	175	20.0	15.4	124	28.8	17.1	51	11.4	12.5
Suicide (E950-E959)	98	11.2	8.6	70	16.3	9.6	28	6.3	6.9
Homicide and legal intervention (E960-E978)	64	7.3	5.6	50	11.6	6.9	14	3.1	3.4
Chronic liver disease & cirrhosis (571)	53	6.0	4.7	37	8.6	5.1	16	3.6	3.9
Cerebrovascular diseases (430-438)	42	4.8	3.7	18	4.2	2.5	24	5.4	5.9
Alcohol dependence syndrome (303)	23	2.6	2.0	16	3.7	2.2	7	1.6	1.7
Influenza & pneumonia (480-487)	19	2.2	1.7	10	2.3	1.4	9	2.0	2.2
All other causes	193	22.0	17.0	108	25.1	14.9	85	19.6	20.9

TABLE 10: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1979, cont'd.

ICDA 9th Revision	Total Deaths	Age Specific Death Rate Per 100,000	Cause Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Cause Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Cause Per Cent Within Age Group
All Causes (45-64 years)	5584	796.9	100.0	3513	1048.7	100.0	2071	566.3	100.0
Malignant neoplasms (140-208)	2023	288.7	36.2	1055	314.9	30.0	968	264.7	46.7
Diseases of the heart (390-398, 402, 404-429)	1939	276.7	34.7	1443	430.7	41.1	496	135.6	23.9
Chronic liver disease & cirrhosis (571)	231	33.0	4.1	145	43.3	4.1	86	23.5	4.2
Cerebrovascular diseases (430-438)	222	31.7	4.0	133	39.7	3.8	89	24.3	4.3
Accidents, total (E800-E949)	173	24.7	3.1	116	34.6	3.3	57	15.6	2.8
Chronic obstructive pulmonary diseases and allied conditions (490-496)	120	17.1	2.1	84	25.1	2.4	36	9.8	1.7
Diabetes mellitus (250)	79	11.3	1.4	43	12.8	1.2	36	9.8	1.7
Suicide (E950-E959)	76	10.8	1.4	53	15.8	1.5	23	6.3	1.1
All other causes	721	102.9	12.9	441	131.6	12.6	280	76.6	13.5
All Causes (65 years and over)	18044	5252.9	100.0	8679	6107.7	100.0	9365	4649.8	100.0
Diseases of the heart (390-398, 402, 404-429)	7970	2320.2	44.2	3762	2647.4	43.3	4208	2089.3	44.9
Malignant Neoplasms (140-208)	3844	1119.0	21.3	2084	1466.6	24.0	1760	873.9	18.8
Cerebrovascular diseases (430-438)	1881	547.6	10.4	688	484.2	7.9	1193	592.3	12.7
Influenza and pneumonia (480-487)	558	162.4	3.1	272	191.4	3.1	286	142.0	3.1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	548	159.5	3.0	385	270.9	4.4	163	80.9	1.7
Atherosclerosis (440)	430	125.2	2.4	182	128.1	2.1	248	123.1	2.6
Diabetes mellitus (250)	321	93.4	1.8	125	88.0	1.4	196	97.3	2.1
Accidents (E800-E949)	283	82.4	1.6	134	94.3	1.5	149	74.0	1.6
All other causes	2209	643.1	12.2	1047	736.8	12.1	1162	576.9	12.4

*Rates for persons under one year per 1,000 live births.

Table 11: Number of Present Marriage
Connecticut, 1979

Number	Bride	Groom
Total	25,431	25,431
First	18,291	17,615
Second	6,253	6,920
Third	765	805
Fourth	85	67
Fifth	10	9
Sixth	3	2
Seventh	-	-
Eighth	1	1
Unknown	23	12

Table 12: Previous Marital Status of Bride & Groom
Connecticut, 1979

Previous Marital Status	Bride	Groom
All Marriages	25,431	25,431
Never Married	18,287	17,608
Widowed	928	889
Divorced	6,181	6,891
Annulment	23	37
Unknown	12	6

TABLE 13: COUNTY OF DISSOLUTION OF MARRIAGES
CONNECTICUT, 1979

COUNTY	TOTAL
CONNECTICUT, TOTAL	14,101
Fairfield	3,162
Hartford	3,944
Litchfield	551
Middlesex	662
New Haven	3,403
New London	1,321
Tolland	629
Windham	429
Sex of Complainant:	
Male	4,412
Female	9,356
Not Stated	333

TABLE 14: CHILDREN UNDER 18
AFFECTED BY MARRIAGE DISSOLUTION
CONNECTICUT, 1979

Number of Children Under 18 Years Per Dissolution	Number of Dissolutions
Total	14,101
No children	5,893
One child	3,514
Two children	3,058
Three children	1,106
Four children	330
Five children	86
Six or more children	20
Not stated	94

TABLE 15: DURATION OF MARRIAGES DISSOLVED
CONNECTICUT, 1979

Year Marriage Was Contracted	Number of Marriages Dissolved	Year Marriage Was Contracted	Number of Marriages Dissolved
TOTAL	14,101	1965	386
1979	58	1964	412
1978	444	1963	321
1977	886	1962	266
1976	1,006	1961	296
1975	1,036	1960	249
1974	975	1959-1955	1,104
1973	956	1954-1950	627
1972	832	1949-1945	340
1971	721	1944-1940	134
1970	666	1939-1935	48
1969	679	1934-1930	16
1968	636	Prior to 1930	8
1967	517	Unknown	50
1966	432		

GLOSSARY

Birth Weight	Weight of fetus or infant at a time of delivery.
Fetal Death	Death prior to the complete expulsion of extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation at 350 grams or more; the fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed between the first day of the last menstrual period and date of delivery.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or show other signs of life.
Low Birth Weight	Birth wherein the birth weight is equivalent to 2,500 grams or less (approximately 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATES

Age-Adjusted Death Rate:	Sum of (Age-Specific Death Rates X Proportion of Standard Population in Specific Age Group)
Age-Specific Birth Rate:	$\frac{\text{No. of Resident Live Births for a Specific Age of Mother}}{\text{Total Female Population of Specific Age (Mid-Year)}} \times 1,000$
Age-Specific Death Rate:	$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100,000$
Crude Birth Rate:	$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population (Mid-Year)}} \times 1,000$
Crude Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population (Mid-Year)}} \times 1,000$
Divorce Rate:	$\frac{\text{No. of Persons (Divorces \& Annulments)}}{\text{Total Resident Population (Mid-Year)}} \times 1,000$
Fetal Death Rate:	$\frac{\text{Fetal Deaths at Place of Occurrence}}{\text{Total of Births and Fetal Deaths at Place of Occurrence}} \times 1,000$
Infant Death Rate:	$\frac{\text{No. of Infant Deaths}}{\text{Total Resident Live Births}} \times 1,000$
Marriage Rate:	$\frac{\text{No. of Persons Married}}{\text{Total Resident Population (Mid-Year)}} \times 1,000$

6/1/83

S/280-1(4)

State of Connecticut

One Hundred and Thirty-Third

REGISTRATION REPORT

1980

BEST AVAILABLE COPY

STATE OF CONNECTICUT

ONE HUNDRED AND THIRTY-THIRD
REGISTRATION REPORT

of

Births, Marriages, Divorces and Deaths

for the

YEAR ENDED DECEMBER 31, 1980

Issued by

THE STATE DEPARTMENT OF HEALTH SERVICES

HARTFORD

Published by the State

Price \$10.00

DEPARTMENT OF HEALTH SERVICES

HARTFORD, April 1, 1983

To His Excellency, William A. O'Neill, Governor of the State of Connecticut:

Sir:

In compliance with the laws of the State, I have the honor to present to you the one hundred and thirty-third report, relating to the births, marriages, divorces and deaths that were registered in Connecticut in the year 1980.

Very respectfully,
DOUGLAS S. LLOYD, M.D., M.P.H.
Commissioner of Health Services

Douglas S. Lloyd, M.D., M.P.H.
Commissioner of Health Services

Sir:

I have the honor to submit herewith the annual registration report for the year 1980, prepared by the Statistics and Demography Unit of the Division of Health Statistics. At this time I wish to express my appreciation of the work performed by the unit staff in preparing this report.

MERTON S. HONEYMAN, Ph.D.
Director, Division of Health Statistics

HAROLD BURDO, M.P.H.
Registrar, Vital Records

ROSALIND S. BENNETT, B.S.
Research Analyst, Statistics & Demography Unit

CONTENTS

Vital Statistics for 1980	Page
Summary for Year	4
Population, 1980 Census	4
Births	5
Fetal Deaths	5
Deaths	5
Leading Causes of Death	5
Infant Mortality	6
Marriages	6
Divorces	6

TABLES

Table No.	<u>Table No. In Previous Reports</u>	Page
1 Population, census 1980, by age and sex	III	7
2 Census of population and vital statistics by towns of residence	14	8
3 Live births, Connecticut residents by age of mother	4	15
4 Live births to residents of Connecticut towns by race, low birthweight and maternal age	-	16
5 Fetal deaths occurring in Connecticut	5	29
6 Causes of fetal deaths occurring in Connecticut	6	30
7 Causes of death, Connecticut residents	10	31
8 Causes of death among nonwhites	11	35
9 Deaths under one year of age (infants)	18	39
10 Selected causes of infant deaths	13	44
11 Leading causes of death by age groups	XIII	48
12 Number of present marriage for brides and grooms	24	50
13 Previous marital status of brides and grooms	23	50
14 Dissolution of marriages	25	51
15 Children under 18 involved in dissolution of marriages	XXXVIII	51
16 Duration of marriages dissolved in 1980	XXXVII	51
Glossary		52
Rates, calculation of		53
Appendix		54
I Vital statistics 1850-1980	1	56
II Selected causes of death, 1900-1980	2	58
III Intercensal adjustment of population by age and sex, 1970-1980		62

REGISTRATION REPORT OF VITAL STATISTICS IN CONNECTICUT

The Annual Registration Report of Vital Statistics, 1980, is a statistical summary of vital events for the State of Connecticut. Presented are data pertaining to births, deaths, marriages, and divorces.

Certain qualifications must be made with regard to the data contained herein, and should be kept in mind when examining data sets:

A. Completeness of Registration

The Connecticut Department of Health Services reciprocates with other states and the provinces of Canada in exchanging copies of birth and death records for non-residents. Registration of births in Connecticut is 99.9% complete and there is virtually no underreporting of deaths. Because there is no interstate transfer of marriage, divorce and fetal death records, it is not possible to determine the completeness of registration of these events to Connecticut residents.

B. Comparability of Cause-of-Death Data

The system for classifying causes of death, the International Classification of Diseases (ICD), is revised every ten years to reflect changes in medical practices and new medical knowledge. Each revision results in a degree of discontinuity in cause-of-death statistics. A ratio of comparability must be used to adjust for changes in classification from one ICD revision to another. Causes of death in 1980 were coded using the ninth revision of the ICD which became effective in 1979.

C. Comparison of Rates

Caution should be used in drawing conclusions based on rates which are calculated from small numbers of events or for small geographic areas. Because these rates may vary considerably, use of them for comparison purposes or for estimating future events will be limited.

D. Deletions from Previous Reports

This Registration Report of 1980 reflects a continuation of the form and content initiated with the 1978 report. Accordingly, many tables which have appeared in past registration reports have not and will no longer be printed. Needs of the principal readers of this report were used to establish the criteria for selection of tables and other information here presented. However, data published in past reports will continue to be compiled and will be on file for distribution on request. This information can be obtained by contacting the Statistics and Demography Unit of the Division of Health Statistics, 79 Elm Street, Hartford, Connecticut 06106, 566-5451 or 566-8515.

POPULATION

The United States Census of Population, 1980, showed that Connecticut had a total population of 3,107,576, an increase of 75,867 over the 1970 census.

The total natural increase (difference between births and deaths) for the decade was 133,385, indicating that there was a net out-migration of 57,518 during the decade of the seventies. The average annual gain in population, during the decade, for the State of Connecticut was 7,587.

BIRTHS

In 1980 the number of resident live births was 38,750. This represents an increase of 102 from 1979 and an increase in the birth rate to 12.5 per 1,000 population. Only 797 births, or 2.1% of all births to Connecticut residents, occurred out-of-state. There was a total of 4,404 births to teenage mothers (19 years of age or less), or 11.4%, a decrease of 0.5% from 1979.

Fetal Deaths

The fetal death rate decreased in 1980 with a total count of 292 or 7.5 deaths per 1,000 births compared to 333 deaths and a rate of 8.6 in 1979.

DEATHS

The number of registered deaths among Connecticut residents for 1980 was 27,258, for a crude rate of 8.8 per 1,000 population. Of the total number of resident deaths, 14,216 were males and 13,042 were females.

Of the total resident deaths, the greatest number occurred among persons 80 years of age or over. Deaths in this age group numbered 9,357 in 1980, or 34.3% of the total number of resident deaths. The median age at death was 73.9. Death for females occurred at an older age than males, 77.9, compared to 70.3, respectively.

Leading Causes of Death

In 1980 the five leading causes of death, in the order of their proportional share, were diseases of the heart, malignant neoplasms, cerebrovascular disease, accidents, and pneumonia and influenza. The leading cause of death among the 15 to 34 age group was accidents. Among the 35 to 44 group the leading cause was malignant neoplasms, and for those over 65, diseases of the heart was the leading cause of death.

Diseases of the Heart

Heart diseases accounted for 10,338 resident deaths in 1980, for a total proportional share of 37.9%. This reflects a decrease of 1.1% from the proportional share of 39.0% for this cause in 1979. The median age at death from heart disease was 77.2. Acute myocardial infarction claimed a 36.0% share of total heart disease mortality with a 40.6% share attributed to other ischemic heart disease. Median age at death from myocardial infarction was 72.9; for other ischemic heart disease, median age was 81.0.

Malignant Neoplasms

There were 6,510 deaths attributed to malignant neoplasms in 1980, a proportional share of 23.9% of all resident mortality. The median age at death due

to cancer in both sexes was 69.5. Malignant neoplasms of the digestive organs accounted for 27.6% of all deaths in this category. This site is followed by malignant neoplasms of the respiratory system (24.0%) of the genitourinary system (14.9%) of the breast (9.4%), and of the lymphatic and hematopoietic tissue (9.2%).

Cerebrovascular Disease

Cerebrovascular disease was responsible for 2,081 resident deaths in Connecticut. This cause of death had a proportional share of 7.6% of total resident deaths, a decrease from 1979 when this cause accounted for 8.3% of total resident deaths. The median age at death from cerebrovascular disease was 81.3.

Accidents

A total of 1,105 accidents, of all types, accounted for 4.1% of all resident deaths in 1980. Of this total 52.2% was attributed to resident motor vehicle accidents. For those 24 years of age and less, the share in motor vehicle accidental deaths was 48.7%. The leading cause of non-motor vehicle accidents was falls, which had a 12.4% share of the total accidents,

Pneumonia and Influenza

Deaths from these causes amounted to 3.3% of total resident deaths. The crude mortality rate increased 8.9% from the 1979 crude rate,

Infant Deaths

There were 429 resident infant deaths in Connecticut in 1980, a rate of 11.1 per 1,000 live births, compared to the previous year's total of 466, or 12.1 deaths per 1,000 live births. From 1979, this represents a decrease in infant deaths by 1.0%. Connecticut still contrasts favorably with the national rate of 12.5 per 1,000 live births. Of all resident infant deaths, 43.8% occurred within the first day, 63.6% within the first week, and 72.7% within the first month. Neonatal deaths showed a 12.8% decrease from 358 in 1979 to 312 in the current year.

MARRIAGES

Marriages occurring in Connecticut totaled 26,048 in 1980, an increase of 617 or 2.4% from the previous year. The current year's total represents a marriage rate of 16.8 persons marrying per 1,000 population. The median age at marriage for grooms was 25.7, and for brides, 23.5, a decrease from 1979 when median age for grooms was 26.2 and for brides 24.3.

MARRIAGE DISSOLUTIONS

There were 13,488 marriages dissolved in Connecticut during 1980, for a marriage dissolution rate of 8.7 persons per 1,000 population. The current rate represents a 2.2% decrease from the previous year.

Duration of Marriage

The median duration of those marriages which terminated in 1980 was 8.0 years, compared to a median duration in 1979 of 8.2 years.

TABLE 1: POPULATION OF CONNECTICUT, BY AGE AND SEX
CENSUS OF THE UNITED STATES, 1980

<u>AGE GROUP</u>	<u>MALE</u>	<u>FEMALE</u>	<u>TOTAL</u>
TOTAL	1,498,005	1,609,571	3,107,576
Total Under 5	94,479	90,709	185,188
Under 1 year*	19,919	18,831	38,750
1- 4	74,560	71,878	146,438
5- 9	105,508	100,250	205,758
10-14	130,582	125,701	256,283
15-19	146,275	142,108	288,383
20-24	135,362	137,020	272,382
25-29	123,182	126,078	249,260
30-34	117,419	124,454	241,873
35-39	99,619	104,860	204,479
40-44	79,838	84,985	164,823
45-49	78,231	83,418	161,649
50-54	85,632	91,620	177,252
55-59	85,285	93,427	178,712
60-64	73,078	83,592	156,670
65-69	56,435	69,980	126,415
70-74	38,383	54,919	93,302
75-79	24,333	41,748	66,081
80-84	14,051	29,286	43,337
85 and over	10,313	25,416	35,729
Median Age	30.6	33.3	32.0

*Live births during the year have traditionally been used for population under one year of age.

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980																		
TOWN	Census of Connecticut Population, 1980	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages				
						Total		Out of Wedlock		All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	
						All Races	Nonwhite	All Races	Nonwhite									
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
CONNECTICUT	3,107,576*	38,526	301	27,509	26,048	33,750	5,156	6,964	2,951	292	54	27,258	1,378	22,523	23,786	12.5	8.8	14.9
HSA I, Southwestern	626,443	8,119	67	5,465	5,215	7,521	1,548	1,751	927	67	20	5,702	405	4,070	4,456	12.0	9.1	13.6
Bridgeport	142,546	4,329	29	2,298	1,116	2,646	821	1,074	550	19	9	1,629	194	1,203	1,143	18.6	11.4	16.5
Darien	18,892	-	-	58	208	158	1	8	-	2	-	144	1	83	117	3.4	7.6	10.6
Easton	5,962	-	-	11	30	39	1	1	-	-	-	33	-	18	31	6.5	5.5	8.2
Fairfield	54,849	-	-	253	437	461	11	26	2	2	-	472	2	277	374	8.4	8.6	11.9
Greenwich	59,578	821	9	630	571	484	16	20	3	5	-	589	13	267	356	8.1	9.9	10.5
Monroe	14,010	-	-	11	69	163	2	6	-	1	-	67	-	89	100	11.6	4.8	13.5
New Canaan	17,931	-	-	58	184	123	3	6	2	2	-	105	4	83	103	6.9	5.9	10.4
Norwalk	77,767	1,329	11	803	599	1,077	257	228	139	15	6	627	72	604	616	13.8	8.1	15.7
Stamford	102,453	1,638	18	977	869	1,313	374	291	206	12	4	959	101	765	799	12.8	9.4	15.3
Stratford	50,541	-	-	154	421	516	48	66	23	3	1	522	15	303	368	10.2	10.3	13.3
Trumbull	32,989	1	-	88	271	239	11	10	2	2	-	228	2	146	182	7.2	6.9	9.9
Weston	8,284	-	-	9	63	58	1	3	-	2	-	38	-	42	42	7.0	4.6	10.1
Westport	25,290	1	-	90	289	163	-	10	-	2	-	196	1	132	156	6.4	7.8	11.4
Wilton	15,351	-	-	25	88	81	2	2	-	-	-	93	-	58	69	5.3	6.1	8.3
HSA II, South Central	597,180	8,008	63	5,890	4,728	7,569	1,261	1,470	768	47	12	5,498	357	4,379	4,460	12.7	9.2	14.8
Ansonia	19,039	1	-	21	155	250	39	48	25	1	-	202	11	132	137	13.1	10.6	14.1
Bethany	4,330	-	-	5	23	41	1	1	1	-	-	26	-	23	22	9.5	6.0	10.4
Branford	23,363	-	-	267	214	281	5	24	1	1	-	210	3	217	194	12.0	9.0	17.6
Derby	12,346	694	3	464	123	180	1	33	-	1	-	135	3	104	113	14.6	10.9	17.6
East Haven	25,028	-	-	44	186	261	1	22	1	1	-	205	-	176	200	10.4	8.2	15.0
Guilford	17,375	1	-	75	153	236	2	12	-	2	-	124	3	118	136	13.6	7.1	14.6
Hamden	51,071	-	-	269	327	505	58	42	14	3	1	547	15	313	322	9.9	10.7	12.4
Madison	14,031	-	-	42	118	147	-	5	-	1	-	100	1	78	92	10.5	7.1	12.1
Meriden	57,118	1,033	3	611	470	774	46	107	23	1	-	520	8	473	476	13.6	9.1	16.6
Milford	50,898	434	2	371	436	597	14	45	2	4	-	410	6	402	416	11.7	8.1	16.1
New Haven	126,109	5,841	54	2,780	1,138	2,018	952	952	657	16	9	1,369	281	937	902	16.0	10.9	14.6
North Branford	11,554	-	-	6	85	132	-	2	-	-	-	58	1	63	84	11.4	5.0	12.7
North Haven	22,080	2	1	42	146	173	8	10	2	1	1	182	2	138	161	7.8	8.2	13.5

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980

TOWN	Census of Connecticut Population, 1980	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total		Out of Wedlock		All Races	Nonwhite	All Races	Nonwhite	Groom	Bride			
						All Races	Nonwhite	All Races	Nonwhite									
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA II, South Central Cont'd.																		
Orange	13,237	-	-	25	93	85	1	3	-	2	-	93	-	51	74	6.4	7.0	9.4
Oxford	6,634	-	-	10	55	112	2	7	1	-	-	50	-	38	34	16.9	7.5	10.9
Seymour	13,434	-	-	33	76	164	2	10	-	-	-	116	-	120	95	12.2	8.6	16.0
Shelton	31,314	-	-	152	177	419	15	27	1	5	-	231	1	189	194	13.4	7.4	12.2
Wallingford	37,274	1	-	202	307	422	8	22	1	3	-	342	3	277	277	11.3	9.2	14.9
West Haven	53,184	1	-	459	340	701	101	93	38	5	1	521	18	497	482	13.2	9.8	18.4
Woodbridge	7,761	-	-	12	106	71	5	5	1	-	-	57	1	33	49	9.1	7.3	10.6
HSA III, Eastern																		
Ashford	3,221	-	-	2	38	43	2	1	-	1	-	16	-	36	39	13.3	5.0	23.3
Bozrah	2,135	-	-	1	23	23	-	2	-	-	-	15	-	12	15	10.8	7.0	12.6
Brooklyn	5,691	-	-	23	56	75	1	5	-	-	-	52	-	34	50	13.2	9.1	14.8
Canterbury	3,426	-	1	5	18	55	-	4	-	1	-	28	1	18	23	16.1	8.2	12.0
Chaplin	1,793	-	-	5	13	26	1	3	1	-	-	12	-	11	15	14.5	6.7	14.5
Chester	3,068	-	-	25	41	46	-	3	-	-	-	35	-	31	26	15.0	11.4	18.6
Clinton	11,195	-	-	21	83	175	4	14	-	-	-	92	-	91	99	15.6	8.2	17.0
Colchester	7,761	1	-	31	66	129	3	7	1	1	-	71	-	83	86	16.6	9.1	21.8
Columbia	3,386	-	-	1	54	22	-	-	-	1	-	26	-	27	27	6.5	7.7	15.9
Coventry	8,895	2	-	7	52	146	1	10	-	2	-	52	-	69	72	16.4	5.8	15.9
Cromwell	10,265	-	-	42	58	129	8	5	1	-	-	80	2	70	71	12.6	7.8	13.7
Deep River	3,994	-	-	24	34	51	2	2	-	-	-	40	-	38	33	12.8	10.0	17.8
Durham	5,143	1	-	5	47	50	1	3	-	-	-	31	-	35	35	9.7	6.0	13.6
Eastford	1,028	-	-	1	7	12	-	1	-	-	-	2	-	3	5	11.7	1.9	7.8
East Haddam	5,621	-	-	16	65	86	3	2	-	-	-	43	-	44	43	15.3	7.6	15.5
East Hampton	8,572	3	1	30	71	131	1	5	-	1	-	63	-	56	60	15.3	7.3	13.5
East Lyme	13,870	-	-	17	130	161	1	14	-	3	-	111	-	122	125	11.6	8.0	17.8
Essex	5,078	2	-	49	54	37	-	2	-	-	-	72	1	36	32	7.3	14.2	13.4
Franklin	1,592	-	-	2	4	13	-	-	-	-	-	13	-	13	8	8.2	8.2	13.2
Griswold	8,967	-	-	23	60	131	2	13	-	3	-	89	-	60	66	14.6	9.9	14.1
Groton	41,062	826	8	170	392	759	64	65	6	4	-	234	5	342	320	18.5	5.7	16.1

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980																		
TOWN	Census of Connecticut Population, 1980	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages				
						Total		Out of Wedlock		All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	
						All Races	Nonwhite	All Races	Nonwhite									
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Haddam	6,383	-	-	8	39	62	2	3	-	-	-	39	-	42	40	9.7	6.1	12.8
Hampton	1,322	-	-	7	12	25	1	-	-	-	-	22	-	14	10	18.9	16.6	18.2
Killingly	14,519	-	-	118	139	259	4	28	1	-	-	144	1	136	130	17.8	9.9	18.3
Killingworth	3,976	2	-	8	31	46	-	1	-	-	-	44	-	20	30	11.6	11.1	12.6
Lebanon	4,762	1	-	2	34	59	-	3	-	1	-	23	-	33	27	12.4	4.8	12.6
Ledyard	13,735	1	-	11	78	211	14	21	3	-	-	42	2	77	102	15.4	3.1	13.0
Lisbon	3,279	-	-	6	17	54	-	6	-	1	-	25	-	20	19	16.5	7.6	11.9
Lyme	1,822	-	-	-	8	18	-	3	-	-	-	14	-	9	11	9.9	7.7	11.0
Mansfield	20,634	-	-	18	105	100	8	8	1	-	-	72	-	90	90	4.8	3.5	8.7
Middlefield	3,796	1	-	5	23	38	-	4	-	-	-	30	-	26	22	10.0	7.9	12.6
Middletown	39,040	912	2	760	311	462	83	79	43	2	1	348	15	355	326	11.8	8.9	17.4
Montville	16,455	-	-	16	110	253	9	30	4	2	-	97	1	120	139	15.4	5.9	15.7
New London	28,842	1,257	6	617	443	502	132	159	74	5	2	315	45	260	287	17.4	10.9	19.0
North Stonington	4,219	1	-	4	39	55	-	5	-	-	-	20	-	17	33	13.0	4.7	11.9
Norwich	38,074	1,114	8	765	415	631	43	94	14	3	-	468	7	368	393	16.6	12.3	20.0
Old Lyme	6,159	-	-	13	83	69	-	5	-	-	-	43	-	42	51	11.2	7.0	15.1
Old Saybrook	9,287	1	-	103	110	93	3	8	-	1	-	86	1	67	69	10.0	9.3	14.6
Plainfield	12,774	1	-	44	97	172	-	23	-	1	-	98	-	96	106	13.5	7.7	15.8
Pomfret	2,775	2	-	5	49	41	-	2	-	-	-	19	-	19	18	14.8	6.8	13.3
Portland	8,383	-	-	43	84	80	4	3	-	-	-	87	1	53	56	9.5	10.4	13.0
Preston	4,644	-	-	29	37	33	-	3	-	-	-	31	-	36	35	7.1	6.7	15.3
Putnam	8,580	740	4	283	76	111	-	21	-	2	-	104	-	70	71	12.9	12.1	16.4
Salem	2,335	-	-	2	17	33	-	2	-	2	-	6	-	23	22	14.1	2.6	19.3
Scotland	1,072	-	-	3	7	8	-	-	-	-	-	10	-	5	7	7.5	9.3	11.2
Sprague	2,996	-	-	2	21	55	1	3	-	-	-	29	-	31	34	18.4	9.7	21.7
Sterling	1,791	-	-	4	12	27	-	2	-	-	-	14	-	17	12	15.1	7.8	16.2
Stonington	16,220	-	-	48	200	186	6	21	2	1	-	176	2	96	121	11.5	10.9	13.4
Thompson	8,141	2	-	10	68	97	-	12	-	-	-	71	-	39	47	11.9	8.7	10.6
Union	546	-	-	-	9	7	-	-	-	-	-	7	-	4	5	12.8	12.8	16.5

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980

POPULATION AND VITAL STATISTICS OF CONNECTICUT, 1980																		
TOWN	Census of Connecticut Population, 1980	Place of Occurrence				Place of Residence												
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out of Wedlock		All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
						All Races	Nonwhite	All Races	Nonwhite									
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Voluntown	1,637	-	-	1	24	28	1	5	1	-	-	13	-	12	13	17.1	7.9	15.3
Waterford	17,843	1	-	138	147	151	4	7	-	-	-	151	3	159	151	8.5	8.5	17.4
Westbrook	5,216	-	-	12	54	44	1	6	-	-	-	63	-	48	47	8.4	12.1	18.2
Willington	4,694	-	-	14	18	54	-	2	-	1	-	21	-	34	36	11.5	4.5	14.9
Windham	21,062	432	4	301	155	338	9	49	3	4	-	203	4	169	176	16.0	9.6	16.4
Woodstock	5,117	-	-	11	30	54	1	1	-	-	-	37	1	34	42	10.6	7.2	14.9
HSA IV, North Central																		
Andover	895,166	11,723	84	7,970	7,834	10,987	1,508	2,191	868	73	14	7,658	408	6,930	7,381	12.3	8.6	16.0
Avon	2,144	-	-	2	13	31	1	1	-	-	-	15	-	22	16	14.5	7.0	17.7
Berlin	11,201	-	-	47	125	109	-	7	-	-	-	66	-	70	90	9.7	5.9	14.3
Bloomfield	15,121	-	-	47	104	137	2	6	-	1	-	133	-	90	102	9.1	8.8	12.7
Bolton	18,608	-	-	136	145	155	65	34	29	2	2	172	13	106	116	8.3	9.2	11.9
Bristol	3,951	-	-	3	28	48	2	1	-	-	-	22	-	34	30	12.1	5.6	16.2
Burlington	57,370	644	8	463	543	732	27	91	13	4	-	463	6	511	556	12.8	8.1	18.6
Canton	5,660	-	-	11	41	79	1	1	-	-	-	30	-	27	25	14.0	5.3	9.2
East Granby	7,635	-	-	11	53	94	2	6	-	1	-	55	1	66	79	12.3	7.2	19.0
East Hartford	4,102	-	-	5	15	42	1	1	-	-	-	19	-	32	21	10.2	4.6	12.9
East Windsor	52,563	-	-	141	449	605	61	81	18	4	1	437	6	480	559	11.5	8.3	19.8
Ellington	8,925	-	-	20	149	111	3	6	-	-	-	63	1	88	101	12.4	7.1	21.2
Enfield	9,711	-	-	10	68	133	3	9	1	2	-	43	-	96	90	13.7	4.4	19.2
Farmington	42,695	1	-	133	421	522	14	53	5	5	1	261	-	301	343	12.2	6.1	15.1
Glastonbury	16,407	589	2	271	155	173	3	10	1	2	-	121	1	121	145	10.5	7.4	16.2
Granby	24,327	-	-	62	233	249	5	15	1	3	-	148	1	140	165	10.2	6.1	12.5
Hartford	7,956	-	-	8	54	126	2	4	-	-	-	44	1	57	50	15.8	5.5	13.4
Hartland	136,392	6,731	45	3,228	1,329	2,445	1,033	1,366	705	17	6	1,474	325	1,199	1,157	17.9	10.8	17.3
Hebron	1,416	-	1	1	5	16	-	-	-	1	-	11	-	13	7	11.3	7.8	14.1
Manchester	5,453	-	-	6	29	92	1	3	-	1	-	28	-	38	38	16.9	5.1	13.9
	49,761	1,375	15	645	514	575	21	51	8	4	-	452	1	432	471	11.6	9.1	18.1

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980

TABLE 17. CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980																		
TOWN	Census of Connecticut Population, 1980	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages				
						Total		Out of Wedlock		All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	
						All Races	Nonwhite	All Races	Nonwhite									
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV, North Central Cont'd.																		
Marlborough	4,746	-	-	5	30	84	-	-	-	-	-	23	1	19	26	17.7	4.8	9.5
New Britain	73,840	1,831	9	944	693	979	114	211	57	7	3	746	23	706	691	13.3	10.1	18.9
Newington	28,841	-	-	237	234	266	12	9	2	-	-	220	2	207	243	9.2	7.6	15.6
Plainville	16,401	1	-	58	122	176	6	13	2	-	-	139	3	127	114	10.7	8.5	14.7
Plymouth	10,732	-	-	28	74	118	1	11	-	3	-	94	-	76	72	11.0	8.8	13.8
Rocky Hill	14,559	-	-	220	99	154	12	4	-	-	-	109	2	158	154	10.6	7.5	21.4
Simsbury	21,161	1	-	49	174	224	6	10	-	1	-	114	-	97	121	10.6	5.4	10.3
Somers	8,473	-	-	10	76	99	1	10	-	-	-	54	-	49	54	11.7	6.4	12.2
Southington	36,879	1	-	160	283	461	7	23	1	2	-	246	1	262	293	12.5	6.7	15.0
South Windsor	17,198	-	-	48	167	174	15	9	3	1	-	99	3	114	120	10.1	5.8	13.6
Stafford	9,268	-	-	98	77	155	1	7	-	-	-	80	-	73	73	16.7	8.6	15.8
Suffield	9,294	-	-	15	82	94	3	1	1	-	-	64	-	45	60	10.1	6.9	11.3
Tolland	9,694	-	-	3	73	128	4	9	-	2	-	25	-	39	64	13.2	2.6	10.6
Vernon	27,974	547	4	251	220	400	9	51	5	2	-	209	1	292	255	14.3	7.5	19.6
West Hartford	61,301	1	-	313	463	458	22	25	5	3	-	759	5	339	392	7.5	12.4	11.9
Wethersfield	26,013	-	-	74	183	159	5	14	3	-	-	288	-	118	169	6.1	11.1	11.0
Windsor	25,204	1	-	179	206	260	41	24	7	4	1	226	11	182	199	10.3	9.0	15.1
Windsor Locks	12,190	-	-	28	105	124	2	14	1	1	-	106	-	104	120	10.2	8.7	18.4
HSA V, Northwestern	490,894	5,373	53	4,273	3,803	5,917	419	772	233	62	5	4,251	116	3,272	3,461	12.1	8.7	13.7
Barkhamsted	2,935	-	-	-	12	34	-	2	-	-	-	14	-	20	17	11.6	4.8	12.6
Beacon Falls	3,995	-	-	8	27	43	-	3	-	-	-	27	-	22	29	10.8	6.8	12.8
Bethel	16,004	-	-	16	93	192	3	9	-	4	-	92	-	93	111	12.0	5.7	12.7
Bethlehem	2,573	-	-	2	23	26	-	2	-	1	-	14	1	21	15	10.1	5.4	14.0
Bridgewater	1,563	1	-	2	12	18	-	1	-	1	-	10	-	11	14	11.5	6.4	16.0
Brookfield	12,872	-	-	10	85	117	4	4	-	1	-	68	-	49	71	9.1	5.3	9.3
Canaan	1,002	-	-	5	6	40	-	1	-	1	-	21	-	13	15	39.9	21.0	27.9
Cheshire	21,788	1	-	105	149	227	3	5	-	1	-	149	2	113	150	10.4	6.8	12.1
Colebrook	1,221	-	-	4	14	7	-	-	-	-	-	9	-	3	5	5.7	7.4	6.6

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980

TABLE 27. CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980																		
TOWN	Census of Connecticut Population, 1980	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages				
						Total		Out of Wedlock										
						All Races	Nonwhite	All Races	Nonwhite									All Races
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Cornwall	1,288	-	-	3	25	16	1	4	1	-	-	16	-	14	14	12.4	12.4	21.7
Danbury	60,470	1,648	23	756	492	869	94	124	45	11	3	434	16	448	439	14.4	7.2	14.7
Goshen	1,706	-	-	3	38	15	-	2	-	1	-	14	-	19	15	8.8	8.2	19.9
Harwinton	4,889	-	-	8	35	47	-	3	-	-	-	20	-	24	37	9.6	4.1	12.5
Kent	2,505	-	-	13	27	25	-	2	-	1	-	29	-	21	19	10.0	11.6	16.0
Litchfield	7,605	-	-	32	65	79	3	7	1	-	-	81	2	50	53	10.4	10.7	13.5
Middlebury	5,995	-	-	43	50	50	1	3	-	1	-	53	-	23	38	8.3	8.8	10.2
Morris	1,899	-	-	4	14	17	1	1	-	-	-	23	-	19	15	9.0	12.1	17.9
Naugatuck	26,456	1	-	61	187	355	10	36	4	2	-	231	1	216	229	13.4	8.7	16.8
New Fairfield	11,260	1	-	10	48	118	3	7	-	-	-	81	-	46	46	10.5	7.2	8.2
New Hartford	4,884	-	-	3	40	72	-	6	-	-	-	22	-	35	29	14.7	4.5	13.1
New Milford	19,420	297	7	214	144	309	5	21	1	5	-	115	1	133	132	15.9	5.9	13.6
Newtown	19,107	-	-	106	124	223	5	6	-	4	-	131	1	90	94	11.7	6.9	9.6
Norfolk	2,156	1	-	12	25	38	2	5	1	-	-	20	-	12	13	17.6	9.3	11.6
North Canaan	3,185	-	-	49	26	5	-	1	-	-	-	34	1	15	11	1.6	10.7	8.2
Prospect	6,807	-	-	24	48	57	1	4	1	-	-	62	-	45	43	8.4	9.1	12.9
Redding	7,272	-	-	12	63	75	1	3	-	-	-	46	-	32	53	10.3	6.3	11.7
Ridgefield	20,120	4	-	28	195	191	7	6	-	4	-	113	-	101	119	9.5	5.6	10.9
Roxbury	1,468	-	-	5	15	18	-	1	-	-	-	13	-	8	9	12.3	8.9	11.6
Salisbury	3,896	1	-	23	49	38	3	6	1	-	-	53	2	21	29	9.8	13.6	12.8
Sharon	2,623	355	3	158	41	26	-	5	-	-	-	32	-	15	13	9.9	12.2	10.7
Sherman	2,281	-	-	1	14	25	-	1	-	-	-	15	-	10	14	11.0	6.6	10.5
Southbury	14,156	-	-	83	76	106	1	5	-	-	-	177	1	66	62	7.5	12.5	9.0
Thomaston	6,276	-	-	20	73	76	-	10	-	2	-	64	-	57	53	12.1	10.2	17.5
Torrington	30,987	753	8	444	192	375	6	37	-	6	-	334	5	211	225	12.1	10.8	14.1
Warren	1,027	-	-	5	12	14	-	2	-	-	-	13	-	7	9	13.6	12.7	15.6
Washington	3,657	1	-	11	30	39	-	-	-	-	-	39	-	22	21	10.7	10.7	11.8
Waterbury	103,266	2,307	12	1,757	805	1,405	259	388	178	12	2	1,165	80	774	797	13.6	11.3	15.2
Watertown	19,489	-	-	81	165	193	2	15	-	-	-	154	1	141	145	9.9	7.9	14.7

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980

TOWN	Census of Connecticut Population, 1980	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION			
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages					
						Total		Out of Wedlock		All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride
						All Races	Nonwhite	All Races	Nonwhite										
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
HSA V, Northwestern Cont'd.																			
Winchester	10,841	1	-	114	110	149	1	21	-	1	-	114	2	105	96	13.7	10.5	18.5	
Wolcott	13,008	-	-	25	89	112	1	6	-	1	-	89	-	89	104	8.6	6.8	14.8	
Woodbury	6,942	1	-	13	65	76	2	7	-	2	-	60	-	58	58	10.9	8.6	16.7	
OUT-OF-STATE		1,021		931		797				9	-	1,182		3,525	2,262				

*Includes 11,934 population of state and federal institutions.

-No events reported.

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	15	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CONNECTICUT																
ALL RACES.....	38,750	2,600	150	70	186	483	833	1,192	1,640	11,019	13,433	7,749	1,872	238	19	16
NONWHITE.....	5,156	566	11	34	89	184	253	331	366	1,772	1,226	647	209	40	5	-
HSA 1 SOUTHWESTERN																
ALL RACES.....	7,521	533	93	17	51	111	169	237	303	2,004	2,338	1,670	552	59	8	2
NONWHITE.....	1,548	157	3	9	31	57	68	103	107	533	356	197	74	12	1	-
BRIDGEPORT																
ALL RACES.....	2,646	235	3	11	35	65	106	136	194	984	692	310	95	18	-	-
NONWHITE.....	821	88	1	7	20	31	39	54	71	312	177	80	24	6	-	-
DARIEN																
ALL RACES.....	158	6	6	-	-	-	1	-	2	12	47	68	25	3	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
EASTON																
ALL RACES.....	39	1	2	-	-	-	-	-	-	5	8	19	7	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FAIRFIELD																
ALL RACES.....	461	29	10	-	1	4	4	3	6	68	173	150	48	2	1	1
NONWHITE.....	11	-	-	-	-	-	-	-	-	4	1	3	2	-	1	-
GREENWICH																
ALL RACES.....	484	28	17	-	-	-	1	2	4	68	171	159	72	7	-	-
NONWHITE.....	16	1	-	-	-	-	1	-	-	2	6	6	1	-	-	-
MONROE																
ALL RACES.....	163	10	-	-	-	-	2	-	4	26	64	48	18	1	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NEW CANAAN																
ALL RACES.....	123	12	2	-	-	1	1	-	1	16	30	53	20	1	-	-
NONWHITE.....	3	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-
NORWALK																
ALL RACES.....	1,077	72	13	2	5	13	19	37	30	304	364	221	73	7	2	-
NONWHITE.....	257	29	1	-	4	8	5	19	13	83	57	42	24	2	-	-
STAMFORD																
ALL RACES.....	1,313	78	19	3	8	22	30	35	46	330	413	318	93	13	1	1
NONWHITE.....	374	31	1	2	7	15	21	24	19	112	100	51	19	4	-	-
STRATFORD																
ALL RACES.....	516	36	-	-	2	5	5	20	11	126	209	107	27	2	2	-
NONWHITE.....	48	6	-	-	-	2	2	6	4	16	10	6	2	-	-	-
TRUMBULL																
ALL RACES.....	239	10	2	1	-	1	-	2	3	31	87	89	23	1	1	-
NONWHITE.....	11	-	-	-	-	1	-	-	-	2	2	6	-	-	-	-
WESTON																
ALL RACES.....	58	3	4	-	-	-	-	-	1	9	13	24	10	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
WESTPORT																	
ALL RACES.....	163	9	12	-	-	-	-	2	1	19	44	67	27	2	1	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WILTON																	
ALL RACES.....	81	4	3	-	-	-	-	-	-	6	23	37	14	1	-	-	
NONWHITE.....	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
HSA 2 SOUTH CENTRAL																	
ALL RACES.....	7,569	523	10	15	35	102	171	216	322	2,078	2,762	1,487	336	40	1	4	
NONWHITE.....	1,261	154	1	10	22	50	62	75	95	422	303	165	51	5	1	-	
ANSONIA																	
ALL RACES.....	250	14	-	-	1	2	11	8	14	80	96	28	9	1	-	-	
NONWHITE.....	39	5	-	-	1	1	5	3	2	14	9	3	1	-	-	-	
BETHANY																	
ALL RACES.....	41	2	-	-	-	-	-	-	1	2	28	8	2	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
BRANFORD																	
ALL RACES.....	281	11	-	-	1	1	3	2	6	78	120	53	16	1	-	-	
NONWHITE.....	5	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	
DERBY																	
ALL RACES.....	180	10	1	-	-	3	4	9	9	65	65	17	7	1	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
EAST HAVEN																	
ALL RACES.....	261	19	-	-	-	-	4	3	3	72	123	47	7	2	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
GUILFORD																	
ALL RACES.....	236	6	1	-	-	1	1	4	2	31	79	97	19	2	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
HAMDEN																	
ALL RACES.....	505	30	-	-	3	1	2	5	8	88	230	144	20	4	-	-	
NONWHITE.....	58	10	-	-	1	-	-	1	4	10	23	13	4	2	-	-	
MADISON																	
ALL RACES.....	147	5	-	-	-	-	1	-	3	18	42	57	24	2	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MERIDEN																	
ALL RACES.....	774	66	-	1	3	10	23	30	47	260	267	104	24	4	-	1	
NONWHITE.....	46	4	-	1	-	4	5	2	2	9	15	4	4	-	-	-	
MILFORD																	
ALL RACES.....	597	29	1	-	1	6	11	10	21	147	257	122	19	2	-	1	
NONWHITE.....	14	1	-	-	-	-	-	1	1	2	3	6	1	-	-	-	
NEW HAVEN																	
ALL RACES.....	2,018	194	4	13	21	68	86	114	139	666	547	290	66	6	1	1	
NONWHITE.....	952	121	1	9	19	44	49	67	74	337	212	112	26	2	1	-	

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
NORTH BRANFORD																	
ALL RACES.....	132	7	1	-	-	-	-	2	2	21	57	37	13	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH HAVEN																	
ALL RACES.....	173	12	-	-	-	1	2	2	3	31	76	47	7	4	-	-	
NONWHITE.....	8	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-	
ORANGE																	
ALL RACES.....	85	3	-	-	-	-	-	-	1	9	35	31	9	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
OXFORD																	
ALL RACES.....	112	5	1	-	1	-	1	-	2	18	52	35	3	-	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
SEYMOUR																	
ALL RACES.....	164	10	-	-	1	3	-	4	5	53	60	31	7	-	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
SHELTON																	
ALL RACES.....	419	20	1	-	-	1	4	4	13	95	162	105	34	1	-	-	
NONWHITE.....	15	4	-	-	-	-	-	-	1	5	5	1	3	-	-	-	
WALLINGFORD																	
ALL RACES.....	422	27	-	-	1	1	7	9	12	110	172	90	15	4	-	1	
NONWHITE.....	8	-	-	-	-	-	-	-	-	2	1	2	3	-	-	-	
WEST HAVEN																	
ALL RACES.....	701	52	-	1	2	3	10	10	30	222	271	118	28	6	-	-	
NONWHITE.....	101	9	-	-	1	-	3	1	8	38	28	16	5	1	-	-	
WOODBIDGE																	
ALL RACES.....	71	1	-	-	-	1	1	-	1	12	23	26	7	-	-	-	
NONWHITE.....	5	-	-	-	-	1	-	-	-	1	-	1	2	-	-	-	
HSA 3 EASTERN																	
ALL RACES.....	6,756	410	9	8	19	64	122	222	282	2,280	2,394	1,090	241	32	2	-	
NONWHITE.....	420	41	2	-	3	7	15	23	29	155	113	63	10	1	1	-	
ASHFORD																	
ALL RACES.....	43	4	-	1	-	-	-	1	-	14	19	7	1	-	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
BOZRAH																	
ALL RACES.....	23	2	-	-	-	-	1	-	-	7	9	3	3	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BROOKLYN																	
ALL RACES.....	75	3	-	-	1	1	-	2	2	22	28	14	5	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
CANTERBURY																	
ALL RACES.....	55	2	-	-	-	1	1	1	-	25	19	8	-	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
CHAPLIN																	
ALL RACES.....	26	2	-	-	-	-	-	-	1	7	10	7	1	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
CHESTER																	
ALL RACES.....	46	8	-	-	-	2	1	1	-	9	15	13	4	1	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CLINTON																	
ALL RACES.....	175	7	-	-	1	2	3	3	3	39	70	46	8	-	-	-	
NONWHITE.....	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	
COLCHESTER																	
ALL RACES.....	129	4	-	-	-	-	3	5	4	36	50	29	2	-	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	
COLUMBIA																	
ALL RACES.....	22	-	-	-	-	-	-	-	-	6	5	10	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
COVENTRY																	
ALL RACES.....	146	4	-	-	-	-	-	3	2	36	68	34	3	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
CROMWELL																	
ALL RACES.....	129	5	-	-	-	-	-	-	5	18	67	34	2	3	-	-	
NONWHITE.....	8	-	-	-	-	-	-	-	1	-	3	4	-	-	-	-	
DEEP RIVER																	
ALL RACES.....	51	7	-	-	-	1	1	-	2	13	24	8	2	-	-	-	
NONWHITE.....	2	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
DURHAM																	
ALL RACES.....	50	5	-	-	-	-	-	-	1	9	24	11	4	1	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
EASTFORD																	
ALL RACES.....	12	1	-	-	-	-	-	1	1	2	3	4	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST HADDAM																	
ALL RACES.....	86	10	-	-	-	1	-	1	1	25	25	28	5	-	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	
EAST HAMPTON																	
ALL RACES.....	131	7	1	-	-	-	-	2	2	38	55	28	6	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
EAST LYME																	
ALL RACES.....	161	6	1	-	-	-	2	4	11	39	63	30	11	1	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
ESSEX																	
ALL RACES.....	37	2	-	-	-	-	-	2	1	7	17	8	2	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
FRANKLIN																	
ALL RACES.....	13	2	-	-	-	-	-	-	-	5	2	4	2	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
GRISWOLD																	
ALL RACES.....	131	8	-	-	1	2	1	4	5	54	47	11	5	1	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
GROTON																	
ALL RACES.....	759	45	1	1	2	1	12	32	30	313	264	76	22	6	-	-	
NONWHITE.....	64	6	-	-	-	-	2	5	-	22	23	11	1	-	-	-	
HADDAM																	
ALL RACES.....	62	2	-	-	-	-	1	2	1	12	27	16	3	-	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
HAMPTON																	
ALL RACES.....	25	1	-	-	-	-	-	-	1	7	8	8	-	1	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
KILLINGLY																	
ALL RACES.....	259	19	-	1	-	3	3	17	20	94	83	36	2	-	-	-	
NONWHITE.....	4	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	
KILLINGWORTH																	
ALL RACES.....	46	2	-	-	-	-	-	-	-	4	18	20	4	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
LEBANON																	
ALL RACES.....	59	2	-	-	-	1	1	1	-	17	15	15	9	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
LEDYARD																	
ALL RACES.....	211	9	-	-	-	-	1	1	6	74	73	49	6	1	-	-	
NONWHITE.....	14	1	-	-	-	-	-	1	1	4	2	5	-	1	-	-	
LISBON																	
ALL RACES.....	54	6	-	-	-	1	-	3	2	18	25	4	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
LYME																	
ALL RACES.....	18	-	-	-	-	1	-	-	1	-	11	5	-	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MANSFIELD																	
ALL RACES.....	100	4	1	-	-	-	-	2	2	21	47	24	4	-	-	-	
NONWHITE.....	8	-	-	-	-	-	-	-	1	1	3	3	-	-	-	-	
MIDDLEFIELD																	
ALL RACES.....	38	1	-	-	-	-	-	-	2	13	14	6	3	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MIDDLETOWN																	
ALL RACES.....	462	38	-	1	1	8	11	8	23	156	170	68	16	-	-	-	
NONWHITE.....	83	11	-	-	1	2	5	1	10	32	17	11	4	-	-	-	

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
MONTVILLE																
ALL RACES.....	253	18	-	-	1	4	6	16	9	89	86	28	13	1	-	-
NONWHITE.....	9	1	-	-	-	-	-	2	1	1	2	1	2	-	-	-
NEW LONDON																
ALL RACES.....	502	31	3	2	6	8	17	34	35	211	128	47	10	4	-	-
NONWHITE.....	132	13	2	-	2	5	6	9	9	56	31	13	1	-	-	-
N STONINGTON																
ALL RACES.....	55	1	-	-	-	-	-	1	1	17	26	7	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWICH																
ALL RACES.....	631	39	-	2	-	5	29	26	41	248	194	68	12	5	1	-
NONWHITE.....	43	4	-	-	-	-	2	3	5	16	13	3	-	-	1	-
OLD LYME																
ALL RACES.....	69	6	-	-	-	-	1	1	3	19	27	15	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OLD SAYBROOK																
ALL RACES.....	93	3	-	-	-	-	2	3	2	23	26	27	9	1	-	-
NONWHITE.....	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
PLAINFIELD																
ALL RACES.....	172	6	1	-	-	5	4	6	3	78	56	16	4	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POMFRET																
ALL RACES.....	41	3	-	-	1	-	-	1	1	12	14	10	1	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND																
ALL RACES.....	80	3	-	-	-	-	1	-	-	20	40	16	3	-	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
PRESTON																
ALL RACES.....	33	4	-	-	-	-	-	-	2	8	13	9	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM																
ALL RACES.....	111	8	1	-	-	1	3	4	8	47	31	14	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALEM																
ALL RACES.....	33	2	-	-	-	-	-	-	1	10	10	8	1	3	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND																
ALL RACES.....	8	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE																
ALL RACES.....	55	5	-	-	-	-	-	3	2	25	19	3	2	-	1	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
STERLING																
ALL RACES.....	27	-	-	-	-	1	-	1	1	9	11	1	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON																
ALL RACES.....	186	13	-	-	-	3	-	4	5	62	72	32	8	-	-	-
NONWHITE.....	6	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-
THOMPSON																
ALL RACES.....	97	13	-	-	-	1	5	5	9	32	28	12	5	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNION																
ALL RACES.....	7	-	-	-	-	-	-	-	1	1	4	1	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN																
ALL RACES.....	23	1	-	-	-	1	-	2	2	10	6	6	1	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
WATERFORD																
ALL RACES.....	151	6	-	-	1	-	2	2	5	47	56	33	5	-	-	-
NONWHITE.....	4	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-
WESTBROOK																
ALL RACES.....	44	2	-	-	1	2	-	1	3	10	14	9	4	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WILLINGTON																
ALL RACES.....	54	2	-	-	-	2	-	1	2	11	21	14	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM																
ALL RACES.....	338	25	-	-	3	5	9	14	15	135	114	35	6	2	-	-
NONWHITE.....	9	2	-	-	-	-	-	-	-	6	2	1	-	-	-	-
WOODSTOCK																
ALL RACES.....	54	1	-	-	-	1	1	1	2	12	19	15	3	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
HSA 4 NORTH CENTRAL																
ALL RACES.....	10,987	759	21	22	61	151	258	348	501	3,044	3,863	2,222	446	58	6	7
NONWHITE.....	1,508	174	5	12	26	59	84	101	105	509	376	173	48	13	2	-
ANDOVER																
ALL RACES.....	31	2	-	-	-	-	-	1	3	3	15	9	-	-	-	-
NONWHITE.....	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
AVON																
ALL RACES.....	109	12	-	-	-	-	-	2	2	7	41	51	6	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN																
ALL RACES.....	137	6	-	-	-	-	-	-	5	24	62	37	9	-	-	-
NONWHITE.....	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
BLOOMFIELD																	
ALL RACES.....	155	13	2	-	1	1	4	13	7	25	55	40	9	-	-	-	
NONWHITE.....	65	10	1	-	1	1	4	10	4	9	19	13	4	-	-	-	
BOLTON																	
ALL RACES.....	48	5	-	-	-	-	-	-	1	10	19	14	2	1	-	1	
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
BRISTOL																	
ALL RACES.....	732	43	1	-	1	11	13	23	35	250	272	111	15	1	-	-	
NONWHITE.....	27	4	-	-	-	1	1	1	2	11	8	1	2	-	-	-	
BURLINGTON																	
ALL RACES.....	79	3	-	-	-	-	-	-	2	9	41	24	2	1	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
CANTON																	
ALL RACES.....	94	7	-	-	1	1	-	1	3	16	42	28	1	1	-	-	
NONWHITE.....	2	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
EAST GRANBY																	
ALL RACES.....	42	4	-	-	-	-	-	-	2	6	19	14	-	1	-	-	
NONWHITE.....	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
EAST HARTFORD																	
ALL RACES.....	605	38	2	1	5	2	12	18	27	201	206	109	22	-	1	1	
NONWHITE.....	61	4	1	-	1	-	-	5	4	20	21	8	2	-	-	-	
EAST WINDSOR																	
ALL RACES.....	111	12	1	-	-	-	1	2	5	39	44	17	3	-	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	
ELLINGTON																	
ALL RACES.....	133	4	-	-	-	1	2	3	2	29	59	29	8	-	-	-	
NONWHITE.....	3	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	
ENFIELD																	
ALL RACES.....	522	20	1	-	1	3	12	15	21	135	210	100	23	1	1	-	
NONWHITE.....	14	1	-	-	-	-	-	1	-	5	4	3	1	-	-	-	
FARMINGTON																	
ALL RACES.....	173	2	1	-	-	-	-	4	2	28	79	46	13	1	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	
GLASTONBURY																	
ALL RACES.....	249	12	-	-	-	-	1	3	4	37	94	91	17	2	-	-	
NONWHITE.....	5	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	
GRANBY																	
ALL RACES.....	126	8	-	-	-	-	-	1	3	18	55	39	8	2	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
HARTFORD																	
ALL RACES.....	2,445	251	6	15	42	96	139	153	190	897	570	256	69	15	2	1	
NONWHITE.....	1,033	122	2	11	23	48	68	73	80	382	224	87	27	8	2	-	

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
HARTLAND																
ALL RACES.....	16	1	-	-	-	-	-	-	2	4	4	5	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON																
ALL RACES.....	92	6	-	-	-	1	2	1	3	21	32	28	4	-	-	-
NONWHITE.....	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MANCHESTER																
ALL RACES.....	575	19	-	1	1	4	7	14	12	177	224	111	21	3	-	-
NONWHITE.....	21	-	-	-	-	1	2	1	-	9	4	3	-	1	-	-
MARLBOROUGH																
ALL RACES.....	84	4	-	-	-	-	-	1	3	13	29	31	7	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN																
ALL RACES.....	979	70	1	3	2	12	26	30	63	337	334	127	34	8	-	3
NONWHITE.....	114	17	-	1	-	5	4	4	10	41	31	14	3	1	-	-
NEWINGTON																
ALL RACES.....	266	13	-	1	-	-	-	3	6	46	115	76	18	1	-	-
NONWHITE.....	12	1	-	-	-	-	-	1	-	4	5	2	-	-	-	-
PLAINVILLE																
ALL RACES.....	176	15	-	-	1	2	1	2	8	60	67	29	4	1	-	1
NONWHITE.....	6	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-
PLYMOUTH																
ALL RACES.....	118	9	-	-	2	4	1	5	4	39	46	14	3	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ROCKY HILL																
ALL RACES.....	154	12	-	-	-	-	-	-	-	33	77	40	3	1	-	-
NONWHITE.....	12	2	-	-	-	-	-	-	-	2	5	4	-	1	-	-
SIMSBURY																
ALL RACES.....	224	16	-	1	-	-	-	1	3	19	79	99	20	2	-	-
NONWHITE.....	6	1	-	-	-	-	-	-	1	-	3	1	1	-	-	-
SOMERS																
ALL RACES.....	99	2	-	-	1	-	1	4	3	24	31	28	6	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SOUTHINGTON																
ALL RACES.....	461	31	1	-	1	2	10	8	12	113	187	116	11	1	-	-
NONWHITE.....	7	1	-	-	-	-	1	-	-	-	4	2	-	-	-	-
SOUTH WINDSOR																
ALL RACES.....	174	13	-	-	-	1	1	3	4	20	88	43	12	2	-	-
NONWHITE.....	15	1	-	-	-	1	-	2	-	1	4	5	2	-	-	-
STAFFORD																
ALL RACES.....	155	7	2	-	-	1	2	-	11	51	54	27	8	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
SUFFIELD																
ALL RACES.....	94	4	-	-	-	1	1	1	4	21	31	26	8	-	1	-
NONWHITE.....	3	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
TOLLAND																
ALL RACES.....	128	6	-	-	-	-	-	1	1	23	56	41	6	-	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
VERNON																
ALL RACES.....	400	33	-	-	1	5	7	22	30	119	137	63	14	1	1	-
NONWHITE.....	9	2	-	-	1	1	-	-	1	4	-	2	-	-	-	-
WEST HARTFORD																
ALL RACES.....	458	26	1	-	1	1	5	2	6	61	185	158	35	4	-	-
NONWHITE.....	22	-	-	-	-	-	2	-	-	4	11	3	1	1	-	-
WETHERSFIELD																
ALL RACES.....	159	11	-	-	-	1	1	2	2	32	58	52	8	3	-	-
NONWHITE.....	5	1	-	-	-	1	-	1	-	-	1	1	-	1	-	-
WINDSOR																
ALL RACES.....	260	12	2	-	-	-	4	4	4	53	102	78	14	1	-	-
NONWHITE.....	41	1	1	-	-	-	-	1	1	6	17	13	3	-	-	-
WINDSOR LOCKS																
ALL RACES.....	124	7	-	-	-	1	5	5	6	44	44	15	2	2	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
HSA 5 NORTHWESTERN																
ALL RACES.....	5,917	375	17	8	20	55	113	169	232	1,613	2,076	1,280	297	49	2	3
NONWHITE.....	419	40	-	3	7	11	24	29	30	153	78	49	26	9	-	-
BARKHAMSTED																
ALL RACES.....	34	2	-	-	-	-	-	1	1	5	18	9	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS																
ALL RACES.....	43	1	-	-	-	-	-	1	4	12	19	7	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL																
ALL RACES.....	192	13	1	-	-	1	2	3	9	33	79	50	13	2	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
BETHLEHEM																
ALL RACES.....	26	2	-	-	-	-	-	1	1	7	10	5	2	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER																
ALL RACES.....	18	-	-	-	1	-	-	-	-	4	4	6	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD																
ALL RACES.....	117	9	-	-	1	-	3	-	4	11	46	38	13	1	-	-
NONWHITE.....	4	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CANAAN																
ALL RACES.....	40	4	-	-	-	-	1	2	1	17	9	5	4	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESHIRE																
ALL RACES.....	227	11	-	-	-	-	1	2	-	26	104	81	11	2	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
COLEBROOK																
ALL RACES.....	7	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL																
ALL RACES.....	16	-	-	-	-	-	1	-	1	5	6	3	-	-	-	-
NONWHITE.....	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
DANBURY																
ALL RACES.....	869	60	2	3	7	12	14	26	39	257	287	179	35	9	-	1
NONWHITE.....	94	6	-	1	4	3	1	5	7	37	18	9	5	4	-	-
GOSHEN																
ALL RACES.....	15	-	-	-	-	-	1	-	1	4	8	1	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON																
ALL RACES.....	47	3	-	-	-	-	-	-	1	4	23	15	4	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT																
ALL RACES.....	25	2	1	-	-	2	-	-	-	4	9	7	2	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD																
ALL RACES.....	79	5	1	-	-	1	-	-	2	13	37	22	3	1	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
MIDDLEBURY																
ALL RACES.....	50	4	-	-	-	-	-	1	-	12	17	15	4	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MORRIS																
ALL RACES.....	17	3	-	-	-	-	1	-	-	5	8	3	-	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NAUGATUCK																
ALL RACES.....	355	20	-	-	-	3	2	9	13	123	126	61	17	-	-	1
NONWHITE.....	10	2	-	-	-	-	-	9	1	3	2	2	2	-	-	-
NEW FAIRFIELD																
ALL RACES.....	118	7	1	-	1	1	1	1	3	19	46	38	8	-	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
NEW HARTFORD																
ALL RACES.....	72	2	-	-	-	2	1	2	2	13	27	22	2	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN- KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN- KNOWN	
NEW MILFORD																	
ALL RACES.....	309	15	-	2	1	3	4	9	11	82	120	63	12	1	1	-	
NONWHITE.....	5	1	-	-	-	-	-	-	1	1	-	1	1	1	-	-	
NEWTOWN																	
ALL RACES.....	223	11	-	-	-	1	1	2	6	35	83	71	22	1	-	1	
NONWHITE.....	5	2	-	-	-	-	-	-	-	-	3	2	-	-	-	-	
NORFOLK																	
ALL RACES.....	38	-	-	-	-	-	-	2	-	11	11	8	5	1	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	
NORTH CANAAN																	
ALL RACES.....	5	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
PROSPECT																	
ALL RACES.....	57	1	-	-	-	1	-	1	1	9	25	17	3	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
REDDING																	
ALL RACES.....	75	4	3	-	-	-	-	1	1	7	29	30	7	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
RIDGEFIELD																	
ALL RACES.....	191	15	3	-	-	-	-	3	2	22	62	81	18	3	-	-	
NONWHITE.....	7	-	-	-	-	-	-	-	-	1	3	2	1	-	-	-	
ROXBURY																	
ALL RACES.....	18	-	1	-	-	-	1	-	1	4	6	5	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SALISBURY																	
ALL RACES.....	38	1	-	-	1	1	-	1	2	9	13	8	2	1	-	-	
NONWHITE.....	3	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	
SHARON																	
ALL RACES.....	26	1	-	-	-	-	-	-	2	7	8	8	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SHERMAN																	
ALL RACES.....	25	1	-	-	-	-	-	-	-	4	10	10	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SOUTHBURY																	
ALL RACES.....	106	8	-	-	-	-	-	3	1	19	42	30	11	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
THOMASTON																	
ALL RACES.....	76	7	-	-	-	-	1	5	3	19	29	17	2	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TORRINGTON																	
ALL RACES.....	375	13	-	-	-	1	7	11	16	130	142	53	11	4	-	-	
NONWHITE.....	6	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
WARREN																
ALL RACES.....	14	2	-	-	-	-	1	-	1	2	5	4	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON																
ALL RACES.....	39	1	2	-	-	-	-	2	-	6	15	11	4	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY																
ALL RACES.....	1,405	113	2	3	7	24	60	71	83	527	385	182	48	14	1	-
NONWHITE.....	259	27	-	2	3	8	21	24	20	103	41	21	12	4	-	-
WATERTOWN																
ALL RACES.....	193	10	-	-	-	1	3	3	4	53	80	36	12	1	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
WINCHESTER																
ALL RACES.....	149	9	-	-	-	1	3	4	8	48	58	25	2	-	-	-
NONWHITE.....	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WOLCOTT																
ALL RACES.....	112	9	-	-	-	-	3	2	4	25	46	25	4	3	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WOODBURY																
ALL RACES.....	76	6	-	-	1	-	1	-	4	17	21	23	9	-	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-

- NO BIRTHS REPORTED

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1980

	ALL RACES											NONWHITE										
	Age of Mother											Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	301	7	47	71	90	55	28	3	-	-	-	54	3	10	21	10	6	4	-	-	-	-
Sex:																						
Male	177	3	31	40	52	32	17	2	-	-	-	35	2	5	14	8	3	3	-	-	-	-
Female	121	4	16	30	38	21	11	1	-	-	-	19	1	5	7	2	3	1	-	-	-	-
Unknown	3	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Place of delivery:																						
Hospitals	292	6	44	70	90	52	27	3	-	-	-	54	3	10	21	10	6	4	-	-	-	-
Other	5	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Period of gestation:																						
Under 20 weeks	2	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
20-27 weeks	93	2	21	22	28	12	6	2	-	-	-	13	1	2	7	2	-	1	-	-	-	-
28-31 weeks	22	1	4	3	7	5	2	-	-	-	-	5	-	2	1	-	2	-	-	-	-	-
32-35 weeks	25	-	6	6	6	7	-	-	-	-	-	6	-	2	2	-	2	-	-	-	-	-
36 weeks	17	1	1	8	4	3	-	-	-	-	-	5	1	1	2	1	-	1	-	-	-	-
37-39 weeks	39	1	2	6	11	10	9	-	-	-	-	5	-	2	2	-	-	1	-	-	-	-
40 weeks or over	22	-	1	5	11	3	2	-	-	-	-	3	-	-	-	2	-	1	-	-	-	-
Unknown	81	2	12	20	23	15	8	1	-	-	-	16	1	1	6	5	2	1	-	-	-	-
Weight at birth:																						
1000 grams or less	124	4	23	34	32	21	8	2	-	-	-	22	2	1	10	6	2	1	-	-	-	-
1001-1500 grams	32	-	8	5	11	4	4	-	-	-	-	7	-	3	1	-	1	2	-	-	-	-
1501-2000 grams	26	1	4	7	7	5	2	-	-	-	-	8	1	2	2	1	2	-	-	-	-	-
2001-2500 grams	29	-	5	6	9	6	3	-	-	-	-	4	-	3	1	-	-	-	-	-	-	-
2501-3000 grams	26	-	2	5	6	10	3	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-
3001-3500 grams	18	1	2	5	8	1	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
3501-4000 grams	14	-	-	1	6	1	5	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
4001-4500 grams	5	-	1	2	-	1	1	-	-	-	-	5	-	1	2	1	1	-	-	-	-	-
Over 4500 grams	7	-	1	3	2	1	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
Unknown	20	1	1	3	9	5	1	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
Plural births:																						
Single	276	5	44	64	83	49	28	3	-	-	-	47	2	10	17	8	6	4	-	-	-	-
Twins	23	1	3	7	6	6	-	-	-	-	-	6	1	-	4	1	-	-	-	-	-	-
Unknown	2	1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-

-No fetal deaths reported

TABLE 6: CAUSES OF FETAL DEATHS OCCURRING
IN CONNECTICUT, 1980

ICD No.	Causes of Fetal Deaths (ICD Ninth Revision)	TOTAL
Total		301
740	Anencephalus and similar anomalies	3
742	Other congenital anomalies of nervous system	3
752	Congenital anomalies of genital organs	1
759	Other and unspecified congenital anomalies	12
760	Fetus affected by maternal conditions which may be unrelated to present pregnancy	9
761	Fetus affected by maternal complications of pregnancy	24
762	Fetus affected by other complications of placenta, cord and membranes	122
763	Fetus affected by other complications of labor and delivery	1
764	Slow fetal growth and fetal malnutrition	2
765	Disorders relating to short gestation and unspecified low birthweight	24
766	Disorders relating to long gestation and high birthweight	1
768	Intrauterine hypoxia and birth asphyxia	20
770	Other respiratory conditions of fetus	1
771	Infections specific to the perinatal period	1
772	Fetal and neonatal hemorrhage	4
775	Endocrine and metabolic disturbances specific to the fetus	2
777	Perinatal disorders of digestive system	1
778	Conditions involving the integument and temperature regulation of fetus	1
779	Other and ill-defined conditions originating in the perinatal period	69

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1980

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKN-OWN
TOTAL, ALL CAUSES.....	27258	429	22	17	13	6	487	69	60	262	330	256	278	306	394	619	1,050	1,760	2,317	2,976	3,177	3,554	3,652	5,705	6
MALE.....	14216	251	11	12	7	5	286	43	38	205	257	192	190	218	242	384	663	1,066	1,412	1,806	1,832	1,831	1,603	1,946	2
FEMALE.....	13042	178	11	5	6	1	201	26	22	57	73	64	88	88	152	235	387	1,694	905	1,170	1,345	1,723	2,049	3,759	4
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
MALE.....	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
10-18 TUBERCULOSIS																									
MALE.....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-
FEMALE.....	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	3	1	-	1	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE.....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-
FEMALE.....	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	3	1	-
36 MENINGOCOCCAL INFECTION																									
MALE.....	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
38 SEPTICEMIA																									
MALE.....	89	-	-	-	-	-	-	1	-	1	1	-	1	1	2	1	1	7	8	7	18	13	11	16	-
FEMALE.....	79	-	-	1	-	-	1	-	-	1	-	1	-	1	1	2	2	3	2	5	9	5	24	23	-
90-97 SYPHILIS																									
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE.....	35	2	-	-	1	-	3	1	-	-	1	1	2	-	2	2	2	1	4	4	3	1	1	7	-
FEMALE.....	29	1	-	-	-	-	1	-	-	2	-	-	-	-	1	1	2	1	5	6	3	2	5	-	-
140-208 MALIGNANT NEOPLASMS																									
MALE.....	3,410	1	-	1	1	1	4	12	6	13	17	15	17	34	52	100	183	310	447	540	510	511	329	310	-
FEMALE.....	3,100	2	-	-	1	1	4	4	5	8	5	12	14	25	68	110	191	335	404	425	401	389	339	360	1
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE.....	37	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	2	1	6	5	7	5	2	4	-
FEMALE.....	56	2	-	-	-	-	2	-	-	-	1	-	1	2	2	6	2	3	7	5	8	6	7	5	-
250 DIABETES MELLITIS																									
MALE.....	159	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	7	11	19	18	27	22	25	21	-
FEMALE.....	233	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	8	10	13	11	36	44	47	58	-
280-285 ANEMIAS																									
MALE.....	17	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	1	1	3	1	4	1	3	-
FEMALE.....	23	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	3	1	2	4	5	6	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE.....	79	-	-	-	-	-	-	-	-	-	1	-	4	5	7	8	13	11	12	10	3	5	-	-	-
FEMALE.....	28	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	2	6	4	3	1	1	2	-	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1980-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKN-OWN
320-322 MENINGITIS																									
MALE	11	-	1	1	-	-	2	-	1	-	-	-	-	-	1	1	-	-	1	2	1	-	1	1	-
FEMALE	5	3	-	-	-	-	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	16,747	4	-	-	-	-	4	-	1	-	6	15	4	18	45	74	153	308	527	670	898	961	943	921	1,197
FEMALE	16,819	2	1	1	1	-	5	2	-	-	2	9	8	24	47	93	212	318	524	659	970	1,308	2,635	2	1
390-398, 402, 404-429 DISEASES OF THE HEART																									
MALE	5,376	3	-	-	-	-	3	-	1	-	4	13	3	13	41	60	131	265	447	583	748	766	713	692	891
FEMALE	4,962	1	1	1	1	-	4	1	-	1	1	1	5	3	20	31	72	161	241	401	503	728	932	1,856	2
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE	35	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	6	1	11	6	3	3	2	-
FEMALE	73	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	5	7	15	7	13	10	8	-
402 HYPERTENSIVE HEART DISEASE																									
MALE	109	-	-	-	-	-	-	-	-	-	-	-	-	3	-	5	8	15	19	15	15	9	9	11	-
FEMALE	155	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	7	17	20	15	23	29	43	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	2	3	6	-
FEMALE	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	5	8	9	-
410-414 ISCHEMIC HEART DISEASE																									
MALE	4,238	-	-	-	-	-	-	-	-	-	-	1	6	25	47	102	212	338	474	603	613	573	545	698	1
FEMALE	3,679	-	-	-	-	-	-	-	-	-	-	1	2	-	11	19	48	107	171	275	381	465	675	1,424	1
415-429 OTHER HEART DISEASE																									
MALE	976	3	-	-	-	-	3	-	1	-	4	12	2	7	13	12	24	44	86	89	118	128	126	132	174
FEMALE	1,028	1	1	1	1	-	4	1	-	-	1	3	2	6	1	5	17	41	56	88	99	123	210	372	-
401, 403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE	56	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	7	4	4	9	8	16	-
FEMALE	71	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	6	2	4	11	11	30	-
430-438 CEREBROVASCULAR DISEASES																									
MALE	783	-	-	-	-	-	-	-	-	1	1	1	3	2	6	13	20	39	35	78	112	139	145	188	-
FEMALE	1,298	1	-	-	-	-	1	1	-	-	1	1	3	3	3	13	15	34	50	84	102	174	266	548	-
440 ATHEROSCLEROSIS																									
MALE	348	-	-	-	-	-	-	-	-	-	-	-	1	1	5	7	20	22	30	41	48	45	47	81	-
FEMALE	376	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	6	14	25	37	36	80	174	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE	184	-	1	-	-	-	-	-	-	1	-	1	-	-	2	-	1	15	15	27	31	37	29	21	-
FEMALE	112	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	7	7	12	13	21	19	31	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1980-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																								85 AND OVER	UNKN- OWN
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84				
480-486 PNEUMONIA																											
MALE.....	400	7	-	-	-	-	7	-	-	2	-	3	4	4	3	7	7	7	18	34	36	49	81	138	-		
FEMALE.....	425	2	3	-	-	-	5	1	-	1	1	1	3	1	2	2	5	5	7	20	28	46	72	224	1		
487 INFLUENZA																											
MALE.....	23	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	-	2	5	5	6	-		
FEMALE.....	55	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	4	3	7	11	28	-		
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																											
MALE.....	433	-	-	-	1	-	1	-	-	1	-	1	-	1	1	8	8	22	39	56	86	89	55	65	-		
FEMALE.....	266	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	7	16	19	35	40	54	37	49	1		
531-533 ULCER OF STOMACH AND DUODENUM																											
MALE.....	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	7	3	5	3	3	-		
FEMALE.....	39	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	3	5	3	2	5	6	9	-		
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																											
MALE.....	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	3	3	8	9	-		
FEMALE.....	33	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	1	1	8	8	11	-		
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																											
MALE.....	236	-	-	-	1	-	1	-	-	-	-	1	3	10	12	21	24	37	34	44	28	12	7	2	-		
FEMALE.....	138	-	-	-	-	-	-	-	-	-	-	1	2	2	6	12	15	14	28	17	16	10	8	7	-		
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																											
MALE.....	106	-	-	-	-	-	-	-	-	1	-	1	1	1	2	2	1	11	8	14	13	14	19	18	-		
FEMALE.....	101	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	6	3	9	7	14	16	15	24	-		
590 INFECTIONS OF KIDNEY																											
MALE.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-		
FEMALE.....	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	3	3	3	-		
600 HYPERPLASIA OF PROSTATE																											
MALE.....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	-		
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
740-759 CONGENITAL ANOMALIES																											
MALE.....	91	58	2	1	2	2	65	2	4	4	2	3	2	1	1	1	-	2	-	2	-	2	-	-	-		
FEMALE.....	73	38	-	-	2	-	40	2	1	1	5	1	-	2	3	2	4	2	-	1	3	3	2	1	-		
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																											
MALE.....	139	138	-	1	-	-	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
FEMALE.....	104	104	-	-	-	-	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1980-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKN- OWN
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE.....	28	27	1	-	-	-	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	16	15	1	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																									
MALE.....	786	2	2	6	1	1	12	21	18	136	142	83	59	35	29	29	26	34	30	25	25	24	26	32	
FEMALE.....	319	2	3	1	2	-	8	8	7	28	30	21	19	14	10	14	12	16	20	12	16	22	21	41	
E810-E825 MOTOR VEHICLE ACCIDENTS																									
MALE.....	427	-	1	-	-	-	1	15	8	98	100	54	40	18	12	14	9	12	16	11	4	6	8	1	
FEMALE.....	150	-	1	-	-	-	1	5	4	25	24	15	14	10	6	10	4	4	6	3	8	4	5	2	
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE.....	66	-	1	4	-	-	5	6	5	15	11	9	2	4	1	1	1	3	-	1	-	1	-	1	
FEMALE.....	12	-	-	-	1	-	1	2	-	-	3	-	1	-	1	-	1	1	1	1	-	1	-	-	
E950-E959 SUICIDE AND SELF- INFLECTED INJURY																									
MALE.....	214	-	-	-	-	-	-	-	-	12	24	26	26	18	17	15	17	10	15	10	10	6	5	3	
FEMALE.....	67	-	-	-	-	-	-	-	-	5	9	5	8	4	5	4	4	9	4	3	2	3	2	-	
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE.....	132	-	-	1	-	-	1	1	3	9	25	15	15	20	12	9	11	3	1	5	2	-	-	-	
FEMALE.....	36	-	1	-	-	-	1	1	-	2	8	3	6	3	2	-	1	-	1	2	1	1	2	-	
ALL OTHER CAUSES																									
MALE.....	961	11	5	1	-	-	17	4	5	18	28	37	36	40	23	23	50	66	92	116	91	112	96	107	
FEMALE.....	977	6	2	2	-	-	10	8	9	9	10	17	19	18	18	25	30	54	56	83	94	122	128	267	

- NO DEATHS REPORTED

NOTE: TABLE IS AVAILABLE BY TOWN OF RESIDENCE ON REQUEST

35

ICD 9TH REVISION	TOTAL	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKN-OWN	
TOTAL, ALL CAUSES.....	1,378	90	4	4	2	-	100	10	8	16	47	28	44	52	83	94	120	115	115	139	112	111	97	87	-	
MALE.....	794	51	1	3	-	-	55	4	6	14	37	21	26	38	48	62	81	71	67	84	58	55	32	35	-	
FEMALE.....	584	39	3	1	2	-	45	6	2	2	10	7	18	14	35	32	39	44	48	55	54	56	65	52	-	
7-9 CERTAIN OTHER INTESTINAL INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10-18 TUBERCULOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
FEMALE.....	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
36 MENINGOCOCCAL INFECTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38 SEPTICEMIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MALE.....	9	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	-	2	-	-	1	-	-	
FEMALE.....	8	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	3	2	-	
90-97 SYPHILIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ALL OTHER INFECTIONS AND PARASITIC DISEASES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MALE.....	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	-	-	-	-	-	
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
140-208 MALIGNANT NEOPLASMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MALE.....	140	-	-	-	-	-	-	-	-	-	2	1	2	4	7	13	15	21	16	20	15	14	8	2	-	
FEMALE.....	123	-	-	-	-	-	-	-	-	-	1	-	-	1	9	9	14	14	20	16	17	6	7	9	-	
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
FEMALE.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
250 DIABETES MELLITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MALE.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	-	-	1	-	
FEMALE.....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	3	-	-	
280-285 ANEMIAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MALE.....	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	
303 ALCOHOL DEPENDENCE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MALE.....	24	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	4	2	3	3	2	-	-	-	-	
FEMALE.....	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	1	-	-	-	-	-	

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1980-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKN- OWN
320-322 MENINGITIS																									
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE.....	2901	-	-	-	-	-	-	-	1	-	5	-	31	11	16	22	31	26	33	35	29	34	17	27	-
FEMALE.....	2421	1	-	-	1	-	2	-	-	-	-	1	1	4	10	10	14	19	16	32	26	39	37	31	-
390-398, 402, 404-429 DISEASES OF THE HEART																									
MALE.....	211	-	-	-	-	-	-	-	1	-	-	-	2	10	10	15	19	22	25	29	20	23	11	20	-
FEMALE.....	173	1	-	-	1	-	2	-	-	-	-	1	-	3	8	5	8	14	12	20	26	27	27	20	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
FEMALE.....	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
402 HYPERTENSIVE HEART DISEASE																									
MALE.....	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	3	2	3	4	1	-	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
410-414 ISCHEMIC HEART DISEASE																									
MALE.....	132	-	-	-	-	-	-	-	-	-	-	-	1	3	8	8	13	17	15	19	9	14	9	16	-
FEMALE.....	105	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	5	10	6	9	22	22	11	14	-
415-429 OTHER HEART DISEASE																									
MALE.....	56	-	-	-	-	-	-	-	1	-	3	-	1	6	2	6	3	3	7	8	7	5	1	3	-
FEMALE.....	53	1	-	-	1	-	2	-	-	-	-	1	-	2	3	1	2	2	4	9	4	4	15	4	-
401, 403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	1	-	-	-
430-438 CEREBROVASCULAR DISEASES																									
MALE.....	42	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	5	4	5	8	4	6	-	-
FEMALE.....	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	2	3	7	7	7	7	-
440 ATHEROSCLEROSIS																									
MALE.....	26	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	10	1	3	1	2	1	2	1	-
FEMALE.....	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	6	-	3	2	3	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE.....	8	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	-	1	1	1	-	-	-
FEMALE.....	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	-	2	-	1	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1980-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						85 AND OVER	JNKN- OWN
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84		
480-486 PNEUMONIA																									
MALE.....	16	2	-	-	-	-	2	-	-	-	-	1	1	1	1	1	-	1	1	2	2	-	3	-	-
FEMALE.....	13	1	2	-	-	-	3	1	-	-	-	-	-	-	2	-	-	-	-	1	1	1	2	2	-
487 INFLUENZA																									
MALE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																									
MALE.....	15	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	2	-	4	1	1	1	-
FEMALE.....	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	2	1	-	-
531-533 ULCER OF STOMACH AND DUODENUM																									
MALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																									
MALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																									
MALE.....	18	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	4	1	-	5	-	1	-	-	-
FEMALE.....	13	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	1	2	-	1	-	-	-	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																									
MALE.....	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	-	-	1	-
FEMALE.....	10	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	2	2	1	-
590 INFECTIONS OF KIDNEY																									
MALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600 HYPERPLASIA OF PROSTATE																									
MALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																									
MALE.....	6	3	1	-	-	-	4	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
MALE.....	40	40	-	-	-	-	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	28	28	-	-	-	-	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1980-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKN- OWN
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE.....	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																									
MALE.....	60	1	-	2	-	-	3	4	4	6	7	4	1	5	5	6	5	3	3	2	-	2	-	-	-
FEMALE.....	27	-	1	-	1	-	2	2	1	1	3	1	4	3	2	1	1	-	1	1	1	1	2	-	-
E810-E825 MOTOR VEHICLE ACCIDENTS																									
MALE.....	19	-	-	-	-	-	-	3	1	2	4	2	-	1	1	1	1	-	1	1	-	-	-	-	-
FEMALE.....	14	-	-	-	-	-	-	-	-	1	2	1	4	1	2	1	1	-	1	1	-	-	-	-	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE.....	9	-	-	-	-	-	-	1	2	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959 SUICIDE AND SELF- INFLECTED INJURY																									
MALE.....	8	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE.....	41	-	-	1	-	-	1	-	-	3	11	7	6	4	2	3	3	1	-	-	-	-	-	-	-
FEMALE.....	12	-	-	-	-	-	-	1	-	1	4	-	3	1	-	3	1	-	-	-	-	-	1	-	-
ALL OTHER CAUSES																									
MALE.....	91	2	-	-	-	-	2	-	1	3	7	5	9	9	6	7	13	8	5	7	3	2	2	2	-
FEMALE.....	61	-	-	-	-	-	-	2	1	-	1	4	6	1	5	4	5	9	4	2	5	4	5	3	-

- NO DEATHS REPORTED

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1980

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIGIN IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
CONNECTICUT.....	429	90	188	85	39	50	67	96	242	94	16	42	49
HSA 1 SOUTHWESTERN..	77	28	36	18	7	8	8	15	48	21	2	8	6
BRIDGEPORT	34	20	21	3	4	4	2	2	24	13		4	2
DARIEN	3	-	-	1	-	-	-	-	1	-	-	-	-
EASTON	1	-	-	1	-	-	-	-	2	-	-	-	-
FAIRFIELD	3	-	-	1	1	-	1	1	4	-	-	1	-
GREENWICH	6	1	1	5	-	-	-	-	3	2	-	1	1
MONROE	5	-	1	2	-	1	1	-	-	-	-	1	-
NEW CANAAN	2	-	-	1	-	1	-	1	2	1	-	1	-
NORWALK	4	1	2	-	-	2	-	1	8	3	-	-	2
STAMFORD	14	4	8	4	-	-	2	1	3	1	-	-	-
STRATFORD	4	2	2	-	2	-	-	-	-	-	-	-	-
TRUMBULL	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTON	-	-	-	-	-	-	-	-	1	1	-	-	-
WESTPORT	1	-	1	-	-	-	-	-	-	-	-	-	-
WILTON	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 2 SOUTH CENTRAL	90	23	42	16	9	13	10	22	53	23	3	8	7
ANSONIA	1	-	1	-	-	-	-	-	1	1	-	-	-
BETHANY	-	-	-	-	-	-	-	-	-	-	-	-	-
BRANFORD	1	-	-	-	-	1	-	1	3	1	-	-	-
DERBY	4	-	2	1	-	1	-	1	3	1	-	-	-
EAST HAVEN	4	-	3	1	-	-	-	1	-	-	-	-	-
GUILFORD	1	-	-	1	-	-	-	1	3	1	-	1	1
HAMDEN	6	1	3	1	1	1	-	-	-	-	-	-	-
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-
MERIDEN	12	1	4	1	1	1	5	2	6	2	1	1	-
MILFORD	2	-	1	-	-	1	1	-	2	1	-	-	-
NEW HAVEN	32	21	18	3	2	8	1	4	23	11	2	4	1
NORTH BRANFORD.....	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH HAVEN	-	-	-	-	-	-	-	-	1	1	-	-	1
ORANGE	2	-	1	-	-	-	1	-	-	-	-	1	-
OXFORD	4	-	2	1	-	-	1	-	2	-	-	-	-
SEYMOUR	2	-	1	1	-	-	-	-	-	-	-	-	-
SHELTON	3	-	1	-	1	-	1	1	1	-	-	-	-
WALLINGFORD	6	-	2	2	1	-	1	3	3	1	-	-	-
WEST HAVEN	10	-	3	4	3	-	-	5	5	3	-	-	-
WOODBIDGE	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 3 EASTERN.....	64	7	24	12	8	8	12	18	30	14	1	7	9

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1980-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIGIN IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
ASHFORD	1	-	-	-	-	-	1	-	1	-	1	-	-
BOZRAH	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN	1	-	-	-	-	-	1	-	-	-	-	-	-
CHESTER	-	-	-	-	-	-	-	-	-	-	-	-	-
CLINTON	-	-	-	-	-	-	-	-	-	-	-	-	-
COLCHESTER	1	-	-	-	-	1	-	-	-	-	-	-	-
COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY	2	-	-	-	-	-	2	1	-	-	-	1	-
CROMWELL	-	-	-	-	-	-	-	-	-	-	-	-	-
DEEP RIVER	1	-	-	1	-	-	-	-	1	-	-	-	-
DURHAM	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM	2	-	2	-	-	-	-	-	-	2	-	-	-
EAST HAMPTON	3	-	1	1	1	-	-	-	3	-	2	-	-
EAST LYME	3	-	3	-	-	-	-	1	2	2	-	-	-
ESSEX	1	-	-	1	-	-	-	-	1	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD	2	-	1	-	-	-	1	1	-	-	-	-	-
GROTON	6	1	2	-	1	1	2	3	1	-	-	1	1
HADDAM	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY	1	-	-	1	-	-	-	-	1	-	-	-	-
KILLINGWORTH	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON	2	-	-	1	1	-	-	2	-	-	-	-	-
LEDYARD	1	-	-	-	-	-	1	-	-	-	-	-	-
LISBON	-	-	-	-	-	-	-	-	-	-	-	-	1
LYME	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD	1	-	-	-	1	-	-	1	-	-	-	-	-
MIDDLEFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLETOWN	7	2	1	3	-	2	1	2	3	-	2	2	-
MONTVILLE	2	-	-	1	1	-	-	-	2	1	-	-	-
NEW LONDON	9	4	5	3	1	-	-	2	6	4	-	-	-
N STONINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWICH	8	-	3	-	1	3	1	2	3	2	-	1	-
OLD LYME	1	-	-	-	-	-	1	1	-	-	-	-	-
OLD SAYBROOK	1	-	1	-	-	-	-	-	1	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1980-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON- WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
PLAINFIELD	1	-	1	-	-	-	-	-	1	-	-	-	-
POMFRET	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
PRESTON	2	-	1	-	-	-	1	1	-	-	-	1	-
PUTNAM	1	-	1	-	-	-	-	-	1	-	-	-	-
SALEM	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-
STERLING	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
THOMPSON	-	-	-	-	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN	1	-	1	-	-	-	-	-	-	-	-	-	1
WATERFORD	3	-	1	-	1	1	-	1	1	1	-	1	-
WESTBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
WILLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM	-	-	-	-	-	-	-	-	-	-	-	-	-
WOODSTOCK	-	-	-	-	-	-	-	-	-	-	-	-	-
<u>HSA 4 NORTH CENTRAL</u>	135	30	62	25	11	14	23	28	76	28	6	12	19
ANDOVER	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON	2	-	1	1	-	-	-	-	2	-	1	-	-
BERLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
BLOOMFIELD	3	-	2	-	-	-	1	-	2	-	-	-	1
BOLTON	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL	8	2	3	4	-	-	1	3	3	1	-	1	1
BURLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTON	3	1	3	-	-	-	-	-	3	-	-	-	-
EAST GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD	6	-	3	-	-	2	1	-	3	2	-	1	2
EAST WINDSOR	-	-	-	-	-	-	-	-	-	-	-	-	-
ELLINGTON	3	-	2	-	-	-	1	2	1	1	-	-	-
ENFIELD	6	-	2	-	1	1	2	1	2	-	-	2	1
FARMINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
GLASTONBURY	3	-	-	-	1	2	-	2	1	-	1	-	-
GRANBY	1	-	1	-	-	-	-	-	1	-	-	-	-
HARTFORD	37	22	17	3	2	-	10	5	23	9	1	1	8
HARTLAND	1	-	-	-	1	-	-	-	1	-	-	-	-
HEBRON	2	-	-	1	-	1	-	-	1	-	-	1	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1980-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIGIN IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
MANCHESTER	9	-	2	5	-	1	1	2	4	1	-	1	2
MARLBOROUGH	3	1	2	-	1	-	-	-	3	3	-	-	-
NEW BRITAIN	17	2	11	2	1	2	1	3	11	7	1	2	1
NEWINGTON	1	-	-	1	-	-	-	-	2	-	-	-	-
PLAINVILLE	3	-	1	1	-	-	-	1	-	-	-	1	-
PLYMOUTH	1	-	-	-	-	-	1	-	-	-	-	-	-
ROCKY HILL	1	-	1	-	-	-	-	1	-	-	-	-	1
SIMSBURY	2	-	-	-	-	2	-	-	1	-	-	-	-
SOMERS	1	-	-	1	-	-	1	-	3	1	-	1	-
SOUTHINGTON	5	-	3	-	-	1	1	1	2	-	-	-	-
SOUTH WINDSOR	3	1	1	-	2	-	-	-	-	-	-	-	-
STAFFORD	-	-	-	-	-	-	-	-	1	1	-	-	-
SUFFIELD	1	-	1	-	-	-	-	-	-	-	-	-	1
TOLLAND	1	-	-	-	1	-	-	-	1	1	-	1	1
VERNON	4	-	2	-	-	-	2	1	2	-	-	-	-
WEST HARTFORD	5	-	2	1	1	1	-	3	2	-	-	2	-
WETHERSFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDSOR	3	1	2	-	-	-	1	2	1	-	-	-	-
WINDSOR LOCKS	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 5 NORTHWESTERN	63	2	24	14	4	7	14	13	35	84	4	7	8
BARKHAMSTED	1	-	1	-	-	-	-	-	1	-	-	-	-
BEACON FALLS	-	-	-	-	-	-	-	-	-	-	-	-	1
BETHEL	1	-	-	-	-	1	-	-	-	-	-	-	-
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	1	1	-	-	-	-	-
BROOKFIELD	1	-	-	-	-	-	-	-	-	-	-	-	-
CANAAN	-	-	-	-	-	-	-	1	1	-	-	-	-
CHESHIRE	2	-	2	-	-	-	-	-	-	-	-	-	-
COLEBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL	-	-	-	-	-	-	-	-	-	-	1	-	-
DANBURY	6	-	4	-	1	-	1	2	4	-	-	-	-
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT	-	-	-	-	-	-	-	-	-	-	-	-	1
LITCHFIELD	2	-	-	-	-	-	2	1	1	-	-	-	-
MIDDLEBURY	1	-	-	-	-	-	1	-	-	-	-	-	-
MORRIS	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK	2	-	-	1	1	-	-	-	2	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1980-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIGIN IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
NEW FAIRFIELD	1	-	-	-	-	1	-	-	-	-	-	-	1
NEW HARTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW MILFORD	3	1	2	1	-	-	1	1	-	1	-	-	1
NEWTOWN	4	-	1	2	-	-	1	-	-	-	-	-	-
NORFOLK	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN	-	-	-	-	-	-	-	-	-	1	-	1	-
PROSPECT	1	-	1	-	-	-	1	1	-	4	-	-	-
REDDING	6	-	3	2	-	-	-	-	-	-	-	-	-
RIDGEFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
ROXBURY	-	-	-	-	-	-	-	-	-	1	-	-	-
SALISBURY	-	-	-	-	1	1	-	-	-	1	-	-	1
SHARON	2	-	-	-	-	-	-	-	1	2	1	-	-
SHERMAN	1	-	-	2	-	-	2	1	1	1	-	-	-
SOUTHBURY	4	-	2	-	-	-	1	-	-	-	-	-	1
THOMASTON	3	-	1	-	-	-	-	-	-	1	-	3	1
TORRINGTON	1	-	1	-	-	-	1	-	-	-	-	-	-
WARREN	1	-	-	-	-	-	2	2	2	8	1	-	-
WASHINGTON	1	-	-	-	1	-	-	-	-	2	-	-	-
WATERBURY	14	1	3	6	-	-	-	-	1	1	-	-	1
WATERTOWN	2	-	2	1	-	-	-	-	-	-	-	-	-
WINCHESTER	2	-	1	-	-	-	1	-	-	-	-	-	-
WOLCOTT	1	-	-	-	-	-	-	-	-	-	-	-	-
WOODBURY	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1980

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES.....	429	188	85	26	9	4	312	31	19	16	14	11	10	3	5	3	2	3
MALE.....	251	101	61	11	5	2	180	21	13	10	7	8	3	1	2	2	2	2
FEMALE.....	178	87	24	15	4		132	10	6	6	7	3	7	2	3	1	-	1
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE.....	3	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																		
MALE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
390-398, 402, 404-429 DISEASES OF THE HEART																		
MALE.....	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE.....	8	-	-	-	-	-	-	3	1	1	-	2	1	1	-	-	-	-
FEMALE.....	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
480-486 PNEUMONIA																		
MALE.....	7	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE.....	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
MALE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-
FEMALE.....													3	3	-	2	-	-
740-759 CONGENITAL ANOMALIES																		
MALE.....	58	14	19	5	1	1	40	6	4	2	1	2	1	3	-	-	-	-
FEMALE.....	38	14	5	5			26	3	-	1								
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE.....	138	83	40	5	4	1	133	3	-	1	-	-	1	-	-	1	1	-
FEMALE.....	104	71	17	9	2	-	99	3	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1980-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE.....	52	43	6	1	1	-	51	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	42	37	2	2	-	-	41	1	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	2	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE.....	10	4	3	-	-	1	8	1	-	-	-	1	-	-	-	-	-	-
FEMALE.....	6	3	1	-	1	-	5	-	-	-	-	-	-	-	-	1	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE.....	27	2	1	-	-	-	3	7	8	4	2	2	1	-	-	-	-	-
FEMALE.....	15	-	-	-	-	-	-	3	5	3	2	-	1	-	-	-	-	1
E800-E949 ACCIDENTS																		
MALE.....	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
E911-E912 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT																		
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER CAUSES																		
MALE.....	11	2	1	-	1	-	3	2	-	1	-	2	1	-	1	-	-	1
FEMALE.....	11	2	-	1	1	1	5	1	1	1	1	-	-	2	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1980-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES.....	90	56	10	6	1	1	74	7	3	2	-	2	2	-	-	-	-	-
MALE.....	51	33	4	3	1	1	42	4	1	2	-	2	-	-	-	-	-	-
FEMALE.....	39	23	6	3	-	-	32	3	2	-	-	-	2	-	-	-	-	-
390-398, 402, 404-429 DISEASES OF THE HEART																		
FEMALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE.....	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
480-486 PNEUMONIA																		
MALE.....	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE.....	3	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	4	2	-	1	-	-	3	-	-	-	-	-	1	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE.....	40	32	3	2	1	1	39	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	28	21	4	2	-	-	27	1	-	-	-	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE.....	24	22	-	1	-	-	23	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	11	10	1	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE.....	2	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE.....	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE.....	5	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1980-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
E800-E949 ACCIDENTS																		
MALE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE.....	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1980

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Cause Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Cause Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Cause Per Cent Within Age Group
All Causes (under 1 year)*	429	11.1	100.0	251	12.6	100.0	178	9.5	100.0
Certain conditions originating in perinatal period (immaturity related to low birth weight) (760-779)	242	6.2	56.4	138	6.9	55.0	104	5.5	58.4
Congenital Anomalies (740-759)	96	2.5	22.4	58	2.9	23.1	38	2.0	21.3
Sudden infant death syndrome (798.0)	42	1.1	9.8	27	1.4	10.8	15	0.8	8.4
Influenza and pneumonia (480-487)	9	0.2	2.1	7	0.4	2.8	2	0.1	1.1
All other causes	40	1.0	9.3	21	1.1	8.4	19	1.0	10.7
All Causes (1-14 years)	187	30.7	100.0	116	37.3	100.0	71	23.8	100.0
Accidents, total (E800-E949)	70	11.5	37.4	49	15.8	42.2	21	7.1	29.6
Malignant neoplasms (140-208)	32	5.3	17.1	21	6.8	18.1	11	3.7	15.5
Congenital Anomalies (740-759)	18	3.0	9.6	13	4.2	11.2	5	1.7	7.0
Hereditary and degenerative diseases of central nervous system (330-337)	8	1.3	4.3	3	1.0	2.6	5	1.7	7.0
Homicide (E960-E969)	7	1.2	3.7	5	1.6	4.3	2	0.7	2.8
Diseases of the heart (390-398, 402, 404-429)	5	0.8	2.7	1	0.3	0.9	4	1.3	5.6
Influenza and pneumonia (480-487)	4	0.7	2.1	-	-	-	4	1.3	5.6
All other causes	43	7.1	23.0	24	7.7	20.7	19	6.4	26.8
All Causes (15-24 years)	592	105.6	100.0	462	164.1	100.0	130	46.6	100.0
Accidents, total (E800-E949)	336	59.9	56.8	278	98.7	60.2	58	20.8	44.6
Suicide (E950-E959)	50	8.9	8.5	36	12.8	7.8	14	5.0	10.8
Homicide and legal intervention (E960-E978)	44	7.8	7.4	34	12.1	7.4	10	3.6	7.7
Malignant neoplasms (140-208)	43	7.7	7.3	30	10.7	6.5	13	4.7	10.0
Diseases of the heart (390-398, 402, 404-429)	18	3.2	3.0	17	6.0	3.7	1	0.4	0.8
Congenital Anomalies (740-759)	12	2.1	2.0	6	2.1	1.3	6	2.1	4.6
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	11	2.0	1.9	7	2.5	1.5	4	1.4	3.1
All other causes	78	13.9	13.2	54	19.2	11.7	24	8.6	18.5
All Causes (25-44 years)	1234	143.4	100.0	842	200.5	100.0	392	89.0	100.0
Accidents, total (E800-E949)	270	31.4	21.9	206	49.0	24.5	64	14.5	16.3
Malignant neoplasms (140-209)	237	27.5	19.2	118	28.1	14.0	119	27.0	30.4
Diseases of the heart (390-398, 402, 404-429)	147	17.1	11.9	117	27.9	13.9	30	6.8	7.7
Suicide (E950-E959)	109	12.7	8.8	87	20.7	10.3	22	5.0	5.6
Homicide and legal intervention (E960-E978)	76	8.8	6.2	62	14.8	7.4	14	3.2	3.6
Chronic liver disease and cirrhosis (571)	37	4.3	3.0	26	6.2	3.1	11	2.5	2.8
Flu and pneumonia (480-487)	22	2.6	1.8	14	3.3	1.7	8	1.8	2.0
Alcohol dependence syndrome (303)	21	2.4	1.7	17	4.0	2.0	4	0.9	1.0
Cerebrovascular disease (430-438)	21	2.4	1.7	12	2.9	1.4	9	2.0	2.3
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	20	2.3	1.6	15	3.6	1.8	5	1.1	1.3
All other causes	274	31.8	22.2	168	40.0	20.0	106	24.1	27.0

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1980, cont'd.

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Cause Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Cause Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Cause Per Cent Within Age Group
All Causes (45-64)	5746	852.1	100.0	3525	1093.8	100.0	2221	630.8	100.0
Malignant neoplasms (140-208)	2080	308.5	36.2	1040	322.7	29.5	1040	295.4	46.8
Diseases of the heart (390-398, 402, 404-429)	1931	286.4	33.6	1426	442.5	40.5	505	143.4	22.7
Cerebrovascular diseases (430-438)	219	32.5	3.8	107	33.2	3.0	112	31.8	5.0
Chronic liver disease and cirrhosis (571)	185	27.4	3.2	116	36.0	3.3	69	19.6	3.1
Accidents, total (E800-E949)	181	26.8	3.2	119	36.9	3.4	62	17.6	2.8
Chronic obstructive pulmonary diseases and allied conditions (490-496)	120	17.8	2.1	77	23.9	2.2	43	12.2	1.9
Atherosclerosis (440)	104	15.4	1.8	79	24.5	2.2	25	7.1	1.1
Suicide (E950-E959)	78	11.6	1.4	57	17.7	1.6	21	6.0	1.0
Diabetes mellitus (250)	72	10.7	1.3	40	12.4	1.1	32	9.1	1.4
All other causes	776	115.1	13.5	464	144.0	13.2	312	88.6	14.1
All Causes (65 years and over)	19064	5225.4	100.0	9018	6283.7	100.0	10046	4538.8	100.0
Diseases of the heart (390-398, 402, 404-429)	8230	2255.8	43.2	3810	2654.8	42.2	4420	1997.0	44.0
Malignant Neoplasms (140-208)	4114	1127.6	21.6	2200	1533.0	24.4	1914	864.7	19.1
Cerebrovascular diseases (430-438)	1836	503.2	9.6	662	461.3	7.3	1174	530.4	11.7
Influenza and pneumonia (480-487)	799	219.0	4.2	356	248.1	3.9	443	200.1	4.4
Atherosclerosis (440)	610	167.2	3.2	262	182.6	2.9	348	157.2	3.5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	566	155.1	3.0	351	244.6	3.9	215	97.1	2.1
Diabetes Mellitus (250)	309	84.7	1.6	113	78.7	1.3	196	88.6	2.0
Accidents, total (E800-E949)	244	66.9	1.3	132	92.0	1.5	112	50.6	1.1
All other causes	2356	645.8	12.4	1132	788.8	12.6	1224	553.0	12.2

*Rates for persons under one year per 1,000 live births.

TABLE 12: NUMBER OF PRESENT MARRIAGE
CONNECTICUT, 1980

Number	Bride	Groom
Total	26,048	26,048
First	18,748	18,027
Second	6,322	6,968
Third	862	921
Fourth	83	106
Fifth	9	10
Sixth	2	-
Seventh	-	-
Eighth	-	-
Unknown	22	16

TABLE 13: PREVIOUS MARITAL STATUS OF BRIDE & GROOM
CONNECTICUT, 1980

Previous Marital Status	Bride	Groom
All Marriages	26,048	26,048
Never Married	18,738	18,018
Widowed	825	851
Divorced	6,444	7,116
Annulment	25	47
Unknown	16	16

TABLE 14: COUNTY OF DISSOLUTION OF MARRIAGES
CONNECTICUT, 1980

COUNTY	TOTAL
CONNECTICUT, TOTAL	13,488
Fairfield	2,853
Hartford	3,588
Litchfield	574
Middlesex	653
New Haven	3,294
New London	1,336
Tolland	731
Windham	459
Sex of Complainant:	
Male	4,101
Female	8,994
Not Stated	393

TABLE 15: CHILDREN UNDER 18
AFFECTED BY MARRIAGE DISSOLUTION
CONNECTICUT, 1980

Number of Children Under 18 Years Per Dissolution	Number of Dissolutions
Total	13,488
No children	5,791
One child	3,388
Two children	2,982
Three children	975
Four children	265
Five children	68
Six or more children	19

TABLE 16: DURATION OF MARRIAGES DISSOLVED
CONNECTICUT, 1980

Year Marriage Was Contracted	Number of Marriages Dissolved	Year Marriage Was Contracted	Number of Marriages Dissolved
TOTAL	13,488	1965	356
1980	57	1964	297
1979	508	1963	308
1978	950	1962	251
1977	1,005	1961	226
1976	1,024	1960	241
1975	920	1959-1955	915
1974	863	1954-1950	537
1973	759	1949-1945	249
1972	691	1944-1940	100
1971	601	1939-1935	36
1970	615	1934-1930	11
1969	576	Prior to 1930	8
1968	498	Unknown	56
1967	425		
1966	405		

GLOSSARY

Birth Weight	Weight of fetus or infant at a time of delivery.
Fetal Death	Death prior to the complete expulsion or extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed between the first day of the last menstrual period and date of delivery.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or show other signs of life.
Low Birth Weight	Birth wherein the birth weight is equivalent to 2,500 grams or less (approximately 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATES

Age-Adjusted Death Rate:	Sum of (Age-Specific Death Rates X Proportion of Standard Population in Specific Age Group)	
Age-Specific Birth Rate:	$\frac{\text{No. of Resident Live Births for a Specific Age of Mother}}{\text{Total Female Population of Specific Age}} \times 1,000$	
Age-Specific Death Rate:	$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100,000$	
Crude Birth Rate:	$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population}} \times 1,000$	
Crude Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population}} \times 1,000$	
Divorce Rate:	$\frac{\text{No. of Persons (Divorces \& Annulments)}}{\text{Total Resident Population}} \times 1,000$	
Fetal Death Ratio:	$\frac{\text{Fetal Deaths at Place of Occurrence}}{\text{Total of Births at Place of Occurrence}} \times 1,000$	
Infant Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Live Births}} \times 1,000$	
Marriage Rate:	$\frac{\text{No. of Persons Married}}{\text{Total Resident Population}} \times 1,000$	

APPENDIX

The tables of the appendix summarize changes in the vital statistics for Connecticut's population, and adjust the state's age and sex population estimates between census years. These tables will be presented decennially in the Registration Report for each census year.

Rates of vital events are calculated annually during the decade between census years, using the populations estimated by the Department of Health Services. It has been traditional to recalculate the rates for the decades using adjusted intercensal population estimates. In Tables I and II, the rates have been recalculated using the adjusted population estimates for 1960-1970 and for 1970-1980. The adjusted rates for previous decades were last published in the 130th Registration Report, 1977, Tables 1 and 2.

The population adjustment by age and sex of 1961-1969 was published in the 124th Registration Report, 1971. The 1970-1980 adjustment of population by age and sex is in Table III. It is a straight line adjustment between the 1970 and the 1980 census, constructed after a consultation with the Bureau of the Census.

Beginning with statistics for the year 1927, interstate transfer of birth and death records for Connecticut residents, occurring in other states and in Canada, were included with events to Connecticut residents occurring in Connecticut. The resident figures do not include residents of other states and countries. All events occurring in Connecticut are recorded and tabulated as such, regardless of residence.

The ninth revision of the International Classification of Disease (ICD) went into use, in Connecticut, with the 1979 data. Comparing causes of death coded by one revision to causes coded by another revision presents difficulties with continuity of classification. Comparability ratios are published by the National Center for Health Statistics and it is necessary to consult these publications when comparing causes of death through the years as the ICD has changed.

The classification of causes of death in Table II follow the ninth revision of the ICD. Previous revisions were used in Connecticut as follows:

1st Revision	1900-1910	Bertillon System of coding was adopted for world use and became the 1st revision of ICD.
2nd Revision	1911-1921	
3rd Revision	1922-1931	
4th Revision	1932-1939	
5th Revision	1940-1948	
6th Revision	1949-1957	
7th Revision	1958-1968	
8th Revision	1969-1978	
9th Revision	1979-	

Complete annual rates for Table II were last published as Table 2 in Registration Reports for years:

1900-1910	in 1948	(Occurring in Connecticut)
1910-1919	in 1963	(Occurring in Connecticut)
1920-1926	in 1966	(Occurring in Connecticut)
1927-1929	in 1966	(Residents of Connecticut)
1931-1939	in 1976	(Residents of Connecticut)
1941-1949	in 1977	(Residents of Connecticut)
1951-1959	in 1977	(Residents of Connecticut)

TABLE I-VITAL STATISTICS: CONNECTICUT, 1850-1980

YEAR	Estimated Population as of July 1	Live Births ¹	Deaths	Marriages	Marriages Dissolved	Fetal Deaths ¹	Deaths Under 1 year	Birth Rate ²	Death Rate ²	Marriage Rate ³	Marriages Dissolved Rate ³	Fetal Death Ratio ⁴	Infant Mortality Rate ⁴
Place of Occurrence ⁵													
1850	370,792	7,578	5,170	2,844		...	766	20.4	13.9	15.3	...		101.1
1900	908,420	20,560	16,368	6,991	452	841	3,521	22.6	18.0	15.4	1.0	40.9	171.3
1910	1,118,179	27,314	17,500	10,103	568	1,124	3,472	24.4	15.7	18.1	1.0	41.2	127.1
1920	1,391,669	34,121	18,925	14,387	1,375	1,219	3,063	24.5	13.6	20.7	2.0	35.7	89.8
1930	1,609,461	27,564	17,287	11,033	1,252	814	1,540	17.1	10.7	13.7	1.6	29.5	55.9
1940	1,711,800	24,902	17,896	17,374	1,743	511	860	14.5	10.5	20.3	2.0	20.5	34.5
1950	2,016,268	39,754	18,910	19,474	2,712	560	867	19.7	9.4	19.3	2.7	14.1	21.8
*1960	2,535,234	55,916	23,553	17,877	2,599	720	1,157	22.0	9.3	14.1	2.0	12.9	20.7
1961	2,600,889	56,211	23,585	17,793	2,833	696	1,250	21.6	9.1	13.7	2.2	12.4	22.2
1962	2,656,840	54,729	24,657	18,079	3,016	737	1,242	20.6	9.3	13.6	2.3	13.5	22.7
1963	2,702,389	55,826	25,405	19,336	3,219	676	1,262	20.6	9.4	14.3	2.4	12.1	22.6
1964	2,763,195	56,019	24,976	20,055	3,737	758	1,163	20.3	9.0	14.5	2.7	13.5	20.8
1965	2,810,616	53,565	25,410	20,953	3,733	646	1,207	19.1	9.0	14.9	2.7	12.1	22.5
1966	2,856,156	51,359	25,892	21,348	4,139	644	1,079	18.0	9.1	14.9	2.9	12.5	21.0
1967	2,909,312	49,209	25,871	22,571	4,700	576	946	16.9	8.9	15.5	3.2	11.7	19.2
1968	2,943,530	48,327	26,595	24,262	5,363	548	927	16.4	9.0	16.5	3.6	11.4	19.2
1969	2,992,884	49,436	26,108	24,883	5,749	580	920	16.5	8.7	16.6	3.8	11.7	18.6
*1970	3,031,709	50,052	25,805	24,929	5,812	559	859	16.5	8.5	16.5	3.8	11.2	17.2
1971	3,039,295	45,138	26,174	23,825	7,034	472	707	14.9	8.6	15.7	4.6	10.5	15.7
1972	3,046,884	39,145	26,344	24,485	8,415	421	644	12.8	8.6	16.1	5.5	10.8	16.5
1973	3,054,470	37,088	26,807	25,517	8,079	390	544	12.1	8.8	16.7	5.3	10.5	14.7
1974	3,062,055	36,434	26,220	24,550	11,084	371	555	11.9	8.6	16.1	7.2	10.2	15.2
1975	3,069,652	35,622	25,736	23,472	12,161	356	555	11.6	8.4	15.3	7.9	10.0	15.6
1976	3,077,230	35,408	26,180	22,966	11,889	318	508	11.5	8.5	14.9	7.7	9.0	14.3
1977	3,084,817	36,299	25,779	23,130	12,353	307	476	11.8	8.4	15.0	8.0	8.5	13.1
1978	3,092,401	36,844	26,105	24,001	12,610	303	424	11.9	8.4	15.5	8.2	8.2	11.5
1979	3,099,992	38,452	26,133	25,431	14,101	333	474	12.4	8.4	16.4	9.1	8.7	12.3
*1980	3,107,576	38,526	27,509	26,048	13,488	301	443	12.4	8.9	16.8	8.7	7.8	11.5

TABLE I-VITAL STATISTICS: CONNECTICUT, 1850-1980, (Cont'd.)

	Estimated Population as of July 1	Live Births ¹	Deaths	Marriages	Marriages Dissolved	Fetal Deaths ¹	Deaths Under 1 year	Birth Rate ²	Death Rate ²	Marriage Rate ³	Dissolved Rate ³	Fetal Death Ratio ⁴	Infant Mortality Rate ⁴
Residents ⁶													
1927		29,091	16,652	NOT AVAILABLE		...	1,700	18.8	10.8			...	58.4
1930		27,701	17,251	...		...	1,533	17.2	10.7			...	55.3
1940		25,074	18,063	...		...	866	14.6	10.6			...	34.5
1950		40,485	19,144	...		...	892	20.1	9.5			...	22.0
1960		56,659	23,847	...		...	1,194	22.3	9.4			...	21.1
1961		57,046	23,839	...		...	1,271	21.9	9.2			...	22.3
1962		55,480	24,758	...		...	1,255	20.9	9.3			...	22.6
1963		56,476	25,632	...		...	1,290	20.9	9.5			...	22.8
1964		56,611	25,195	...		...	1,173	20.5	9.1			...	20.7
1965		54,208	25,623	...		...	1,203	19.3	9.1			...	22.2
1966		52,131	26,065	...		...	1,104	18.2	9.1			...	21.2
1967		49,840	26,054	...		...	957	17.1	9.0			...	19.2
1968		48,633	26,688	...		...	934	16.5	9.1			...	19.2
1969		50,146	26,193	...		...	941	16.7	8.7			...	18.8
1970		50,738	25,953	...		...	872	16.7	8.6			...	17.2
1971		45,633	26,107	...		...	713	15.1	8.6			...	15.6
1972		39,477	26,314	...		...	647	12.9	8.6			...	16.4
1973		37,435	26,726	...		...	554	12.2	8.7			...	14.8
1974		36,767	26,181	...		...	573	12.0	8.6			...	15.6
1975		35,971	25,762	...		...	556	11.7	8.4			...	15.5
1976		35,607	26,152	...		...	508	11.6	8.5			...	14.3
1977		36,632	25,544	...		...	486	11.9	8.3			...	13.3
1978		37,112	25,941	...		...	428	12.0	8.4			...	11.5
1979		38,648	25,955	...		...	466	12.5	8.4			...	12.1
1980		38,750	27,258	...		...	429	12.5	8.8			...	11.1

¹Fetal deaths included with live births prior to 1887.²Per 1,000 population.³"Persons married or divorced" per 1,000 population.⁴Per 1,000 live births.⁵Occurring in Connecticut to residents and non-residents of the state. Complete data 1848-1899 last published in the 130th Registration Report for the year 1977.⁶Births and deaths to Connecticut residents occurring anywhere in the United States or Canada. Complete data 1927-1959 last published in 130th Registration Report for the year 1977.

*United States Census for Connecticut. Population of Connecticut for intervening years adjusted to the decennial census.

TABLE II-DEATHS AND DEATH RATES PER 100,000 POPULATION FROM SELECTED CAUSES: CONNECTICUT, 1900-1980

YEAR	*Tuberculosis, all forms (010-018)		Tuberculosis of respiratory system (010-012)		Syphilis (090-097)		Typhoid and paratyphoid fevers (002)		Streptococcal sore throat and scarlatina (034)		Diphtheria (032)		Whooping cough (033)		Meningococcal infections (036)		Acute poliomyelitis (045)		Measles (055)	
Place of Occurrence ¹	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate
1900	1702	187.4	1539	169.4	48	5.3	278	30.6	-	-	314	34.6	144	15.9	54	5.9	-	-	189	20.8
1910	1674	149.7	1524	147.2	122	10.9	166	14.8	-	-	273	24.4	160	14.3	42	3.8	37	3.3	98	8.8
1920	1654	118.9	1403	100.8	167	12.0	58	4.2	-	-	236	17.0	218	15.7	65	4.7	26	1.9	138	9.9
Residence ²																				
1930	981	61.0	843	52.4	149	9.3	14	0.9	-	-	33	2.1	33	2.1	28	1.7	17	1.1	7	0.4
1940	609	35.6	555	32.4	146	8.5	4	0.2	5	0.3	3	0.2	5	0.3	6	0.4	3	0.2	4	0.2
1950	332	16.5	310	15.4	77	3.8	-	-	1	0.05	1	0.05	3	0.1	9	0.4	21	1.0	1	0.05
1960**	88	3.5	83	3.3	17	0.7	-	-	-	-	-	-	-	-	4	0.2	5	0.2	6	0.2
1961	103	4.0	94	3.6	16	0.6	-	-	1	0.04	1	0.04	-	-	4	0.2	-	-	-	-
1962	99	3.7	93	3.5	23	0.9	-	-	1	0.04	-	-	-	-	9	0.3	-	-	6	0.2
1963	86	3.2	79	2.9	24	0.9	1	0.04	-	-	-	-	-	-	12	0.4	-	-	-	-
1964	69	2.5	56	2.0	31	1.1	-	-	-	-	-	-	-	-	10	0.4	-	-	2	0.1
1965	78	2.8	53	1.9	19	0.7	-	-	-	-	-	-	-	-	9	0.3	-	-	5	0.2
1966	71	2.5	66	2.3	20	0.7	-	-	2	0.1	-	-	1	0.04	12	0.4	-	-	-	-
1967	67	2.3	65	2.2	11	0.4	-	-	-	-	-	-	-	-	8	0.3	-	-	-	-
1968	50	1.7	48	1.6	15	0.5	-	-	-	-	-	-	-	-	8	0.3	-	-	-	-
1969	37	1.2	21	0.7	4	0.1	-	-	-	-	-	-	-	-	9	0.3	-	-	-	-
1970**	51	1.7	39	1.3	4	0.1	-	-	-	-	-	-	-	-	9	0.3	-	-	-	-
1971	42	1.4	28	0.9	5	0.2	-	-	-	-	-	-	-	-	3	0.1	-	-	1	0.03
1972	50	1.6	40	1.3	2	0.1	-	-	1	0.03	-	-	-	-	3	0.1	-	-	-	-
1973	34	1.1	25	0.8	2	0.1	-	-	-	-	-	-	-	-	3	0.1	-	-	1	0.03
1974	35	1.1	25	0.8	3	0.1	-	-	1	0.03	-	-	-	-	-	-	-	-	-	-
1975	26	0.8	20	0.7	5	0.2	-	-	-	-	-	-	-	-	2	0.1	1	0.03	-	-
1976	39	1.3	31	1.0	3	0.1	-	-	-	-	-	-	-	-	5	0.2	-	-	-	-
1977	18	0.6	11	0.4	1	0.03	-	-	-	-	-	-	-	-	5	0.2	-	-	-	-
1978	28	0.9	19	0.6	2	0.1	-	-	-	-	-	-	-	-	7	0.2	-	-	1	0.03
1979	13	0.4	5	0.2	2	0.1	-	-	-	-	-	-	-	-	3	0.1	-	-	-	-
1980**	13	0.4	12	0.4	1	0.03	-	-	-	-	-	-	-	-	7	0.2	-	-	-	-

TABLE II-DEATHS AND DEATH RATES PER 100,000 POPULATION FROM SELECTED CAUSES: CONNECTICUT, 1900-1980 (Cont'd.)

YEAR	Malignant neoplasms (140-208)		Other neoplasms* (210-239)		Diabetes (250)		Active rheumatic fever (390-392)		Chronic rheumatic heart disease (393-398)		Cardiovascular renal diseases (390-448, 580-589)		Cerebrovascular disease (430-438)		Diseases of the heart (390-398, 402, 404-429)		Diseases of the arteries (440-448)		Nephritis and nephrosis (580-589)	
Place of Occurrence ¹	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate
1900	608	66.9	-	-	124	13.7	-	-	-	-	2946	324.3	897	98.7	1018	112.1	102	11.2	929	102.3
1910	896	80.1	-	-	207	18.5	86	7.7	-	-	4655	416.3	1125	100.6	1900	169.9	483	43.2	1147	102.6
1920	1399	100.5	-	-	292	21.0	51	3.7	-	-	5227	375.6	1491	107.1	2062	148.2	448	32.2	1226	88.1
Residence ²																				
1930	1929	119.9	-	-	302	18.8	39	2.4	-	-	7320	454.8	1515	94.1	4206	261.3	366	22.7	1233	76.6
1940	2665	155.7	127	7.4	455	26.6	53	3.1	251	14.7	8953	523.0	1852	108.2	5609	327.7	402	23.5	1090	63.7
1950	3427	170.0	74	3.7	390	19.3	20	1.0	273	13.5	10846	537.9	1915	95.0	8088	401.1	462	22.9	225	11.2
1960	4444	175.3	74	2.9	515	20.3	4	0.2	287	11.3	13139	518.3	2551	100.6	9561	377.1	710	28.0	159	6.3
1961	4343	167.0	62	2.4	473	18.2	5	0.2	305	11.7	13302	511.4	2611	100.4	9567	367.8	791	30.4	136	5.2
1962	4518	170.1	89	3.3	506	19.0	15	0.6	262	9.9	13695	515.5	2519	94.8	9973	375.4	866	32.6	135	5.1
1963	4520	167.3	97	3.6	508	18.8	12	0.4	262	9.7	14221	526.2	2778	102.8	10294	380.9	826	30.6	133	4.9
1964	4719	170.8	86	3.1	468	16.9	12	0.4	288	10.4	13901	503.1	2600	94.1	10160	367.7	855	30.9	119	4.3
1965	4582	163.0	87	3.1	466	16.6	5	0.2	243	8.6	14186	504.7	2672	95.1	10332	367.6	862	30.7	143	5.1
1966	4673	163.6	110	3.9	472	16.5	3	0.1	271	9.5	14364	502.9	2825	98.9	10342	362.1	877	30.7	141	4.9
1967	4818	165.6	73	2.5	516	17.7	-	-	239	8.2	14273	490.6	2772	95.3	10393	357.2	849	29.2	103	3.5
1968	5017	170.4	82	2.8	554	18.8	-	-	252	8.6	14375	488.4	2787	94.7	10500	356.7	787	26.7	124	4.2
1969	5102	170.5	85	2.8	550	18.4	1	0.03	220	7.4	13981	467.1	2727	91.1	10167	339.7	841	28.1	101	3.4
1970	5116	168.8	81	2.7	499	16.4	1	0.03	231	7.6	13945	460.0	2751	90.7	10188	336.1	809	26.7	87	2.9
1971	5185	170.6	102	3.4	522	17.2	3	0.1	206	6.8	14023	461.4	2688	88.4	10216	336.1	943	31.0	67	2.2
1972	5388	176.8	64	2.1	508	16.7	3	0.1	222	7.3	14185	465.6	2784	91.4	10056	330.0	1137	37.3	70	2.3
1973	5474	179.2	83	2.7	517	16.9	5	0.2	227	7.4	14462	473.5	2895	94.8	10514	344.2	863	28.8	101	3.3
1974	5691	185.9	87	2.8	514	16.8	7	0.2	177	5.8	13856	452.5	2734	89.3	10048	328.1	886	28.9	70	2.3
1975	5909	192.5	92	3.0	459	15.0	7	0.2	206	6.7	13449	438.1	2495	81.3	9956	324.3	826	26.9	78	2.5
1976	5844	189.9	104	3.4	512	16.6	5	0.2	180	5.8	13582	441.4	2472	80.3	10050	326.6	895	29.1	86	2.8
1977	6043	195.9	94	3.0	442	14.3	3	0.1	190	6.2	13299	431.1	2275	73.7	10061	326.1	816	26.5	76	2.5
1978	5977	193.3	98	3.2	433	14.0	3	0.1	214	6.9	13358	432.0	2384	77.1	10022	324.1	774	25.0	106	3.4
1979	6164	198.8	48	1.5	411	13.3	1	0.03	117	3.8	13374	431.4	2157	69.6	10110	326.1	787	25.4	205	6.6
1980	6510	209.5	45	1.4	392	12.6	4	0.1	104	3.3	13773	443.2	2081	67.0	10338	332.7	1020	32.8	207	6.7

TABLE II-DEATHS AND DEATH RATES PER 100,000 POPULATION FROM SELECTED CAUSES: CONNECTICUT, 1900-1980 (Cont'd.)

Place of Occurrence ¹	Influenza (487)		Pneumonia (480-486)		Emphysema (492)		Peptic ulcer (531-533)		Gastritis, enteritis etc., (under 2 yrs.) (008,009,535, 555-558)		Appendicitis (540-543)		Hernia and intestinal obstruction (550-553, 560)		Complications of pregnancy, childbirth, puerperium ³ (630-676)		Congenital anomalies (740-759)		Accidents, total (E800-E949)	
	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate
1900	667	73.4	1504	165.6	-	-	16	1.8	-	-	87	9.6	113	12.4	227	55.0	-	-	752	82.8
1910	264	23.6	1768	158.1	-	-	38	3.4	1085	97.0	98	8.8	135	12.1	140	51.3	160	14.3	855	76.5
1920	1256	90.3	2073	149.0	-	-	41	2.9	696	50.0	134	9.6	140	10.1	197	57.7	207	14.9	1029	73.6
Residence ²																				
1930	223	13.9	1435	89.2	-	-	82	5.1	171	10.6	212	13.2	170	10.6	144	52.0	151	9.4	1148	71.3
1940	87	5.1	700	40.9	-	-	109	6.4	41	2.4	149	8.7	162	9.5	75	29.9	148	8.6	1090	63.7
1950	10	0.5	289	14.3	6	0.3	116	5.8	20	1.0	30	1.5	116	5.8	18	4.4	220	10.9	921	45.7
1960**	23	0.9	841	33.2	120	4.7	179	7.1	8	0.3	25	1.0	126	5.0	8	1.4	297	11.7	881	34.8
1961	5	0.2	877	33.7	125	4.8	154	5.9	13	0.5	21	0.8	126	4.8	15	2.6	296	11.4	856	32.9
1962	13	0.5	852	32.1	135	5.1	165	6.2	14	0.5	23	0.9	104	3.9	20	3.6	295	11.1	918	34.6
1963	41	1.5	1035	38.3	163	6.0	169	6.3	17	0.6	18	0.7	108	4.0	7	1.2	282	10.4	977	36.2
1964	-	-	869	31.4	192	6.9	170	6.2	12	0.4	24	0.9	122	4.4	16	2.8	292	10.6	960	34.7
1965	19	0.7	946	33.7	193	6.9	151	5.4	13	0.5	12	0.4	130	4.6	12	2.2	293	10.4	1070	38.1
1966	7	0.2	1002	35.1	238	8.3	141	4.9	8	0.3	20	0.7	107	3.7	3	0.6	255	8.9	1094	38.3
1967	3	0.1	909	31.2	242	8.3	152	5.2	8	0.3	18	0.6	104	3.6	8	1.6	222	7.6	1188	40.8
1968	84	2.9	1027	34.9	269	9.1	133	4.5	6	0.2	16	0.5	128	4.3	9	1.9	214	7.3	1156	39.3
1969	74	2.5	973	32.5	251	8.4	104	3.5	11	0.4	22	0.7	80	2.7	8	1.6	251	8.4	1095	36.6
1970**	19	0.6	805	26.6	279	9.2	109	3.6	8	0.3	13	0.4	99	3.3	4	0.8	244	8.0	1073	35.4
1971	47	1.5	803	26.4	274	9.0	106	3.5	7	0.2	14	0.5	92	3.0	7	1.5	191	6.3	1110	36.5
1972	74	2.4	754	24.7	215	7.1	85	2.8	3	0.1	7	0.2	79	2.6	2	0.5	166	5.4	1082	35.5
1973	54	1.8	755	24.7	202	6.6	110	3.6	3	0.1	15	0.5	96	3.1	6	1.6	158	5.2	1104	36.1
1974	38	1.2	770	25.1	224	7.3	82	2.7	7	0.2	9	0.3	66	2.2	4	1.1	161	5.3	973	31.8
1975	31	1.0	704	22.9	183	6.0	72	2.3	1	0.03	8	0.3	76	2.5	5	1.4	151	4.9	936	30.5
1976	174	5.7	789	25.6	173	5.6	79	2.6	3	0.1	6	0.2	69	2.2	1	0.3	148	4.8	951	30.9
1977	3	0.1	640	20.7	156	5.1	80	2.6	4	0.1	2	0.1	59	1.9	2	0.5	166	5.4	1419	46.0
1978	54	1.7	744	24.1	156	5.0	59	1.9	6	0.2	6	0.2	67	2.2	1	0.3	133	4.3	1016	32.9
1979	3	0.1	642	20.7	141	4.5	51	1.6	-	-	6	0.2	55	1.8	3	0.8	153	4.9	1067	34.4
1980	78	2.5	825	26.5	93	3.0	65	2.1	-	-	9	0.3	62	2.0	2	0.5	164	5.3	1105	35.6

TABLE II-DEATHS AND DEATH RATES PER 100,000 POPULATION FROM SELECTED CAUSES: CONNECTICUT, 1900-1980 (Cont'd.)

YEAR	Motor vehicle accidents (E810-E825)		Home accidents ⁴		Drowning (E910)		Suicide (E950-E959)		Homicide and legal intervention (E960-E978)	
	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate	Num-ber	Rate
1900	-	-	-	-	126	13.9	118	13.0	-	-
1910	33	3.0	-	-	120	10.7	202	18.1	23	2.1
1920	243	17.5	-	-	118	8.5	155	11.1	53	3.8
Residence ²										
1930	422	27.2	-	-	116	7.2	271	16.8	50	3.1
1940	361	21.1	412	24.1	86	5.0	318	18.6	34	2.0
1950	280	13.9	445	22.1	66	3.3	237	11.8	28	1.4
1950	299	11.8	320	12.6	58	2.3	249	9.8	50	2.0
1961	302	11.6	313	12.0	50	1.9	240	9.2	33	1.3
1962	345	13.0	316	11.9	65	2.4	275	10.4	44	1.7
1963	369	13.7	321	11.9	43	1.6	273	10.1	51	1.9
1964	363	13.1	304	11.0	52	1.9	278	10.1	52	1.9
1965	437	15.5	330	11.7	62	2.2	262	9.3	56	2.0
1966	450	15.8	295	10.3	71	2.5	301	10.5	70	2.5
1967	509	17.5	331	11.3	77	2.6	276	9.5	76	2.6
1968	508	17.3	345	11.7	50	1.7	270	9.2	79	2.7
1969	465	15.5	304	10.2	66	2.2	315	10.5	99	3.3
1970	485	16.0	279	9.2	76	2.5	308	10.2	120	4.0
1971	518	17.0	305	10.0	57	1.9	302	9.9	111	3.7
1972	499	16.4	313	10.3	59	1.9	308	10.1	110	3.6
1973	554	18.1	283	9.3	66	2.2	287	9.4	113	3.7
1974	424	13.8	273	8.9	58	1.9	269	8.8	109	3.6
1975	448	14.3	229	7.5	77	2.5	324	10.6	137	4.5
1976	457	14.9	287	9.3	43	1.4	319	10.4	113	3.7
1977	449	14.6	244	7.9	53	1.7	283	9.2	141	4.6
1978	488	15.8	NA	---	57	1.8	330	10.7	126	4.1
1979	585	18.9	NA	---	32	1.0	275	8.9	144	4.6
1980	577	18.6	NA	---	78	2.5	281	9.0	168	5.4

NOTES:

*All causes are listed according to the 9th Revision of the International Classification of Diseases, which became effective in 1979. For comparison between revisions it will be necessary to consult comparability ratios published by the National Center for Health Statistics.

**Rates have been adjusted to decennial census. Rates for intervening years were calculated using the intercensal population adjustments.

¹Place of occurrence. Events occurring in Connecticut.

²Place of residence. Events occurring to residents of Connecticut occurring in Connecticut, other states and Canada.

³Death rates from complications of pregnancy, childbirth and puerperium are per 10,000 live births.

⁴Prior to 1949 and from 1969 on, the count for fatal home accidents was taken from the National Safety Council classification.

NA Not Available.

- No deaths reported.

TABLE III-CONNECTICUT INTERCENSAL AGE AND SEX POPULATION ESTIMATE ADJUSTMENT 1970-1980**

TOTAL POPULATION

Age Group	1970*	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980*
All ages	3,031,709	3,039,295	3,046,884	3,054,470	3,062,055	3,069,652	3,077,230	3,084,817	3,092,401	3,099,992	3,107,576
Under 5 years	253,262	246,455	239,647	232,840	226,032	219,226	212,418	205,611	198,803	191,996	185,188
5- 9 years	295,966	286,945	277,924	268,903	259,882	250,863	241,842	232,821	223,800	214,779	205,758
10-14 years	304,211	299,418	294,625	289,833	285,040	280,247	275,454	270,661	265,869	261,076	256,283
15-19 years	264,053	266,486	268,919	271,352	273,785	276,219	278,651	281,084	283,517	285,950	288,383
20-24 years	229,794	234,053	238,311	242,571	246,829	251,088	255,347	259,605	263,865	268,123	272,382
25-29 years	206,011	210,336	214,661	218,986	223,311	227,636	231,960	236,285	240,610	244,935	249,260
30-34 years	168,754	176,066	183,378	190,690	198,002	205,314	212,625	219,938	227,249	234,562	241,873
35-39 years	167,428	171,133	174,838	178,543	182,248	185,954	189,659	193,364	197,069	200,774	204,479
40-44 years	188,519	186,149	183,780	181,410	179,041	176,671	174,301	171,932	169,562	167,193	164,823
45-49 years	196,352	192,881	189,412	185,941	182,471	179,001	175,530	172,060	168,589	165,120	161,649
50-54 years	185,339	184,530	183,722	182,913	182,104	181,296	180,487	179,678	178,869	178,061	177,252
55-59 years	157,029	159,197	161,366	163,534	165,702	167,871	170,039	172,207	174,375	176,544	178,712
60-64 years	126,083	129,142	132,201	135,259	138,318	141,377	144,435	147,494	150,552	153,611	156,670
65-69 years	96,959	99,905	102,850	105,796	108,742	111,688	114,632	117,578	120,524	123,469	126,415
70-74 years	77,851	79,396	80,942	82,486	84,031	85,577	87,122	88,667	90,211	91,757	93,302
75-79 years	57,158	58,050	58,942	59,835	60,727	61,620	62,512	63,404	64,297	65,189	66,081
80-84 years	34,518	35,400	36,282	37,164	38,045	38,928	39,810	40,691	41,573	42,455	43,337
85 years and over	22,422	23,753	25,084	26,414	27,745	29,076	30,406	31,737	33,067	34,398	35,729

*U.S. Census for Connecticut.

**Prepared by Department of Health Services, Division of Health Statistics.

TABLE III-CONNECTICUT INTERCENSAL AGE AND SEX POPULATION ESTIMATE ADJUSTMENT 1970-1980**

MALES

Age Group	1970*	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980*
All ages	1,470,487	1,473,240	1,475,990	1,478,743	1,481,494	1,484,249	1,486,998	1,489,751	1,492,502	1,495,254	1,498,005
Under 5 years	128,574	125,165	121,755	118,346	114,936	111,527	108,117	104,708	101,298	97,889	94,479
5- 9 years	150,957	146,412	141,867	137,322	132,777	128,233	123,688	119,143	114,598	110,053	105,508
10-14 years	154,760	152,342	149,924	147,507	145,089	142,671	140,253	137,835	135,418	133,000	130,582
15-19 years	133,184	134,493	135,802	137,111	138,420	139,730	141,039	142,348	143,657	144,966	146,275
20-24 years	108,196	110,913	113,629	116,346	119,062	121,779	124,496	127,212	129,929	132,645	135,362
25-29 years	101,552	103,715	105,878	108,041	110,204	112,367	114,530	116,693	118,856	121,019	123,182
30-34 years	82,904	86,356	89,807	93,259	96,710	100,162	103,613	107,065	110,516	113,968	117,419
35-39 years	81,649	83,446	85,243	87,040	88,837	90,634	92,431	94,228	96,025	97,822	99,619
40-44 years	91,984	90,769	89,555	88,340	87,126	85,911	84,696	83,482	82,267	81,053	79,838
45-49 years	95,087	93,401	91,716	90,030	88,345	86,659	84,973	83,288	81,602	79,917	78,231
50-54 years	89,662	89,259	88,856	88,453	88,050	87,647	87,244	86,841	86,438	86,035	85,632
55-59 years	76,085	77,005	77,925	78,845	79,765	80,685	81,605	82,525	83,445	84,365	85,285
60-64 years	59,099	60,497	61,895	63,293	64,691	66,089	67,486	68,884	70,282	71,680	73,078
65-69 years	42,198	43,622	45,045	46,469	47,893	49,317	50,740	52,164	53,588	55,011	56,435
70-74 years	31,665	32,337	33,009	33,680	34,352	35,024	35,696	36,368	37,039	37,711	38,383
75-79 years	22,421	22,612	22,803	22,995	23,186	23,377	23,568	23,759	23,951	24,142	24,333
80-84 years	12,825	12,948	13,070	13,193	13,315	13,438	13,561	13,683	13,806	13,928	14,051
85 years and over	7,685	7,948	8,211	8,473	8,736	8,999	9,262	9,525	9,787	10,050	10,313

*U.S. Census for Connecticut.

**Prepared by Department of Health Services, Division of Health Statistics.

TABLE III-CONNECTICUT INTERCENSAL AGE AND SEX POPULATION ESTIMATES ADJUSTMENT 1970-1980**

FEMALES

Age Group	1970*	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980*
All ages	1,561,222	1,566,055	1,570,894	1,575,727	1,580,561	1,585,403	1,590,232	1,595,066	1,599,899	1,604,738	1,609,571
Under 5 years	124,688	121,290	117,892	114,494	111,096	107,699	104,301	100,903	97,505	94,107	90,709
5- 9 years	145,009	140,533	136,057	131,581	127,105	122,630	118,154	113,678	109,202	104,726	100,250
10-14 years	149,451	147,076	144,701	142,326	139,951	137,576	135,201	132,826	130,451	128,076	125,701
15-19 years	130,869	131,993	133,117	134,241	135,365	136,489	137,612	138,736	139,860	140,984	142,108
20-24 years	121,598	123,140	124,682	126,225	127,767	129,309	130,851	132,393	133,936	135,478	137,020
25-29 years	104,459	106,621	108,783	110,945	113,107	115,269	117,430	119,592	121,754	123,916	126,078
30-34 years	85,850	89,710	93,571	97,431	101,292	105,152	109,012	112,873	116,733	120,594	124,454
35-39 years	85,779	87,687	89,595	91,503	93,411	95,320	97,228	99,136	101,044	102,952	104,860
40-44 years	96,535	95,380	94,225	93,070	91,915	90,760	89,605	88,450	87,295	86,140	84,985
45-49 years	101,265	99,480	97,696	95,911	94,126	92,342	90,557	88,772	86,987	85,203	83,418
50-54 years	95,677	95,271	94,866	94,460	94,054	93,649	93,243	92,837	92,431	92,026	91,620
55-59 years	80,944	82,192	83,441	84,689	85,937	87,186	88,434	89,682	90,930	92,179	93,427
60-64 years	66,984	68,645	70,306	71,966	73,627	75,288	76,949	78,610	80,270	81,931	83,592
65-69 years	54,761	56,283	57,805	59,327	60,849	62,371	63,892	65,414	66,936	68,458	69,980
70-74 years	46,186	47,059	47,933	48,806	49,679	50,553	51,426	52,299	53,172	54,046	54,919
75-79 years	34,737	35,438	36,139	36,840	37,541	38,243	38,944	39,645	40,346	41,047	41,748
80-84 years	21,693	22,452	23,212	23,971	24,730	25,490	26,249	27,008	27,767	28,527	29,286
85 years and over	14,737	15,805	16,873	17,941	19,009	20,077	21,144	22,212	23,280	24,348	25,416

*U.S. Census for Connecticut.

**Prepared by Department of Health Services, Division of Health Statistics.